



## Certificate of Award

### Products

for the families of products given in the annex

Based on the test report from a third-party inspection received by its Quality Committee and the decision of its Board of Management, Gütegemeinschaft Schwerer Korrosionsschutz von Armaturen und Formstücken durch Pulverbeschichtung e.V. (GSK) hereby awards

**Appendagefabriek Kolk b.v.**

**Parelstraat 5, NL-7554 Hengelo (Ov.)**

the right to display the RAL-GZ 662/3 Quality Mark for the products notified to GSK. The Quality Mark is recognised by the German Institute for Quality Assurance and Certification (RAL) under the number RAL-GZ 662. The Quality Mark is protected at the German Patent and Trade Mark Office (DPMA) as a collective mark (EU mark 009300138).



The company has informed GSK that the products to which this certificate relates were produced in accordance with the prerequisites of the GSK Quality and Inspection Regulations and are families of products; they can be found on the internet at the GSK website ([www.gsk-online.de](http://www.gsk-online.de)). They are labelled as follows:



(four-digit number issued by GSK)

The certificate is valid until:

**Dec 31<sup>st</sup>, 2020**

Munich, Nov 2019

**Not valid without annex.**

Families of products must be listed in the certificate. The user of the Quality Mark shall inform GSK of the inclusion of new products or changes to existing products in the product approval, and GSK will in turn inform the testing institutes. The current list of families of products produced in GSK quality can be found on the GSK website ([www.gsk-online.de](http://www.gsk-online.de)).





## Annex to Certificate of Award Products

The certificate awarded to

**Appendagefabriek Kolk b.v.**

**Parelstraat 5, NL-7554 Hengelo (Ov.)**

Is valid for the following families of products:

Designation	Nominalsize
Tee (T) PN10/16	DN 50 - DN 1200
Tee 45°branch (FFC) PN10/16	DN50 - DN 1200
Radial Tee (SCH) PN10/16	DN 50 - DN 1200
Flanged bend 90° (Q/iQ/WQ) PN10/16	DN 50 - DN 1200
Flange reduction bend (RQ) PN10/16	DN 50 - DN 1200
Flanged bends (FFK 45°/30°/22½°/11¼°) PN10/16	DN 50 - DN 1200
Flanged taper (FFR) PN10/16	DN 50 - DN 1200
Flanged eccentric taper (FFRe) PN10/16	DN 50 - DN 1200
Double flanged pipe (FF) PN10/16	DN 50 - DN 1200
Double flanged pipe with puddle flange (FFM) PN10/16	DN 50 - DN 1200
Flanged spigot pipe (FS) PN10/16	DN 50 - DN 1200
Flanged spigot pipe with puddle flange (FM) PN10/16	DN 50 - DN 1200
Duckfoot bend (N/RQN) PN10/16	DN 50 - DN 1200
All flanged Y PN10/16	DN 50 - DN 1200
All flanged cross (TT) PN10/16	DN 50 - DN 1200
Blank flange (X) PN10/16	DN 50 - DN 1200

The certificate is valid until:

**Dec 31<sup>st</sup>, 2020**

Munich, Nov 2019





## Annex to Certificate of Award Products

The certificate awarded to

**Appendagefabriek Kolk b.v.**

**Parelstraat 5, NL-7554 Hengelo (Ov.)**

Is valid for the following families of products:

Designation	Nominalsize
Blank flange with (eccentric) treadhole (XD/XDe) PN10/16	DN 50 - DN 1200
Studded reducer flange (Xr) PN10/16	DN 50 - DN 1200
Eccentric reducer flange (Xre) PN10/16	DN 50 - DN 1200
Studded adaptor flange (XO) PN10/16	DN 50 - DN 1200
Adaptor flanged pipe (FFO) PN10/16	DN 50 - DN 1200
Bellmouth (OMS) PN10/16	DN 50 - DN 1200
Suction bend (ZQ) PN10/16	DN 50 - DN 1200
Flat checkvalves (EK) PN10/16	DN 50 - DN 1200
Hatchbox (RRK) PN10/16	DN 50 - DN 800
Distance block (VR/VRM)	DN 50 - DN 1200
Flange-socket (EU) PN10/16	DN 50 - DN 1200
Flange-spigot (F) PN10/16	DN 50 - DN 1200
Flange on double socket tee (MMA) PN10/16	DN 50 - DN 1200
Socket tee (MMB) PN10/16	DN 50 - DN 1200
Double socket bends 90° (MMQ/MMK 45°/30°/22½°/11¼°) PN10/16	DN 50 - DN 1200
Flange-socket (E-KS/E-tv) PN10/16	DN 50 - DN 600

The certificate is valid until:

**Dec 31<sup>st</sup>, 2020**

Munich, Nov 2019





## **Annex to Certificate of Award Products**

The certificate awarded to

**Appendagefabriek Kolk b.v.**

**Parelstraat 5, NL-7554 Hengelo (Ov.)**

Is valid for the following families of products:

<b>Designation</b>	<b>Nominalsize</b>
Double socket T with flanged branch (MMA-KS/MMA-KS-tv) PN10	DN 50 - DN 600
All socket T (MMB-KS/MMB-KS-tv) PN10	DN 50 - DN 600
Duckfootbend (EN-KS/EN-KS-tv)	DN 80 - DN 160
Double socket bend tensile (Q-tv 90°/45°/30°) PN10	DN 60 - DN 160
End Cap (EXI-KS)	DN 60 - DN 200
Dismantling joints not lockable (RN) PN10/16	DN 50 - DN 1200
Dismantling joints (RO/RO-1/RO-2/RO-4) PN10/16	DN 50 - DN 1200
Flexible pipe joint (RG/RGV) PN10/16	DN 50 - DN 1200
Flanged gate valves PN10/16 DIN F4/F5	DN 50 - DN 1200
(Tensile) Socket gate valves	DN 65 - DN 300
Flanged/(Tensile) socket gate valves	DN 65 - DN 300
Flanged/threaded ends ball check valve PN10	DN 50 - DN 600
Swing check valve soft/metal seated PN10/16	DN 50 - DN 600
Tilting disc check valves PN10/16	DN 50 - DN 1200
Butterfly valves	DN 50 - DN 1200
Underground hydrants (BEP/BEP-iP)	DN 80 - DN 100

The certificate is valid until:

**Dec 31<sup>st</sup>, 2020**

Munich, Nov 2019