



General construction characteristics				Bodywork			
1. Number of axles	2	and wheels	4	38. Code for bodywork	BB		
1.1. Number and position of axles with twin wheels				40. Colour of vehicle	White		
3. Powered axles (number, position, interconnection)	1 in the front			41. Number and configuration of doors	2 sliding side doors and 0.1 or 2 sliding		
3.1. The vehicle is	non-automated			42. Number of seating positions (including the driver)	03 - 3 front		
4. Main dimensions				44. Coupling device			
4.1. Wheelbase	3682 mm			44. Approval number of approval mark of coupling device (if fitted)	E11*55R*017819 (*)		
1-2. Axle spacing				45.1. Characteristics values	D=1800 daN / S=220 kg		
5. Length	2-3			46. Sound level			
6. Width	5548 mm			47. Stationary	82 dB(A)		
7. Height	2070 mm			47. drive-by	70.0 dB(A)		
8. Fifth wheel lead for semi-trailer towing	2482 mm (*)			47.1. Exhaust emission level EURO	6C1		
9. Distance between the front end of the vehicle and the centre of the coupling device	5673 mm			47.1.1. Test mass, kg	2495		
11. Length of the loading area	3083 mm			47.1.2. Frontal area, m <sup>2</sup>	4.55		
Masses				47.1.2.1. Projected frontal area of air entrance of the front grille (if applicable), cm <sup>2</sup>	1490		
13. Mass in running order	2049 kg			47.1.3. Road load coefficients			
13.1. Distribution of this mass amongst the axles				47.1.3.1. N	205.9		
13.2. Actual mass of the vehicle	2			47.1.3.1.1. N/(km/h)	0		
16.1. Technically permissible maximum masses	02161.0 kg			47.1.3.2. N/(km/h) <sup>2</sup>	0.08971		
16.1.1. Technically permissible maximum laden mass	3500 kg			47.2.1. Driving cycle			
16.2. Technically permissible mass on each axle				47.2.1.1. Downscaling factor (ldsc)			
16.4. Technically permissible maximum mass of the combination	6000 kg			47.2.3. Capped speed			
18. Technically permissible maximum towable mass in case of				48. Exhaust emissions			
18.1. Drawbar trailer				Number of the base regulatory act and latest amending regulatory act applicable	715/2007*2018/1832C1		
18.2. Semi-trailer	2500 kg			1.2. Test procedure: Type 1 (NEDC average values, WLTP highest values) or WHSC (Euro VI)			
18.3. Centre-axle trailer	750 kg			Petrol/Diesel oil			
18.4. Unbraked trailer	100 kg			CO	131.1 mg/km	THC	
19. Technically permissible maximum static mass at the coupling point				THC + NOx	113.6 mg/km	NOx	
Power plant				Particulates (mass)	0.48 mg/km	NO <sub>2</sub>	
20. Manufacturer of the engine	RENAULT			Particulates (number)	0.23 E11/km	THC	
21. Engine code as marked on the engine	M9T F7			LPG/NG/Ethanol		NOx	
22. Working principle	No			CO		THC	
23. Pure electric	Compression ignition 4 stroke			MMHC		NOx	
23.1. Class of hybrid (electric) vehicle	4 in line			THC + NOx		THC	
24. Number and arrangement of cylinders	2299 cm <sup>3</sup>			Particulates (mass)		THC	
25. Engine capacity	Diesel oil			Particulates (number)		NO <sub>2</sub>	
26. Fuel	Mono fuel			2.2. Test procedure: WHTC (Euro VI)		THC	
26.1. Mono fuel/Bi fuel/Flex fuel/Dual-fuel				Diesel oil		NOx	
26.2. Type (dual fuel only)				CO		THC	
27. Maximum power				MMHC		NO <sub>2</sub>	
27.1. Maximum net power (internal combustion engine)	100 kW			Particulates (mass)		THC	
Maximum net power LPG/Ethanol				Particulates (number)		NO <sub>2</sub>	
27.3. Maximum net power (electric motor)				LPG/NG/Ethanol		THC	
27.4. Maximum 30 minutes power (electric motor)				CO		NOx	
28. Gearbox (type)	Manual			MMHC		THC	
28.1. Gearbox ratios (for vehicles with manual shift transmissions)				CH4		NO <sub>2</sub>	
5.1. 0.291	2			Particulates (mass)		THC	
5.1.1. 4.138	3			Particulates (number)		NO <sub>2</sub>	
28.1.1. Final drive ratio (if applicable)	6: 1.75			Smoke corrected absorption coefficient	0.51 m <sup>-1</sup>	NOx	
28.1.2. Final drive ratios (to complete if and where applicable)	2: 0.1134			48.2 Declared maximum RDE values (if applicable)		NOx	
1. 0.0571	7: 0.1851			Complete RDE trip			
5. 0.3376				Urban RDE trip			
Maximum speed	150 km/h			49. CO <sub>2</sub> emissions/fuel consumption/electric energy consumption			
29. Maximum speed				1. all power train except pure electric vehicles (if applicable)			
30. Axle(s) track	1730 mm			NEDC values Petrol/Diesel oil	198 g/km		
35. Fitted tyre/wheel combination/ energy efficient tyre category used for CO <sub>2</sub> determination (if a	225/65 R16C (112/110) T 6.5 J 16 - 66 (C2)A			urban conditions	170 g/km		
Brakes				extra-urban conditions	180 g/km		
36. Trailer brake connections	mechanical			combined			
37. Pressure in feed line for trailer braking system				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if applicable)			
				Weighted, combined			
				Verification factor (if			