



# AESCULAP® NEUROSURGERY

HAUPTKATALOG  
MAIN CATALOG

## BIPOLAR COAGULATION – BIPOLARE KOAGULATION

### CASPAR COAGULATION FORCEPS

#### CASPAR KOAGULATIONSPINZETTEN

##### CASPAR coagulation forceps

- Slimline, petite shape for delicate work.
- Forceps tips with rounded, polished surface.
- Parallel guidance for matching of forceps tips.

##### CASPAR Koagulationspinzetten

- Schlanke, zierliche Form für feinfühliges Arbeiten.
- Pinzettenspitzen mit abgerundeter, polierter Oberfläche.
- Parallelführung für ein Aufeinandertreffen der Pinzettenspitzen.

BIPOLAR  
BIPOLAR



# BIPOLAR COAGULATION – BIPOLARE KOAGULATION

CASPAR COAGULATION FORCEPS  
CASPAR KOAGULATIONSPINZETTEN



BIPOLAR  
BIPOLAR







AESCULAP® tab connector  
AESCULAP® Flachstecker



1/2

1/2

1/2

		Art. No. Art. Nr.	Art. No. Art. Nr.	Art. No. Art. Nr.
0.2 mm	 1/1	GK899R	GK929R	GK959R
0.5 mm	 1	<b>15.1</b> GK900R	<b>15.6</b> GK930R	GK960R
1.0 mm	 1	<b>15.2</b> GK910R	<b>15.5</b> GK940R	GK970R
2.0 mm	 1/1	<b>15.3</b> GK920R	<b>15.4</b> GK950R	GK980R
Working length Arbeitslänge		70 mm, 2 3/4"	100 mm, 4"	125 mm, 5"
Total length Gesamtlänge		165 mm, 6 1/2"	195 mm, 7 3/4"	220 mm, 8 3/4"

## BIPOLAR COAGULATION – BIPOLARE KOAGULATION

### SINTRAM NON-STICK COAGULATION FORCEPS

### SINTRAM NON-STICK KOAGULATIONSPINZETTEN







BIPOLAR  
BIPOLAR

#### SINTRAM NON-STICK BIPOLAR FORCEPS

- Sintram tip bipolar coagulation forceps reduce the adherence of coagulated tissue compared to standard coagulation forceps.
- Bipolare Koagulationspinzetten mit Sintram-Spitzen reduzieren das Anhaften von koagulierte Gewebe im Vergleich zu Standard Koagulationspinzetten.



		Art. No. Art. Nr.	Art. No. Art. Nr.	Art. No. Art. Nr.
0.7 x 23 mm	 1/1	GK614R	-	-
0.7 x 6 mm	 1/1	GK644R	-	-
1.0 x 23 mm	 1/1	-	GK615R	GK616R
1.0 x 6 mm	 1/1	-	GK645R	GK646R
Working length Arbeitslänge		60 mm, 2 3/8"	85 mm, 3 1/4"	100 mm, 4"
Total length Gesamtlänge		160 mm, 6 1/4"	185 mm, 7 1/4"	200 mm, 7 7/8"

15.7

15.8