

High Pressure Tubing

Pagaminta iš pinto nailono

- Various length and connector types to choose
 - PU tubing with braided Nylon liner for 1200 psi
 - PVC tubing for 500 psi or 40 psi (DEHP- free available)
 - Soft, flexible, transparent, safety cap on the ends; one end luer lock connection, other end with connection to intravenous catheter
 - EO-sterilization
 - Validity : 3 years
- Lanksti

Ref.NO.	Type	Production Description	Ref.NO.	Type	Production Description	
PMT0101	30cm	Female-Male Luer Lock No Leakage under 500 psi Pressure (ID*OD:1.8*3.3mm)	PMT0501A	25 cm	Ilgis 25 cm Rotating adapter	
PMT0102	60cm		PMT0501	30cm	No Leakage under 1200 psi Pressure (ID*OD: 1.8*3.6mm) Compatible with Ulrich and Medrad systems	
PMT0103	90cm		PMT0502	60cm		
PMT0104	120cm		PMT0503	90cm		
PMT0105	150cm		PMT0504	120cm		
PMT0106	180cm		PMT0505	150cm		
PMT0401	30cm	Female-Male Luer Lock No Leakage under 40 psi Pressure (ID*OD: 3*4mm)	PMT0509	180cm	Female-Male Luer Lock No Leakage under 1200 psi Pressure (ID*OD: 1.8*3.6mm)	
PMT0402	60cm		PMT0301	30cm		
PMT0403	90cm		PMT0302	60cm		
PMT0412	260cm		PMT0303	90cm		
PMT0413	250cm			PMT0304		120cm

Aukšto slėgio (1200 psi)

Diametras 1,8*3.6mm





Benannt durch/Designated by
 Zentralstelle der Länder
 für Gesundheitsschutz
 bei Arzneimitteln und
 Medizinprodukten
 www.zlg.de
 ZLG-BS-244.10.08



Product Service

EC Certificate

Full Quality Assurance System
 Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4)
 (Devices in Class IIa, IIb or III)

No. G1 081681 0019 Rev. 02

Facility(ies):

Shanghai Kindly Medical Instruments Co., Ltd.
 No.925 Jinyuan yi Road, 201803 Shanghai, PEOPLE'S
 REPUBLIC OF CHINA

TÜV SÜD
 ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT

