

EC Declaration of Conformity

Manufacturer: Zimmer GmbH
Sulzerallee 8
8404 Winterthur
Switzerland

Product (System) Name: NCB Polyaxial Locking Plate System (non-sterile)

Scope: See scope list below (168 items)

Classification: Class IIb, in accordance to rule 8, Annex IX of the Council Directive 93/42/EEC concerning medical devices.

Conformity Assessment Route: Zimmer GmbH uses the following procedures for the CE-marking of this product according to the Directive 93/42/EEC:
Class IIb: EC Conformity Declaration according to Annex II.3

GMDN Code: 61689, Internal orthopaedic fixation system, plate/screw, non-bioabsorbable, non-sterile

Notified Body: BSI Group The Netherlands B.V.
Say Building, John M. Keynesplein 9, 1066 EP
Amsterdam, Netherlands
Identification Number: CE 2797

European Authorized Representative: Biomet GSCC B.V.
Hazeldonk 6530
4836 LD Breda
The Netherlands

We hereby declare that the medical device(s) specified above meet the provisions of the Council Directive No. 93/42/EEC. This declaration is supported by the EC Full Quality Assurance Certificate CE 516222 and the Quality System approval to ISO 13485 issued by BSI. All supporting documentation is retained at the premises of the manufacturer.

25. MAI 2021

Date

Regulatory Affairs Manager

Scope List

Article number	Product name	Class
02.01362.108	NCB® Cerclage wire for T. minus plate ø 0.8 mm	IIb
02.01362.116	NCB®-PH guide wire ø 1.6, with thread L. 190 mm	IIb
02.03150.014	NCB® Screw ø 5.0, L. 14 mm	IIb
02.03150.016	NCB® Screw ø 5.0, L. 16 mm	IIb
02.03150.018	NCB® Screw ø 5.0, L. 18 mm	IIb
02.03150.020	NCB® Screw ø 5.0, L. 20 mm	IIb
02.03150.022	NCB® Screw ø 5.0, L. 22 mm	IIb
02.03150.024	NCB® Screw ø 5.0, L. 24 mm	IIb
02.03150.026	NCB® Screw ø 5.0, L. 26 mm	IIb
02.03150.028	NCB® Screw ø 5.0, L. 28 mm	IIb
02.03150.030	NCB® Screw ø 5.0, L. 30 mm	IIb
02.03150.032	NCB® Screw ø 5.0, L. 32 mm	IIb
02.03150.034	NCB® Screw ø 5.0, L. 34 mm	IIb
02.03150.036	NCB® Screw ø 5.0, L. 36 mm	IIb
02.03150.038	NCB® Screw ø 5.0, L. 38 mm	IIb
02.03150.040	NCB® Screw ø 5.0, L. 40 mm	IIb
02.03150.042	NCB® Screw ø 5.0, L. 42 mm	IIb
02.03150.044	NCB® Screw ø 5.0, L. 44 mm	IIb
02.03150.046	NCB® Screw ø 5.0, L. 46 mm	IIb
02.03150.048	NCB® Screw ø 5.0, L. 48 mm	IIb
02.03150.050	NCB® Screw ø 5.0, L. 50 mm	IIb
02.03150.055	NCB® Screw ø 5.0, L. 55 mm	IIb
02.03150.060	NCB® Screw ø 5.0, L. 60 mm	IIb
02.03150.065	NCB® Screw ø 5.0, L. 65 mm	IIb
02.03150.070	NCB® Screw ø 5.0, L. 70 mm	IIb
02.03150.075	NCB® Screw ø 5.0, L. 75 mm	IIb
02.03150.080	NCB® Screw ø 5.0, L. 80 mm	IIb

02.03150.085	NCB® Screw ø 5.0, L. 85 mm	IIb
02.03150.090	NCB® screw ø 5.0, L. 90 mm	IIb
02.03150.095	NCB® screw ø 5.0, L. 95 mm	IIb
02.03150.100	NCB® screw ø 5.0, L. 100 mm	IIb
02.03150.300	NCB® locking cap	IIb
02.03150.310	NCB® Blind screw insert	IIb
02.03150.311	NCB® Spacer 1 mm	IIb
02.03150.312	NCB® Spacer 2 mm	IIb
02.03150.313	NCB® Spacer 3 mm	IIb
02.03152.050	NCB® Cancellous screw ø 5.0 mm, 32 mm, L. 50 mm	IIb
02.03152.055	NCB® Cancellous screw ø 5.0 mm, 32 mm, L. 55 mm	IIb
02.03152.060	NCB® Cancellous screw ø 5.0 mm, 32 mm, L. 60 mm	IIb
02.03152.065	NCB® Cancellous screw ø 5.0 mm, 32 mm, L. 65 mm	IIb
02.03152.070	NCB® Cancellous screw ø 5.0 mm, 32 mm, L. 70 mm	IIb
02.03152.075	NCB® Cancellous screw ø 5.0 mm, 32 mm, L. 75 mm	IIb
02.03152.080	NCB® Cancellous screw ø 5.0 mm, 32 mm, L. 80 mm	IIb
02.03152.085	NCB® Cancellous screw ø 5.0 mm, 32 mm, L. 85 mm	IIb
02.03152.090	NCB® cancellous screw ø 5.0, L. 90 mm	IIb
02.03152.095	NCB® cancellous screw ø 5.0, L. 95 mm	IIb
02.03152.100	NCB® cancellous screw ø 5.0, L. 100 mm	IIb
02.03155.014	NCB® screw ø 4.0 mm, self-tapping, L. 14 mm	IIb
02.03155.016	NCB® screw ø 4.0 mm, self-tapping, L. 16 mm	IIb
02.03155.018	NCB® screw ø 4.0 mm, self-tapping, L. 18 mm	IIb
02.03155.020	NCB® screw ø 4.0 mm, self-tapping, L. 20 mm	IIb
02.03155.022	NCB® screw ø 4.0 mm, self-tapping, L. 22 mm	IIb
02.03155.024	NCB® screw ø 4.0 mm, self-tapping, L. 24 mm	IIb
02.03155.026	NCB® screw ø 4.0 mm, self-tapping, L. 26 mm	IIb
02.03155.028	NCB® screw ø 4.0 mm, self-tapping, L. 28 mm	IIb



02.03155.030	NCB® screw ø 4.0 mm, self-tapping, L. 30 mm	IIb
02.03155.032	NCB® screw ø 4.0 mm, self-tapping, L. 32 mm	IIb
02.03155.034	NCB® screw ø 4.0 mm, self-tapping, L. 34 mm	IIb
02.03155.036	NCB® screw ø 4.0 mm, self-tapping, L. 36 mm	IIb
02.03155.038	NCB® screw ø 4.0 mm, self-tapping, L. 38 mm	IIb
02.03155.040	NCB® screw ø 4.0 mm, self-tapping, L. 40 mm	IIb
02.03155.042	NCB® screw ø 4.0 mm, self-tapping, L. 42 mm	IIb
02.03155.044	NCB® screw ø 4.0 mm, self-tapping, L. 44 mm	IIb
02.03155.046	NCB® screw ø 4.0 mm, self-tapping, L. 46 mm	IIb
02.03155.048	NCB® screw ø 4.0 mm, self-tapping, L. 48 mm	IIb
02.03155.050	NCB® screw ø 4.0 mm, self-tapping, L. 50 mm	IIb
02.03155.055	NCB® screw ø 4.0 mm, self-tapping, L. 55 mm	IIb
02.03155.060	NCB® screw ø 4.0 mm, self-tapping, L. 60 mm	IIb
02.03155.065	NCB® screw ø 4.0 mm, self-tapping, L. 65 mm	IIb
02.03155.070	NCB® screw ø 4.0 mm, self-tapping, L. 70 mm	IIb
02.03155.075	NCB® screw ø 4.0 mm, self-tapping, L. 75 mm	IIb
02.03155.080	NCB® screw ø 4.0 mm, self-tapping, L. 80 mm	IIb
02.03155.085	NCB® screw ø 4.0 mm, self-tapping, L. 85 mm	IIb
02.03155.090	NCB® screw ø 4.0 mm, self-tapping, L. 90 mm	IIb
02.03155.095	NCB® screw ø 4.0 mm, self-tapping, L. 95 mm	IIb
02.03155.100	NCB® screw ø 4.0 mm, self-tapping, L. 100 mm	IIb
02.03156.030	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 30 mm	IIb
02.03156.032	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 32 mm	IIb
02.03156.034	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 34 mm	IIb
02.03156.036	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 36 mm	IIb
02.03156.038	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 38 mm	IIb
02.03156.040	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 40 mm	IIb
02.03156.042	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 42 mm	IIb

02.03156.044	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 44 mm	IIb
02.03156.046	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 46 mm	IIb
02.03156.048	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 48 mm	IIb
02.03156.050	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 50 mm	IIb
02.03156.055	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 55 mm	IIb
02.03156.060	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 60 mm	IIb
02.03156.065	NCB® cancellous screw ø 4.5 mm, self-tapping, L. 65 mm	IIb
02.03157.014	NCB® cannulated screw ø 4.0 mm, self-drill, L. 14 mm	IIb
02.03157.016	NCB® cannulated screw ø 4.0 mm, self-drill, L. 16 mm	IIb
02.03157.018	NCB® cannulated screw ø 4.0 mm, self-drill, L. 18 mm	IIb
02.03157.020	NCB® cannulated screw ø 4.0 mm, self-drill, L. 20 mm	IIb
02.03157.022	NCB® cannulated screw ø 4.0 mm, self-drill, L. 22 mm	IIb
02.03157.024	NCB® cannulated screw ø 4.0 mm, self-drill, L. 24 mm	IIb
02.03157.026	NCB® cannulated screw ø 4.0 mm, self-drill, L. 26 mm	IIb
02.03157.028	NCB® cannulated screw ø 4.0 mm, self-drill, L. 28 mm	IIb
02.03157.030	NCB® cannulated screw ø 4.0 mm, self-drill, L. 30 mm	IIb
02.03157.032	NCB® cannulated screw ø 4.0 mm, self-drill, L. 32 mm	IIb
02.03157.034	NCB® cannulated screw ø 4.0 mm, self-drill, L. 34 mm	IIb
02.03157.036	NCB® cannulated screw ø 4.0 mm, self-drill, L. 36 mm	IIb
02.03157.038	NCB® cannulated screw ø 4.0 mm, self-drill, L. 38 mm	IIb
02.03157.040	NCB® cannulated screw ø 4.0 mm, self-drill, L. 40 mm	IIb
02.03157.042	NCB® cannulated screw ø 4.0 mm, self-drill, L. 42 mm	IIb
02.03157.044	NCB® cannulated screw ø 4.0 mm, self-drill, L. 44 mm	IIb
02.03157.046	NCB® cannulated screw ø 4.0 mm, self-drill, L. 46 mm	IIb
02.03157.048	NCB® cannulated screw ø 4.0 mm, self-drill, L. 48 mm	IIb
02.03157.050	NCB® cannulated screw ø 4.0 mm, self-drill, L. 50 mm	IIb
02.03157.055	NCB® cannulated screw ø 4.0 mm, self-drill, L. 55 mm	IIb
02.03157.060	NCB® cannulated screw ø 4.0 mm, self-drill, L. 60 mm	IIb

02.03157.065	NCB® cannulated screw ø 4.0 mm, self-drill, L. 65 mm	IIb
02.03158.030	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 30 mm	IIb
02.03158.032	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 32 mm	IIb
02.03158.034	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 34 mm	IIb
02.03158.036	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 36 mm	IIb
02.03158.038	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 38 mm	IIb
02.03158.040	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 40 mm	IIb
02.03158.042	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 42 mm	IIb
02.03158.044	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 44 mm	IIb
02.03158.046	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 46 mm	IIb
02.03158.048	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 48 mm	IIb
02.03158.050	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 50 mm	IIb
02.03158.055	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 55 mm	IIb
02.03158.060	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 60 mm	IIb
02.03158.065	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 65 mm	IIb
02.03158.070	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 70 mm	IIb
02.03158.075	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 75 mm	IIb
02.03158.080	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 80 mm	IIb
02.03158.085	NCB® cannulated cancellous screw ø 4.5 mm, self-drill, L. 85 mm	IIb
02.03158.090	NCB® cannulated cancellous screw ø 4.5, self-drill, L. 90 mm	IIb
02.03158.095	NCB® cannulated cancellous screw ø 4.5, self-drill, L. 95 mm	IIb
02.03158.100	NCB® cannulated cancellous screw ø 4.5, self-drill, L. 100 mm	IIb
02.03159.030	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 30 mm	IIb
02.03159.032	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 32 mm	IIb
02.03159.034	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 34 mm	IIb
02.03159.036	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 36 mm	IIb
02.03159.038	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 38 mm	IIb
02.03159.040	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 40 mm	IIb

02.03159.042	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 42 mm	IIb
02.03159.044	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 44 mm	IIb
02.03159.046	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 46 mm	IIb
02.03159.048	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 48 mm	IIb
02.03159.050	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 50 mm	IIb
02.03159.055	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 55 mm	IIb
02.03159.060	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 60 mm	IIb
02.03159.065	NCB® cancellous screw ø 4.5 mm, fully threaded, L. 65 mm	IIb
02.03160.030	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 30 mm	IIb
02.03160.032	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 32 mm	IIb
02.03160.034	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 34 mm	IIb
02.03160.036	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 36 mm	IIb
02.03160.038	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 38 mm	IIb
02.03160.040	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 40 mm	IIb
02.03160.042	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 42 mm	IIb
02.03160.044	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 44 mm	IIb
02.03160.046	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 46 mm	IIb
02.03160.048	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 48 mm	IIb
02.03160.050	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 50 mm	IIb
02.03160.055	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 55 mm	IIb
02.03160.060	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 60 mm	IIb

02.03160.065	NCB® cannulated cancellous screw ø 4.5 mm, fully threaded, L. 65 mm	IIb
02.03260.005	NCB® Plate Femur, right, 5 holes, L. 167 mm	IIb
02.03260.009	NCB® Plate Femur, right, 9 holes, L. 246 mm	IIb
02.03260.013	NCB® Plate Femur, right, 13 holes, L. 324 mm	IIb
02.03260.105	NCB® Plate Femur, left, 5 holes, L. 167 mm	IIb
02.03260.109	NCB® Plate Femur, left, 9 holes, L. 246 mm	IIb
02.03260.113	NCB® Plate Femur, left, 13 holes, L. 324 mm	IIb
02.03262.101	NCB® T.minus plate, 7 holes	IIb
02.03179.130	Washer ø 13 mm, for screws ø 4.5 mm, 6.5 and 7 mm	IIb
02.03179.100	Washer ø 10 mm, for cannulated screws ø 4.5 mm	IIb
02.03131.085	Cortical screw ø 3.5 mm, self-tapping, L. 85 mm	IIb
02.03131.080	Cortical screw ø 3.5 mm, self-tapping, L. 80 mm	IIb
02.03131.075	Cortical screw ø 3.5 mm, self-tapping, L. 75 mm	IIb
02.03131.070	Cortical screw ø 3.5 mm, self-tapping, L. 70 mm	IIb
02.03131.065	Cortical screw ø 3.5 mm, self-tapping, L. 65 mm	IIb
02.03131.060	Cortical screw ø 3.5 mm, self-tapping, L. 60 mm	IIb
02.03131.055	Cortical screw ø 3.5 mm, self-tapping, L. 55 mm	IIb
02.03131.050	Cortical screw ø 3.5 mm, self-tapping, L. 50 mm	IIb
02.03131.045	Cortical screw ø 3.5 mm, self-tapping, L. 45 mm	IIb
02.03131.040	Cortical screw ø 3.5 mm, self-tapping, L. 40 mm	IIb
02.03131.038	Cortical screw ø 3.5 mm, self-tapping, L. 38 mm	IIb
02.03131.036	Cortical screw ø 3.5 mm, self-tapping, L. 36 mm	IIb
02.03131.034	Cortical screw ø 3.5 mm, self-tapping, L. 34 mm	IIb
02.03131.032	Cortical screw ø 3.5 mm, self-tapping, L. 32 mm	IIb
02.03131.030	Cortical screw ø 3.5 mm, self-tapping, L. 30 mm	IIb
02.03131.028	Cortical screw ø 3.5 mm, self-tapping, L. 28 mm	IIb
02.03131.026	Cortical screw ø 3.5 mm, self-tapping, L. 26 mm	IIb
02.03131.024	Cortical screw ø 3.5 mm, self-tapping, L. 24 mm	IIb



02.03131.022	Cortical screw ø 3.5 mm, self-tapping, L. 22 mm	IIb
02.03131.020	Cortical screw ø 3.5 mm, self-tapping, L. 20 mm	IIb
02.03131.018	Cortical screw ø 3.5 mm, self-tapping, L. 18 mm	IIb
02.03131.016	Cortical screw ø 3.5 mm, self-tapping, L. 16 mm	IIb
02.03131.014	Cortical screw ø 3.5 mm, self-tapping, L. 14 mm	IIb
02.03131.012	Cortical screw ø 3.5 mm, self-tapping, L. 12 mm	IIb
02.03131.010	Cortical screw ø 3.5 mm, self-tapping, L. 10 mm	IIb

- END OF LIST -