

Radifocus® Glidecath® (1/2)

Hydrophilic angiographic catheter



Selective hydrophilic catheters for peripheral and cerebral angiography with high flow rate capacity, excellent torque control, precise and non traumatic navigability for an ideal catheterisation procedure.

- A large lumen providing a high flow capacity due to very thin wall
- Excellent navigability thanks to its hydrophilic partial coating on distal part and non treated proximal part
- Non traumatic catheter with soft tip and excellent torque control due to its internal metallic double mesh (4 Fr)
- Smooth radiopaque surface to prevent thrombus formation and to ensure high visibility under fluoroscopy
- Resistant to high pressure: 750 psi (5.171 kPa) for 4 Fr (1.40 mm) and 1000 psi (6.895 kPa) for 5 Fr (1.70 mm)

Specifications - Cerebral shape

Code number	Outer diameter	Length	Inner diameter	Distal hydrophilic length	Distal curve	Curve type	Compatible Guide wire	Side Holes
RF-WA14110M	4 Fr / 1.40 mm	100 cm	0.041" / 1.03 mm	15 cm	Simmons/Sidewinder 1		0.038" / 0.97 mm	0
RF-YA15110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Simmons/Sidewinder 1		0.038" / 0.97 mm	0
RF-WA24110M	4 Fr / 1.40 mm	100 cm	0.041" / 1.03 mm	15 cm	Simmons/Sidewinder 2		0.038" / 0.97 mm	0
RF-YA25110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Simmons/Sidewinder 2		0.038" / 0.97 mm	0
RF-YA35110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Simmons/Sidewinder 3		0.038" / 0.97 mm	0
RF-WB14110M	4 Fr / 1.40 mm	100 cm	0.041" / 1.03 mm	15 cm	Hinck Headhunter 1		0.038" / 0.97 mm	0
RF-YB15110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Hinck Headhunter 1		0.038" / 0.97 mm	0
RF-WE14110M	4 Fr / 1.40 mm	100 cm	0.041" / 1.03 mm	15 cm	Bentson-Hanabee-Wilson 1		0.038" / 0.97 mm	0
RF-YE15110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Bentson-Hanabee-Wilson 1		0.038" / 0.97 mm	0
RF-WE24110M	4 Fr / 1.40 mm	100 cm	0.041" / 1.03 mm	15 cm	Bentson-Hanabee-Wilson 2		0.038" / 0.97 mm	0
RF-YE25110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Bentson-Hanabee-Wilson 2		0.038" / 0.97 mm	0
RF-WEA4111M	4 Fr / 1.40 mm	110 cm	0.041" / 1.03 mm	15 cm	Bentson-Hanabee-Wilson modified		0.038" / 0.97 mm	0
RF-WG14110M	4 Fr / 1.40 mm	100 cm	0.041" / 1.03 mm	15 cm	MANI		0.038" / 0.97 mm	0
RF-WH14110M	4 Fr / 1.40 mm	100 cm	0.041" / 1.03 mm	15 cm	Vertebral		0.038" / 0.97 mm	0
RF-WH14112M	4 Fr / 1.40 mm	120 cm	0.041" / 1.03 mm	15 cm	Vertebral		0.038" / 0.97 mm	0
RF-YH15110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Vertebral		0.038" / 0.97 mm	0
RF-YH15111M	5 Fr / 1.70 mm	110 cm	0.043" / 1.10 mm	40 cm	Vertebral		0.038" / 0.97 mm	0

Other code numbers are available on special demand. For any further information, please contact your Terumo local representative

Units per box: 5

CE 0197

TERUMO

ISO 22550:2006/44C12:0500

Radifocus® Glidecath® (2/2)

Hydrophilic angiographic catheter



Specifications - Visceral shape

Code number	Outer diameter	Length	Inner diameter	Distal hydrophilic length	Distal curve	Curve type	Compatible guide wire	Side holes
RF-ZB4410GM	4 Fr / 1.40 mm	65 cm	0.041" / 1.03 mm	15 cm	Cobra Small		0.038" / 0.97 mm	0
RF-ZB44108M	4 Fr / 1.40 mm	80 cm	0.041" / 1.03 mm	15 cm	Cobra Small		0.038" / 0.97 mm	0
RF-XB4510GM	5 Fr / 1.70 mm	65 cm	0.043" / 1.10 mm	25 cm	Cobra Small		0.038" / 0.97 mm	0
RF-XB45108M	5 Fr / 1.70 mm	80 cm	0.043" / 1.10 mm	40 cm	Cobra Small		0.038" / 0.97 mm	0
RF-XB15108M	5 Fr / 1.70 mm	80 cm	0.043" / 1.10 mm	40 cm	Cobra Small		0.038" / 0.97 mm	2
RF-ZB5410GM	4 Fr / 1.40 mm	65 cm	0.041" / 1.03 mm	15 cm	Cobra Middle		0.038" / 0.97 mm	0
RF-ZB54108M	4 Fr / 1.40 mm	80 cm	0.041" / 1.03 mm	15 cm	Cobra Middle		0.038" / 0.97 mm	0
RF-ZB54110M	4 Fr / 1.40 mm	100 cm	0.041" / 1.03 mm	15 cm	Cobra Middle		0.038" / 0.97 mm	0
RF-XB5510GM	5 Fr / 1.70 mm	65 cm	0.043" / 1.10 mm	25 cm	Cobra Middle		0.038" / 0.97 mm	0
RF-XB55108M	5 Fr / 1.70 mm	80 cm	0.043" / 1.10 mm	40 cm	Cobra Middle		0.038" / 0.97 mm	0
RF-XB55110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Cobra Middle		0.038" / 0.97 mm	0
RF-ZB6410GM	4 Fr / 1.40 mm	65 cm	0.041" / 1.03 mm	15 cm	Cobra Large		0.038" / 0.97 mm	0
RF-ZB64108M	4 Fr / 1.40 mm	80 cm	0.041" / 1.03 mm	15 cm	Cobra Large		0.038" / 0.97 mm	0
RF-XB6510GM	5 Fr / 1.70 mm	65 cm	0.043" / 1.10 mm	25 cm	Cobra Large		0.038" / 0.97 mm	0
RF-XB65108M	5 Fr / 1.70 mm	80 cm	0.043" / 1.10 mm	40 cm	Cobra Large		0.038" / 0.97 mm	0
RF-ZD4410GM	4 Fr / 1.40 mm	65 cm	0.041" / 1.03 mm	15 cm	J curve Large		0.038" / 0.97 mm	0
RF-XD4510GM	5 Fr / 1.70 mm	65 cm	0.043" / 1.10 mm	25 cm	J curve Large		0.038" / 0.97 mm	0
RF-XG95107M	5 Fr / 1.70 mm	70 cm	0.043" / 1.10 mm	25 cm	Yashiro		0.038" / 0.97 mm	0
RF-ZM7410GM	4 Fr / 1.40 mm	65 cm	0.041" / 1.03 mm	15 cm	Straight		0.038" / 0.97 mm	0
RF-ZM74108M	4 Fr / 1.40 mm	80 cm	0.041" / 1.03 mm	15 cm	Straight		0.038" / 0.97 mm	0
RF-ZM74110M	4 Fr / 1.40 mm	100 cm	0.041" / 1.03 mm	15 cm	Straight		0.038" / 0.97 mm	0
RF-ZM74111M	4 Fr / 1.40 mm	110 cm	0.041" / 1.03 mm	15 cm	Straight		0.038" / 0.97 mm	0
RF-ZM74112M	4 Fr / 1.40 mm	120 cm	0.041" / 1.03 mm	15 cm	Straight		0.038" / 0.97 mm	0
RF-ZM74115JM	4 Fr / 1.40 mm	150 cm	0.041" / 1.03 mm	40 cm	Straight		0.038" / 0.97 mm	0
RF-XM75104M	5 Fr / 1.70 mm	40 cm	0.043" / 1.10 mm	25 cm	Straight		0.038" / 0.97 mm	0
RF-XM75111M	5 Fr / 1.70 mm	110 cm	0.043" / 1.10 mm	40 cm	Straight		0.038" / 0.97 mm	0
RF-XI7510GM	5 Fr / 1.70 mm	65 cm	0.043" / 1.10 mm	25 cm	Straight tapered		0.038" / 0.97 mm	0
RF-XI75108M	5 Fr / 1.70 mm	80 cm	0.043" / 1.10 mm	40 cm	Straight tapered		0.038" / 0.97 mm	0
RF-XI75110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Straight tapered		0.038" / 0.97 mm	0
RF-ZV9410GM	4 Fr / 1.40 mm	65 cm	0.041" / 1.03 mm	15 cm	Non-tapered angled		0.038" / 0.97 mm	0
RF-ZV94110M	4 Fr / 1.40 mm	100 cm	0.041" / 1.03 mm	15 cm	Non-tapered angled		0.038" / 0.97 mm	0
RF-ZV94111M	4 Fr / 1.40 mm	110 cm	0.041" / 1.03 mm	15 cm	Non-tapered angled		0.038" / 0.97 mm	0
RF-ZV94115JM	4 Fr / 1.40 mm	150 cm	0.041" / 1.03 mm	40 cm	Non-tapered angled		0.038" / 0.97 mm	0
RF-XV95111M	5 Fr / 1.70 mm	110 cm	0.043" / 1.10 mm	40 cm	Non-tapered angled		0.038" / 0.97 mm	0
RF-XVZ510GM	5 Fr / 1.70 mm	65 cm	0.043" / 1.10 mm	25 cm	Non-tapered angled type T90		0.038" / 0.97 mm	0
RF-XL9510GM	5 Fr / 1.70 mm	65 cm	0.043" / 1.10 mm	25 cm	Angled tapered		0.038" / 0.97 mm	0
RF-XL95110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Angled tapered		0.038" / 0.97 mm	0
RF-ZW34110M	4 Fr / 1.40 mm	100 cm	0.041" / 1.03 mm	15 cm	Multipurpose		0.038" / 0.97 mm	0
RF-XW35110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Multipurpose		0.038" / 0.97 mm	0
RF-ZWD4108M	4 Fr / 1.40 mm	80 cm	0.041" / 1.03 mm	15 cm	COE 2		0.038" / 0.97 mm	5
RF-XIR5110M	5 Fr / 1.70 mm	100 cm	0.043" / 1.10 mm	40 cm	Internal Mammary short tip		0.038" / 0.97 mm	0

Other code numbers are available on special demand. For any further information, please contact your Terumo local representative.

Units per box: 5

CE 0197

TERUMO