

Gaminio duomenų lentelė

Specifikacijos



Enclosure, Resi9 MP, flush mounting, 1 row of 8 modules, IP40, white door, 1 earth + 1 neutral terminal blocks

MIP22108

Main

Range	Resi9
Product name	Resi9 MP
Product or component type	Enclosure
Enclosure type	Modular enclosure
Nb of 18 mm modules per row	8
Nb of horizontal rows	1
Type of door	Plain
Width	Wall 198 mm Outside 222 mm
Height	Wall 228 mm Outside 252 mm
Depth	Outside 18 mm Wall 80 mm Total 98 mm

Complementary

Enclosure mounting	Flush
9 mm pitches	16
Total number of 18 mm modules	8
[In] rated current	63 A
Type of rail	35 mm asymmetrical rail
Mounting plate description	Without mounting plate
Cable entry	Pre-cutted holes
Terminal block function	Earth / neutral
Number of terminal blocks	1 earth screwed)8 1 neutral screwed)8
Distribution block outgoers	1 x 16 mm² earth 1 x 16 mm² neutral 3 x 6 mm² earth 3 x 6 mm² neutral 4 x 10 mm² earth 4 x 10 mm² neutral
Enclosure material	Back part technoplastic Door technoplastic Front face technoplastic
Internal depth	76 mm

Colour	Door white RAL 9003) Front face white RAL 9003)
Market segment	Small commercial Residential
Environment	
Standards	IEC 61439-1 IEC 61439-3 IEC 60670-1 IEC 60670-24
Quality labels	IMQ
Fire resistance	Door 650 °C Back part 650 °C Front face 650 °C
IP degree of protection	IP40
IK degree of protection	IK07
Ambient air temperature for operation	−25...60 °C
Pakavimo vienetai	
Pirmos pakuotės vieneto tipas	PCE
Vienetų skaičius 1 pakuotėje	1
1-os pakuotės aukštis	9,700 cm
1-os pakuotės plotis	22,200 cm
1-os pakuotės ilgis	25,200 cm
1-os pakuotės svoris	620,000 g
Antros pakuotės vieneto tipas	BB1
Vienetų skaičius 2 pakuotėje	10
2-os pakuotės aukštis	52,000 cm
Package 2 Width	30,000 cm
2-os pakuotės ilgis	40,000 cm
2-os pakuotės svoris	7,700 kg
Trečios pakuotės vieneto tipas	P12
Vienetų skaičius 3 pakuotėje	160
3-ios pakuotės aukštis	120,000 cm
3-ios pakuotės plotis	80,000 cm
3-ios pakuotės ilgis	120,000 cm
3-ios pakuotės svoris	112,800 kg
Offer Sustainability	
Tvaraus pasiūlymo statusas	„Green Premium“ gaminys
REACH direktyva	REACH deklaracija
ES RoHS direktyva	Aktyvus laikymasis (gaminys nepatenka į ES RoHS teisinę aprėptį) ES RoHS deklaracija
Be gyvsidabrio	Taip
Kinijos RoHS direktyva	Kinijos RoHS deklaracija Produktas neįeina į Kinijos RoHS apimtį. Medžiagų deklaracija pateikiama jūsų informacijai.
RoHS išimčių informacija	Taip

Aplinkosauginės informacijos atskleidimas	Produkto aplinkosaugos profilis
---	---

Halogeno poveikis	Produktas be halogeno
-------------------	-----------------------

Contractual warranty

Garantija	18 months
-----------	-----------

Rekomenduojamas (-i) pakeitimas (-ai)