

Gaminio duomenų lentelė

Specifikacijos



Acti9 - comb busbar - 3L - 18 mm pitch - 57 modules - 100A



A9XPH357

Main

Range	Acti9
Product or component type	Comb busbar
Mounting mode	Horizontal
Accessory / separate part category	Connection accessory
Lines description	3L
Length in 18 mm modules	57

Complementary

Number of ways	19 ways 3 L
Poles configuration for 1 way	1 x 3P
Connection pitch	18 mm
Connector type	tooth
Distance between way	54 mm
Marking	L1 L2 L3
Insulation	Insulated
Device presentation	Cuttable
Provided equipment	Set of 10 end piece
[Ie] rated operational current	100 A 40 °C
[Ue] rated operational voltage	415 V AC
[Ui] rated insulation voltage	500 V AC IEC 61439-2
Mounting location	Top or bottom tunnel type terminals Top or bottom double terminal
9 mm pitches	114
Height	1000 mm
Colour	White RAL 9003)
Range compatibility	Acti 9 (Acti9 iC60) Acti 9 (Acti9 iK60) Acti 9 (Acti9 iID) Acti 9 (Acti9 iID K) Acti 9 (Acti9 iSW) Acti 9 (Acti9 iSW-NA) Multi9 (Multi9 C60)

Environment

Standards	IEC 60947-7-1 IEC 61439-2
Fire resistance	960 °C 30 s) IEC 60695-2-1
Pollution degree	3 IEC 60947-7-1
IP degree of protection	IP20 with end-pieces and tooth covers

Pakavimo vienetai

Pirmos pakuotės vieneto tipas	PCE
Vienetų skaičius 1 pakuotėje	1
1-os pakuotės aukštis	1,5 cm
1-os pakuotės plotis	3 cm
1-os pakuotės ilgis	101,5 cm
1-os pakuotės svoris	578 g
Antros pakuotės vieneto tipas	BB1
Vienetų skaičius 2 pakuotėje	5
2-os pakuotės aukštis	5,5 cm
Package 2 Width	107,3 cm
2-os pakuotės ilgis	9 cm
2-os pakuotės svoris	3,09 kg
Trečios pakuotės vieneto tipas	P12
Vienetų skaičius 3 pakuotėje	270
3-ios pakuotės aukštis	112 cm
3-ios pakuotės plotis	80 cm
3-ios pakuotės ilgis	120 cm
3-ios pakuotės svoris	178,968 kg

Offer Sustainability

Tvaraus pasiūlymo statusas	„Green Premium“ gaminys
REACH direktyva	REACH deklaracija
REACH be SVHC	Taip
ES RoHS direktyva	Atitinka ES RoHS deklaracija
Be sunkių toksiškų metalų	Taip
Be gyvsidabrio	Taip
Kinijos RoHS direktyva	Kinijos RoHS deklaracija Proaktyvi Kinijos RoHS deklaracija (neįeinanti į Kinijos RoHS teisinę apimtį)
RoHS išimčių informacija	Taip
Aplinkosauginės informacijos atskleidimas	Produkto aplinkosaugos profilis
WEEE	Šį produktą Europos Sąjungos rinkose reikia utilizuoti perduodant į specialias surinkimo vietas ir negalima išmesti su buitinėmis atliekomis.

Contractual warranty

Garantija	18 months
-----------	-----------

Rekomenduojamas (-i) pakeitimas (-ai)