



## Product description

Order number	20.1290
Product description	Microvette® 200 Serum, capillary blood collection, preparation: clotting activator, nominal volume: 200 µl, (LxØ) with cap: 47.6 x 10.8 mm, with print, cap white, flat base, inner receptacle: conical, 100 piece(s)/case

## Product characteristics

Type of collection	capillary
Type of preparation	clotting activator
Colour code	EU
Label/ Print	with print
Colour of print/label	white
Cap	cap
Application	capillary blood collection
Base shape	flat base
Recommended centrifugation	10000 x g
Centrifugation time	5 Min
Shape of inner tube	conical

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.





**Product Specification**  
**Microvette® 200 Serum, 200 µl, cap white, flat base**

**Page 2**

**Size**

Sample volume	200 µl
Diameter	10.8 mm
Length including cap	47.6 mm
Length excluding cap	46.6 mm

**Material & colours**

Product material	Polypropylene (PP)
Colour of product	transparent
Closure material	High Density Polyethylene (HD-PE)
Colour of cap	white

**Purity & certification**

Product category	In-vitro diagnostic, CE
CE certified	CE
Batched	yes

**Packaging**

Minimum order qty.	1000
Type of smallest subpackaging	case
Piece(s) / inner box	100
Piece (s) / outer case	1000
Piece(s) / pallet	121000
Depth of box	139 mm
Width of box	108 mm
Height of box	66 mm
Depth of case	338 mm
Width of case	228 mm
Height of case	160 mm
Case volume	0.0123 cbm
Weight of product	0.0027 kg
Weight of case	3.23 kg
EAN of inner box	4038917086042
EAN case	4038917070362

This is the current specification for this product. Sarstedt reserves the right to make changes, in full or in part, at any time without prior notification.

This specification is confidential and the property of Sarstedt. It is neither to be duplicated nor made available to third parties without our prior written consent.

Date of issue:  
2023-06-02

This document was prepared by EDP support and is valid without signature.



**SARSTEDT**