


TECHNICAL OFFER

Drawer trolley
F-DNOV-0-3-0-GR



Date: 6 March 2025

1. DRAWER TROLLEY, KNOW ITS PARTS:



Technical characteristics:

1. **Structure:** compact, rigid yet lightweight structure. Easily transportable by one person. High level of asepsis: resistant to chemical cleaning and disinfection products. All surfaces are smooth, rounded and free of edges for easy cleaning. Designed with a highly versatile structure to suit the functions of each centre.
2. **Materials:** aesthetic and highly resistant materials: galvanised steel internal structure, polymer (ABS) work surface, polymer (ABS) drawers with injected colours, anodised aluminium profiles (anti-corrosion material), fibreplast walls and compacmel base. All materials are smooth and pore-free for improved hygiene.
3. **Work surface:** continuous moulded ABS top surface with 3 ridges to prevent liquids and objects from falling when the trolley is in motion. Fully removable for easy cleaning. Resistant to chemicals and disinfectants commonly used in the hospital and geriatric sector.

4. **Drawers:** 5 drawers made of high-strength ABS injected plastic. Supported on an ISO frame that allows the drawers to be disassembled without tools for easier cleaning and filling. With telescopic metal runners, total opening of 110% and silent self-closing system (soft-close) to protect from closing impacts. Load capacity of each drawer: 30 Kg. The drawers have a dimension of 600 x 400 mm according to ISO 3394 standards. They are available in 3 different heights: 75 mm (small), 155 mm (medium), 235 mm (large).



The technical offer includes:

- Drawer configuration offered 1-3-1 AZ:
 - 1 drawer 75 mm high
 - 3 drawers 155 mm high
 - 1 drawer 235 mm high

5. **Shelf:** fixed, smooth lower shelf, made of compacmel with anodised aluminium railings, for storing auxiliary material. Easy to clean and disinfect.

The technical offer includes:

- Drawer configuration: 0-3-0-GR
 - 3 grey 155 mm high drawers

6. **Labels:** each drawer includes 1 interchangeable label holder for identification. The trolley includes 5 label holders.



7. **Wheels:** 4 swivel castors of 125 mm diameter. Swivel 360°, high resistance, low noise, smooth rolling and anti-wire. Two of them with brakes. All castors include lower bumpers to prevent damage to the trolley, walls or furniture.



8. **Push handle:** ergonomic, height-adjustable handle, located on the side of the trolley



9. **Side table:** ABS removable side table, to extend the working surface. Maximum weight: 3 Kg



2. DIMENSIONES

Height: 1062 mm



Length: 670 mm



Width: 510 mm