

SMART EMERGENCY BAGS

POLYESTER PVC COATED



27153 27152 27150
Shoulder straps included with medium and large bag.
4 pockets (5 for 27153) 1 or 2 on front, 2 on sides and 1 on back



27153

PVC TARPAULIN



27157 27158 27155
Large pocket on top and shoulder straps included with medium bag

2.4.P. Krepšio uždarymas greitojo užsegimo sagtelių pagalba

lining for easy cleaning

2.2.P. Su rankenomis ir rankena nešimui ant peties



Large pocket on top

27157

2.3.P. Kišenės 4 šoninės, 6 vidiniai skyriai

Padded bottom and frontal pocket

2.1.P. Poliesteris dengtas PVC

Safe metal buckles

Large 10 mm zips

Rubber bottom with feet

Shoulder straps

SMART BAGS: polyester PVC coated or PVC tarpaulin - empty
Professional emergency bags extremely capacious with internal adjustable compartments which permit personalized organization of the space. Provided with external pockets, internal divisions, and one (2 for code 27153) removable pouch with transparent window. Bags are externally made of strong, water resistant 600D polyester PVC coated or cold resistant PVC tarpaulin (27155-8). All bags are internally made of 600D polyester PVC coated. Provided with double yellow reflective strips. Internal lining is removable for easy cleaning. **Waterproof** rubber bottom to prevent water infiltration.

External material	PVC	Model	Colour	Size	Internal modular spaces	External pockets
Polyester PVC coated	27155	Small	red	45x28xh 28 cm	3	4
	27151	Medium	red	55x35xh 32 cm	6	4
	27157	Medium	red	55x35xh 38 cm	6	5
	27152	Medium	blue	55x35xh 32 cm	6	4
	27158	Medium	black	55x35xh 38 cm	6	5
	27153	Large	red	65x35xh 35 cm	6	5

2.5.P. Išoriniai matmenys (550x350x320 cm)

2.1.P. Atspari drėgmei

EMERGENCY BAGS - POLYESTER PVC COATED OR PVC

POLYESTER PVC COATED

PVC TARPAULIN



27165 27167 27166

2 lateral pockets 22x18 cm and 11x18 cm



Lateral pocket 32x18 cm

27167

Front pocket 35x20 cm

- 27165 EMERGENCY BAG - polyester - red - 35x45xh 21 cm
 - 27166 EMERGENCY BAG - PVC - red - 35x45xh 21 cm
 - 27167 EMERGENCY BAG - PVC - blue - 35x45xh 21 cm
- Capacious bag, despite the compact size. Large central compartment, 1 front and 3 lateral pockets. May be carried on shoulder (braces) or hand (2 handles).

Made of strong, water resistant material 600D polyester PVC coated (27165) or PVC tarpaulin (27166-7). Provided with yellow reflective strips and rubber bottom.

E-SCOPE®: RIESTER OTO-OPHTHALMOSCOPES

- 31546 E-SCOPE® OTOSCOPE - HALOGEN 2.7V - white in pouch
 - 31548 E-SCOPE® OTOSCOPE - HALOGEN 2.7V - black in pouch
 - 31549 E-SCOPE® OTOSCOPE - XENON 2.5V - white in pouch
 - 31550 E-SCOPE® OTOSCOPE - XENON 2.5V - black in pouch
 - 31552 E-SCOPE® F.O. OTOSCOPE - LED 3.7V - white in rigid case
 - 31553 E-SCOPE® F.O. OTOSCOPE - LED 3.7V - black in rigid case
- Halogen, direct Xenon or F.O. LED illumination otoscopes. Sealing precision optics pivoting to both sides with triple

magnification for superior view Suitable for performance of pneumatic tests (supplied without connector and insufflator)

- 31556 E-SCOPE® OPHTHALMOSCOPE - XENON 2.5 V - black - in rigid case
- 31557 E-SCOPE® OPHTHALMOSCOPE - F.O. - LED 3.7 V - white - in rigid case
- 31558 E-SCOPE® OPHTHALMOSCOPE - F.O. - LED 3.7 V - black - in rigid case

E-scope ophthalmoscopes are available with Xenon or LED illumination.


- with 2.5V Xenon or innovative 3.7V LED illumination for higher-contrast and more efficient diagnosis
- dioptre disc with 18 corrective lenses ($\pm 1, 2, 3, 4, 6, 8, 10, 15, 20$)
- easy-to-use aperture wheel with six apertures (fixation star, large circle, small circle, red free filter, blue filter, semi circle)
- high performance optics with aspherical condenser
- spectacle protection
- parallel optical path

MADE IN GERMANY

3.1.P. Profesionalus, aukštos kokybės



Dioptre adjustment wheel
CE
Dioptre display
Aperture wheel (back)




3.3.P. Lemputė LED 3.7 V

INNOVATIVE LED 3.7 V ILLUMINATION:

- real colour 5,500K white light
- long life LED bulbs: up to 20,000 hours
- low battery consumption: up to 50 hours operation through IPC (Integrated Power Converter). It converts the voltage of AA batteries into the optimum voltage required for LED

Bulb life Battery life (2 x alkaline)



3.2.P. Rankena skirta 2AA-tipo elementams



- 31558 E-SCOPE® DIAGNOSTIC KIT - white
- 31564 E-SCOPE® DIAGNOSTIC KIT - black
- 31560 E-SCOPE® OTOSCOPE - XENON 2.5 V BULB
- 31561 E-SCOPE® OTOSCOPE - LED 3.7 V BULB
- 31562 E-SCOPE® OPHTHALMOSCOPE - XENON 2.5 V BULB
- 31563 E-SCOPE® OPHTHALMOSCOPE - LED 3.7 V BULB
- 31817 RIESTER® EAR SPECULUM Ø 2.5 mm - autoclav. - box of 10
- 31819 RIESTER® EAR SPECULUM Ø 4 mm - autoclav. - box of 10
- 31566 E-SCOPE® EAR SPECULUM Ø 2.5 mm - disposable - box of 100
- 31567 E-SCOPE® EAR SPECULUM Ø 4 mm - disposable - box of 100

LUXAMED AURIS LED OTOSCOPES



LED-Ring Technology, with 6 LED

31571



31572

USB port (31572 only)

- 31570 LUXAMED AURIS LED 2.5V OTOSCOPE - black
 - 31571 LUXAMED AURIS LED 2.5V OTOSCOPE - blue
 - 31572 LUXAMED AURIS LED 3.7V USB OTOSCOPE - black
- Innovative otoscopes that combine best handcraft production with selected materials with the most modern technology. Two-components handle (aluminium/fibre-glass reinforced) with electronic ON/OFF switch and dimmer.

Features:

- LED-Ring illumination with 6 LEDs (concentric), no fibre optic. The functionality is not affected (patent DE202013104278U1) if a single LED fails.
 - automatic switchoff after 3 minutes
 - approx. 100,000 hours life expectancy of LEDs
 - approx. 10,000 Lux intensity of illumination
 - approx. 4,000 K colour temperature
 - pivoting 3-fold magnifying glass with locking function
 - insufflation port for pneumatic test.
- Supplied with 2xAAA alkaline batteries (31570/1) or lithium-ion rechargeable battery 3.7V (31572) 20 disposable ear funnels (10x2.5 mm and 10x4.0 mm) and manual (GB, IT, DE). See page 266 for compatible ear speculum.

LUXAMED®

MADE IN GERMANY



31572

Recharger with USB plug - 3 adapters (EU, UK, US)

GIMA DISPOSABLE EAR-SPECULUM FOR MINI OTOSCOPES OF DIFFERENT BRANDS

GIMA code	GIMA DISPOSABLE SPECULUM FOR MINI OTOSCOPES - LATEX FREE	Colour	Compatibility		Minimum order
			Direct fit	Fit with connector 31493	
31485	Disposable Mini ear-speculum Ø 2.5 mm - grey	Grey	Direct fit: Gima Gimalux, Sigma, Sigma C, Visio 5, Visio 2000 Heine mini 2000, 3000, K180/Beta 200/Beta 400 Riester Ri-Mini, Ri-scope L1-L2, E-scope, Pen-scope Kawe (Picolight, Combilight F030, Eurolight F030) Holtex Colson Luxamed	Gima: 31435-37, 31440-42, 31471, 31473, 31475, 31477, 31480, 31493 (Parker line)	dispenser of 250 dispenser of 250 dispenser of 250 dispenser of 250 pack of 100 pack of 100 box of 1,000 pack of 100 pack of 100 pack of 100
31486	Disposable Mini ear-speculum Ø 4 mm - grey	Grey			
31487	Disposable Mini ear-speculum Ø 2.5 mm - black	Black			
31488	Disposable Mini ear-speculum Ø 4 mm - black	Black			
31491	Disposable Mini ear-speculum Ø 2.5 mm - black	Black			
31492	Disposable Mini ear-speculum Ø 4 mm - black	Black			
31495	Disposable Mini ear-speculum mixed colours and Ø	Mixed (Red, Blue, Green, Black)			
31496	Disposable Mini ear-speculum Ø 2.5 mm - blue	Blue			
31497	Disposable Mini ear-speculum Ø 4 mm - blue	Blue			
31498	Disposable Mini ear-speculum Ø 2.5 mm - green	Green			
31499	Disposable Mini ear-speculum Ø 4 mm - green	Green			
31501	HEINE dispenser for Mini ear-speculum - empty		31485-8, 31491-2, 31495-9	-	-

GIMA code	CONNECTORS FOR MINI EAR SPECULUM	Colour	To be used with GIMA codes	
31493	Connector to GIMA Parker otoscope for Mini ear-speculum	Green	31435, 31436, 31437, 31440, 31441, 31442, 31471, 31473, 31475, 31477, 31480	
31494	ALLIGATOR connector (supplied with 100 ear speculum)	Green	31435, 31436, 31437, 31440, 31441, 31442, 31471, 31473, 31475, 31477, 31480	

31494 Alligator pediatric connector green colour, supplied with 100 green speculum Ø 2.5 mm
31495 Includes 500 ear speculum Ø 4 mm and 500 Ø 2.5 mm (200 black, 100 red, blue, green each size)

HEINE DISPOSABLE MINI EAR-SPECULUM

31501 Wall dispenser of mini speculum - empty

GIMA code	HEINE DISPOSABLE MINI EAR SPECULUM*	Minimum order
31501	HEINE dispenser for mini speculum - empty	-
31502	HEINE disposable Allspec® speculum Ø 2.5 mm - grey	dispenser of 250
31503	HEINE disposable Allspec® speculum Ø 4 mm - grey	dispenser of 250
31515	HEINE disposable Allspec® speculum Ø 2.5 mm - grey	box of 1,000
31516	HEINE disposable Allspec® speculum Ø 4 mm - grey	box of 1,000

*Compatible with Heine Mini 2000/3000, K180, Beta 200

RIESTER MINI EAR-SPECULUM

31817 and **31819** Ear-speculum 31817 and 31819 are compatible with Ri-scope L1, L2, E-scope, Ri-mini Pen-scope.

3.5.P. Komplekte 10 varnelių 2,5 mm ir 4 mm

GIMA code	AUTOCLAVABLE MINI EAR SPECULUM for all Riester otoscopes	Colour	Minimum order
31817	Riester ear speculum Ø 2.5 mm - black	Black	box of 10 pcs.
31819	Riester ear speculum Ø 4 mm - black	Black	box of 10 pcs.

DISPOSABLE MINI EAR SPECULUM			
Only for E-Scope otoscopes			
31566	E-Scope ear speculum Ø 2.5 mm - black	Black	box of 100 pcs.
31567	E-Scope ear speculum Ø 4 mm - black	Black	box of 100 pcs.

Only for Ri-Scope L1, L2 Pen- scope, Ri-mini			
31827	Ri-Scope ear speculum Ø 2.5 mm - black	Black	box of 100 pcs.
31828	Ri-Scope ear speculum Ø 4 mm - black	Black	box of 100 pcs.

REUSABLE CANNULAS AND EAR SPECULUM

GIMA code	AUTOCLAVABLE SPECULUM FOR PARKER OTOSCOPES - LATEX FREE	Colour	To be used with GIMA code	Also compatible with	Minimum order
31447	Kit 3 autoclavable veterinary speculum Ø 4, 5, 7 mm	Black	31442		One kit
31448	Kit 3 autoclavable speculum Ø 2.5, 3.5, 4.5 mm	Black	31435-37, 31440-42, 31471, 31473, 31475, 31477, 31480	Heine, Kawe, Riester	One kit
31451	Kit of 5 autoclavable speculum Ø 2.5, 3.5, 4.5, 5.5, 9 mm	Black	31435-37, 31440-42, 31471, 31473, 31475, 31477, 31480	Heine, Kawe, Riester	One kit
31453	Kit of 3 metal veterinary cannulas (Ø 4, 5, 6 mm) + 2 slotted metal specula (Ø 7.5 and 9.4 mm)	Grey	31422, 31424, 31425		One kit
31483	Pneumatic bulb for Otoscopes	Grey	31435/36/37/40/42/71/73/75/77-31520/21/22, 31535	Heine, Kawe, Riester	-

*Not compatible with Mini 3000

Gima autoclavable ear speculum 31447, 31448, 31451 features:
 - made from resilient thermoplastic material
 - smooth matte finish surface ensure easy cleaning
 - metallic bayonet lock for positive fit to otoscope
 - autoclavable at 134°C

31483 PVC bulb Weight 60g Total length 54 cm, tube 46 cm

31447 7.0 mm, 5.0 mm, 4.0 mm
31448 2.5 mm, 3.5 mm, 4.5 mm
31451 4.5 mm, 2.5 mm, 5.5 mm, 3.5 mm, 9 mm

31453 2 slotted models with 60 mm opening and round edges, ideal for instrumentation, atraumatic insertion. 5.0 mm, 6.0 mm, 9.4 mm, 7.5 mm, 4.0 mm.

Matte inner surface to reduce risk of reflection. For use with Vet open otoscope heads. See page 441