

D3O® T5 EVO PRO X

D3O uses patented, patent-pending and proprietary technologies to make rate-sensitive, soft, flexible materials with high shock absorbing properties.

The D3O® T5 EVO Pro X offers increased durability.

The D3O® EVO Pro X parts provide greater impact protection than the D3O® EVO X, delivering Type B coverage. They are CE certified to level 2 across ambient, wet and cold conditions..

PRODUCT FEATURES

- Manufactured in a highly durable material
- CE certified to EN 1621-1:2012
- UKCA Certified
- Level 2 in ambient, wet and cold conditions
- Type B coverage
- Temperature stable

D3O® T5 EVO PRO X



ELBOW



KNEE



HIP



SHOULDER

PAD INTEGRATION EXAMPLE



PADS INTEGRATED INSIDE TROUSERS AND JACKET

FLEXIBILITY FEATURE FOR ADDED COMFORT



DESIGNED FOR IMPROVED AIRFLOW



TAPERED EDGES FOR BETTER INTEGRATION



©2018 Design Blue Limited. All rights reserved.


Values shown represent typical product characteristics. For full details including material properties and product tolerances, please request SOQ document from D3O representative. The information provided is not intended to and does not create any warranties, expressed or implied, including any warranty of merchantability of fitness for a particular purpose. In accordance with the Company's policy of continuous improvement, D3O reserves the right to apply such improvements to its products and materials without notice. This data sheet shall not be reproduced or amended without the written consent of Design Blue Limited.

For more information on the D3O® T5 EVO Pro X, please contact your D3O Business Development Manager


TRUSTED IMPACT PROTECTION™

D30® T5 EVO PRO X


ELBOW




KNEE



HIP



SHOULDER



D30® T5 EVO Pro X - Product Details

Product Name	D30® T5 EVO Pro X Elbow	D30® T5 EVO Pro X Knee	D30® T5 EVO Pro X Shoulder	D30® T5 EVO Pro X Hip
Product Code	12188	12187	12189	12186
Material Code	SF005	SF005	SF005	SF005
Dimensions (mm)	221 x 130	227 x 143	185 x 140	178 x 130
Thickness (mm)	14	14	14	14
Weight (g)	130	123	105	83.8

D30® T5 EVO Pro X - Tested to EN 1621-1



©2018 Design Blue Limited. All rights reserved.

Values shown represent typical product characteristics. For full details including material properties and product tolerances, please request SOQ document from D30 representative. The information provided is not intended to and does not create any warranties, expressed or implied, including any warranty of merchantability of fitness for a particular purpose. In accordance with the Company's policy of continuous improvement, D30 reserves the right to apply such improvements to its products and materials without notice. This data sheet shall not be reproduced or amended without the written consent of Design Blue Limited.

TRUSTED IMPACT PROTECTION™

D3O T5 EVO PROX

D3O naudoja patentuotas, nuosavas technologijas, kad sukurtų jautrias, minkštas, lanksčias medžiagas, turinčias aukštas smūgius sugeriančias savybes.

D3O®T5 EVO Pro X užtikrina didesnį patvarumą.

D3O® EVO Pro X detalės užtikrina didesnę apsaugą nuo smūgių nei D3O® EVO X ir užtikrinama B tipo aprėptis. Jos turi 2 lygio CE sertifikatą esant drėgnoms ir šaltoms aplinkos sąlygoms.

Produkto savybės

- Pagamintos iš itin patvarios medžiagos
- CE sertifikatas pagal EN 1621-1:2012
- Sertifikuota UKCA
- 2 lygis aplinkos lygis, drėgnos ir šaltos sąlygos
- B tipo aprėptis
- Stabilūs temperatūrai

D3O T5 EVO PRO X



ALKŪNĖ



KELIS



KLUBAS



PETIS

PAD INTEGRAVIMO PAVYZDYS



VIDUJE INTEGRUOTOS PLOKŠTĖS
KELNĖS IR ŠVARKAS

LANKSTUMAS PATOGUMUI



SUKURTAS GERINTI ORO SRAUTĄ




SUJUNGTI KRAŠTAI GERESNEI INTEGRACIJAI




Rodomas vertės atspindi tipines produkto charakteristikas. iš D3O atstovo. Pateikta informacija nėra skirta ir nesuteikia jokių garantijų, Norėdami gauti daugiau informacijos, įskaitant medžiagų savybes ir gaminio leistinus nuokrypius, paprašykite SOQ dokumento ©2018 Design Blue Limited. Visos teisės saugomos. išreikšta ar numanoma, įskaitant bet kokias tinkamumo tam tikram tikslui garantiją. Vadovaudamasi Bendrovės nuolatinio tobulinimo politika, D3O pasilieka teisę taikyti tokius savo gaminių ir medžiagų patobulinimus be įspėjimo. Šis duomenų lapas negali būti dauginamas ar taisomas be raštiško Design Blue Limited sutikimo.

D30 T5 EVO PRO X


ALKŪNĒ




KELIS



KLUBAS



PETIS



D30® T5 EVO Pro X – Išsami produkto informacija

Produkto pavadinimas	D30® T5 EVO Pro X Alkūnė	D30® T5 EVO Pro X Kelias	D30® T5 EVO Pro X Petis	D30® T5 EVO Pro X Klubas
Prekės kodas	12188	12187	12189	12186
Medžiagos kodas	SF005	SF005	SF005	SF005
Matmenys (mm)	221 x 130	227 x 143	185 x 140	178 x 130
Storis (mm)	14	14	14	14
Svoris (g)	130	123	105	83.8

D3O® T5 EVO Pro X – išbandyta pagal EN 1621-1

Perduodama jėga (kN)

