


Poveržlė




DIN 125

Varžto kiaurymė, mm	d, mm	d1, mm	H, mm
2,5	2,7	6	0,5
3	3,2	7	0,5
4	4,3	9	0,8
5	5,3	10	1,0
6	6,4	12	1,6
7	7,4	14	1,6
8	8,4	16	1,6
10	10,5	20	2,0
12	13,0	24	2,5
14	15,0	28	2,5
16	17,0	30	3,0
18	19,0	34	3,0
20	21,0	37	3,0
22	23,0	39	3,0
24	25,0	44	4,0
30	31,0	56	4,0

A handwritten signature in black ink, located at the bottom left of the page. The signature is stylized and appears to be a cursive script.


Poveržlė spyruoklinė



DIN 127

Varžto diametras, mm	d1, mm	b, mm	s, mm
3	3,1	1,3	0,8
4	4,1	1,5	0,9
5	5,1	1,8	1,2
6	6,1	2,5	1,6
8	8,1	3	2
10	10,2	3,5	2,2
12	12,3	4	2,5
14	14,2	4,5	3
16	16,2	5	3,5
18	18,2	5	3,5
20	20,2	6	4
24	24,5	7	5


Poveržlė spyruokliuojanti



DIN 137 B

Varžto diametras, mm	d, mm	d1, mm	S, mm	h, mm
6	6,4	12	0,5	2,6
8	8,4	15	0,8	3
10	10,5	21	1	4,2
12	13	24	1,2	5
14	15	28	1,6	6
16	17	30	1,6	6,4


Veržlė atspari temperatūrai



DIN 14440

Sriegio skersmuo, mm	d1, mm	h, mm	SW, mm
8	12,5	8,5	13
10	16,5	10,5	17
12	18,5	12,5	19

Veržlė atspari temperatūrai



DIN 14441

Sriegio skersmuo, mm	d1, mm	h, mm	SW, mm
6	8,5	7	9
8	11,5	8,5	12
10	13,5	10,5	14


Ivorē



DIN 1481

A handwritten signature in black ink, consisting of a large, stylized 'C' followed by a smaller, more complex mark.


Spyruoklė suspaudimo



DIN 2095

d, mm	Lo, mm	Da, mm	Vijų skaičius
0,8	42	8	14
1	32	10	11
1	32	15	9
1	35	12	8
1	40	10	15
1	60	12	18
1	65	15	13
1,5	28	15	7
1,5	35	12	8
1,5	45	10	12
1,5	45	15	11
1,5	55	10	15
1,5	55	12	14
1,5	55	15	14
1,5	55	15	15
1,5	65	15	15


Spiruoklė tempimo



DIN 2097

d, mm	Lo, mm	Da, mm
0,6	25	6
0,6	50	5
0,6	55	7
1	45	9
1	55	8
1	55	11
1	60	10
1	70	8
1	70	11
1	75	9
1	85	12
1	90	7
1	100	9
1	105	10
1	130	11
1,3	25	7
1,3	55	11
1,5	65	12,5
1,5	75	12,5
1,5	110	12,5


Poveržlė "Nord-Lock"



DIN 25201 (NORD-LOCK)

Diametras, mm	d1, mm	d2, mm	s, mm
6	6,5	10,8	1,8
8	8,7	13,5	2,5
10	10,7	16,6	2,5
12	13	19,5	2,5
14	15,2	23	3,4
16	17	25,4	3,4
18	19,5	29	3,4
20	21,4	30,7	3,4
24	25,3	39	3,4

Fiksavimo žiedas velenui



DIN 471


d1, mm	S, mm	d1, mm	S, mm
10	1	38	1,75
100	3	39	1,75
11	1	4	0,4
12	1	40	1,75
13	1	41	1,75
14	1,5	42	1,75
15	1	44	1,75
16	1	45	1,75
17	1	46	1,75
18	1,5	47	1,75
19	1,2	48	1,75
20	1,2	5	0,6
21	1,2	50	2
22	1,2	52	2
23	1,2	54	2
24	1,2	55	2
25	1,2	56	2
26	1,2	58	2
27	1,2	6	0,7
28	1,5	60	2
29	1,5	62	2
30	1,5	65	2,5
31	1,5	7	0,8
32	1,5	70	2,5
33	1,5	75	2,5
34	1,5	8	0,8
35	1,5	80	2,5

Fiksavimo žiedas velenui

36	1,75		9	1
37	1,75			




Fiksavimo žiedas velenui



DIN 472

d1, mm	s, mm	d1, mm	s, mm
8	0,8	45	1,75
10	1	46	1,75
11	1	47	1,75
12	1	48	1,75
13	1	50	2
14	1	52	2
15	1	54	2
17	1	55	2
18	1	56	2
19	1	57	2
20	1	58	2
21	1	60	2
22	1	62	2
23	1,2	65	2,5
24	1,2	67	2,5
25	1,2	68	2,5
26	1,2	70	2,5
27	1,2	72	2,5
28	1,2	75	2,5
29	1,2	78	2,5
30	1,2	80	2,5
31	1,2	82	2,5
32	1,2	85	2,5
33	1,2	90	3
34	1,5	95	3
35	1,5	100	3
36	1,5	105	4
37	1,5	110	4
38	1,5	120	4
39	1,5	125	4
40	1,75	140	4
41	1,75	150	4
42	1,75		
44	1,75		


Poveržlė dantytą



DIN 6798

Varžto diametras, mm	d, mm	d1, mm
3	3,2	6
4	4,3	8
5	5,3	10
6	6,4	11
8	8,4	15
10	10,5	18
12	13	20,5
14	15	24
16	17	26
20	21	33


Fiksavimo žiedas



DIN 6799

d, mm	veleno diametras min, mm	Veleno diametras max, mm	d1, mm	a, mm	s, mm
1,5	2	2,5	4,25	1,28	0,4
2,3	3	4	6,3	1,94	0,6
3,2	4	5	7,3	2,7	0,6
4	5	7	9,3	3,34	0,7
5	6	8	11,3	4,11	0,7
6	7	9	12,3	5,26	0,7
7	8	11	14,3	5,84	0,9
8	9	12	16,3	6,52	1
9	10	14	18,8	7,63	1,1
10	11	15	20,4	8,32	1,2
12	13	18	23,4	10,45	1,3
15	16	24	29,4	12,61	1,5
19	20	31	37,6	15,92	1,75


Poveržlē



DIN 7603 A

d, mm	d1, mm	s, mm
10,2	15,9	1
12,2	15,9	1,5
12,2	17,9	1,5
14,2	19,9	1,5
16,2	21,9	1,5

Poveržlē




DIN 7603 A

d, mm	D1, mm	S, mm
10,2	13,9	1
12,2	15,9	1,5
12,2	17,9	1,5
14,2	17,9	1,5
14,2	19,9	1,5
14,2	21,9	1,5
16,2	19,9	1,5
16,2	21,9	1,5
18,2	21,9	1,5
18,2	23,9	1,5
20,2	25,9	1,5
22,2	28,9	1,5
26,3	31,9	2

A handwritten signature or mark, possibly a stylized 'P' or 'K', enclosed in an oval shape.


Sraigtas



DIN 7981

d, mm	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
dk, mm	4,2	5,6	6,9	7,5	8,2	9,5	10,8	12,5
k, mm	1,8	2,2	2,6	2,8	3,05	3,55	3,95	4,55

Sraigtas




DIN 7982

d, mm	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
dk, mm	4,3	5,5	6,8	7,5	8,1	9,5	10,8	12,4
k, mm	1,3	1,7	2,1	2,3	2,5	3	3,4	3,8

[Handwritten signature]


Varžtas



DIN 7985

d, mm	2	2,5	3	3,5	4	5	6	8	10
dk, mm	4	5	6	7	8	10	12	16	20
k, mm	1,6	2	2,4	2,7	3,1	3,8	4,6	6	7,5


Varžtas



DIN 7991

d, mm	3	4	5	6	8	10	12	16	20	24
dk, mm	6	8	10	12	16	20	24	30	36	39
b, mm	12	14	16	18	22	26	30	38	46	54
s, mm	2	2,5	3	4	5	6	8	10	12	14
k, mm	1,7	2,3	2,8	3,3	4,4	5,5	6,5	7,5	8,5	14


Varžtas



DIN 84

d, mm	2	2,5	3	3,5	4	5	6	8	10	12
dk, mm	3,8	4,5	5,5	6	7	8,5	10	13	16	18
k, mm	1,3	1,6	2	2,4	2,6	3,3	3,9	5	6	7
n, mm	0,5	0,6	0,8	1	1,2	1,2	1,6	2	2,5	2,5
t, mm	0,6	0,7	0,85	1	1,1	1,3	1,6	2	2,4	2,4


Poveržlē



DIN 9021

d, mm	3,2	4,3	5,3	6,4	7,4	8,4	12	13	15	17	20
d1, mm	9	12	15	18	22	24	30	37	44	50	56
s, mm	0,8	1	1,2	1,6	2	2	2,5	3	3	3	4


Varžtas



DIN 912

d, mm	2	2,5	3	4	5	6	8	10	12	14	16	18	20	24	27	30	36	42
dk, mm	3,8	4,5	5,5	7	8,5	10	13	16	18	21	24	27	30	36	40	45	54	63
b, mm	16	17	18	20	22	24	28	32	36	40	44	48	52	60	66	72	84	96
s, mm	1,5	2	2,5	3	4	5	6	8	10	12	14	14	17	19	19	22	27	32
k, mm	2	2,5	3	4	5	6	8	10	12	14	16	18	20	24	27	30	36	42

Varžtas




DIN 912/UNC

Ø	3/8	1/2	3/4	1
AV	5/16	3/8	5/8	3/4
D, mm	14,3	19	28,6	38,1
k, mm	9,5	12,7	19	25,4
Vijų skaičius	16	13	0	8

Handwritten signature


Varžtas



DIN 913

d, mm	3	4	5	6	8	10	12	14	16	20
d1, mm	2	2,5	3,5	4	5,5	7	8,5	10	12	15
t, mm	1,2	1,5	2	2	3	4	4,5	5,6	6,4	8
s, mm	1,5	2	2,5	3	4	5	6	6	8	10


Varžtas



DIN 914

d, mm	3	4	5	6	8	10	12	16
d1, mm	-	-	-	2	2	3	3	4
t, mm	1	2	2	2	3	4	5	6
s, mm	2	2	3	3	4	5	6	8


Varžtas



DIN 915

d, mm	3	4	5	6	8	10	12	16	24
d1, mm	2	2,5	3,5	4	5,5	7	8,5	12	16
t, mm	1,2	1,5	2	2	3	6	8	10	15
s, mm	1,5	2	2,5	3	4	5	6	8	12


Varžtas



DIN 916

d, mm	3	4	5	6	8	10	12	14	16
d1, mm	1,4	2	2,5	3	5	6	8	9	10
t, mm	1,2	1,5	2	2	3	6	8	5,6	10
s, mm	1,5	2	2,5	3	4	5	6	6	8


Varžtas



DIN 933

d, mm	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	36
k, mm	2	2,8	3,5	4	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	22,5
e, mm	6,01	7,66	8,79	11,05	14,38	18,9	21,1	24,49	26,75	30,14	33,53	35,72	39,55	45,2	50,85	60,79
s, mm	5,5	7	8	10	13	17	19	22	24	27	30	32	36	41	46	55


Varžtas



DIN 931

d, mm	4	5	6	8	10	12	14	16	18	20	24	27	30	36
b, mm (iki 125)	14	16	18	22	26	30	34	38	42	46	54	60	66	78
b, mm (nuo 125)	–	22	24	28	32	36	40	40	44	52	60	66	72	84
k, mm	2,8	3,5	4	5,3	6,4	7,5	8,8	10	11,5	12,5	15	17	18,7	22,5
s, mm	7	8	10	13	17	19	22	24	27	30	36	41	46	55

Veržlē




DIN 934

d, mm	s, mm	e, mm	m, mm
1,6	3,2	3,41	1,3
2	4	4,32	1,6
2,5	5	5,45	2
3	5,5	6,01	2,4
3,5	6	6,58	2,8
4	7	7,66	3,2
5	8	8,79	4
6	10	11,05	5
7	11	12,12	5,5
8	13	14,38	6,5
10	17	18,9	8
12	19	21,1	10
14	22	24,49	11
16	24	26,75	13
18	27	29,56	15
20	30	32,95	16
22	32	35,03	18
24	36	39,55	19
27	41	45,2	22
30	46	50,85	24
33	50	55,37	26
36	55	60,79	29
42	65	71,3	34
48	75	82,6	38
56	85	93,56	45
60	90	99,21	48

A handwritten signature or mark, possibly a stylized 'E' or 'F', located at the bottom left of the page.


Varžtas



DIN 939

d, mm	6	8	10	12	14	16	20
b, mm	18	22	26	30	34	38	46
e, mm	7,5	10	12	15	18	20	25

Vielokaištis




DIN 94

d(mm) X l (mm)

[Handwritten signature]


Varžtas smulkiu sriegiu



DIN 960

d, mm X žingsnis	8x1	10x1	12x1,5	14x1,5	16x1,5	18x1,5	20x1,5	24x1,5
b, mm (iki 125)	22	26	30	34	38	42	46	54
b, mm (nuo 125)	28	32	36	40	44	48	52	60
k, mm	5,3	6,4	7,5	8,8	10	11,5	12,5	15
s, mm	13	17	19	22	24	27	30	36

Varžtas smulkiu sriegiu




DIN 961

d, mm X žingsnis	8x1	10x1	12x1,5	14x1,5	16x1,5	18x1,5
k, mm	5,3	6,4	7,5	8,8	10	11,5
e, mm	22	26	30	34	38	42
s, mm	13	17	19	22	24	27


A handwritten signature or mark, possibly reading '97', enclosed in an oval.

Varžtas



DIN 965

d, mm	2	2,5	3	3,5	4	5	6	8	10
dk, mm	3,8	4,7	5,6	6,5	7,5	9,2	11	14,5	18
k, mm	1,2	1,5	1,65	1,93	2,2	2,5	3	4	5



DIN 71412 A/ DIN 71412 B (45°)/ DIN71412 C (90°)


DIN 71412 A			
d, mm	L1, mm	h, mm	sw, mm
M 6 x 1	4	14	7
M 8 x 1	5,4	16	9
M 8 x 1,25	5,4	16	9
M 10 x 1	5,4	16	11
M 10 x 1,5	5,4	16	11
R 1/8" *	5,4	16	11
R 1/4" *	6,5	19,5	14

DIN 71412 B			
d, mm	L1, mm	h, mm	sw, mm
M 6 x 1	5,5	20	9
M 8 x 1	5,5	20	9
M 8 x 1,25	5,5	20	9
M10 x 1	5	20	11
R 1/8" *	6	21	11
R 1/4" *	7	23	14

DIN 71412 C			
d, mm	L1, mm	h, mm	sw, mm
M 6 x 1	5,5	18	9
M 8 x 1	5,5	18	9
M10 x 1	6	18	11
R 1/8" *	6	18	11

*- R 1/8=9,73 mm; R 1/4= 13,16 mm


Veržlė užsifiksuojanči



DIN 985

d, mm	e, mm	h, mm	m1, mm	s, mm
3	6,01	4	1,65	5,5
4	7,66	5	2,2	7
5	8,79	5	2,75	8
6	11,05	6	3,3	10
7	12,12	7,5	3,85	11
8	14,38	8	4,4	13
8 x 1	14,38	8	4,4	13
10	18,9	10	5,5	17
10 x 1	18,9	10	5,5	17
10 x 1,25	18,9	10	5,5	17
10 sw 15	18,9	10	5,5	15
12	21,1	12	6,6	19
12 x 1	21,1	12	6,6	19
12 x 1,25	21,1	12	6,6	19
12 x 1,5	21,1	12	6,6	19
14	24,49	14	7,7	22
14 x 1,5	24,49	14	7,7	22
16	26,75	16	8,8	24
16 x 1,5	26,75	16	8,8	24
18	29,56	18,5	9,9	27
18 x 1,5	29,56	18,5	9,9	27
20	32,95	20	11	30
20 x 1,5	32,95	20	11	30
20 x 2	32,95	20	11	30
22	35,03	22	12,2	32
22 x 1,5	35,03	22	12,2	32
24	39,55	24	13,2	36
24 x 1,5	39,55	24	13,2	36
24 x 2	39,55	24	13,2	36
27	45,2	27	14,8	41
30	50,85	30	16,5	46
30 x 2	50,85	30	16,5	46
33	55,37	33	18,2	50


Varžtas



ISO 7380

d, mm	3	4	5	6	8	10	12
d ₁ , mm	5,7	7,6	9,5	10,5	14	17,5	21
t, mm	1,04	1,3	1,56	2,08	2,6	3,12	4,16
s, mm	2	2,5	3	4	5	6	8
k, mm	1,65	2,2	2,75	3,3	4,4	5,5	6,6


Varžtas su poveržle



ISO 7380

d, mm	3	4	5	6	8	10	12
d ₁ , mm	6,9	9,4	11,8	13,6	17,8	21,9	24
t, mm	1,4	1,7	2,2	2,4	3,2	3,8	4,2
s, mm	2	2,5	3	4	5	6	8,1
k, mm	1,65	2,2	2,75	3,3	4,4	5,5	6,6


Varžtas



UNC

Ø, "	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4
AV"	7/16	1/2	9/16	5/8	3/4	3/4	15/16	1 1/8
AV, mm	11,1	12,7	14,3	15,9	19	19	23,8	28,6
e, mm	12,8	14,7	16,5	18,3	22	22	27,5	33
k, mm	4	5,2	6	7,1	7,9	7,9	9,9	11,9
vijos/"	20	18	16	14	13	13	11	10
L<152	19	22	25	28	32	32	38	44
L>152	25	28	32		38	38	44	51


Varžtas



UNF

Ø, "	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4
AV"	7/16	1/2	9/16	5/8	3/4	13/16	15/16	1 1/8
AV, mm	11,1	12,7	14,3	15,9	19	20,6	23,8	28,6
e, mm	12,8	14,7	16,5	18,3	22	23,8	27,5	33
k, mm	4	5,2	6	7,1	7,9	9,1	9,9	11,9
vijos/"	28	24	24	20	20	18	18	16
Sriegio L, mm	19	22	25	28	32	35	38	44


Veržlė skardai



Veržlė skardai


A handwritten signature or mark, possibly a stylized 'R' or 'P', enclosed within an oval shape.

Veržlē rēminiam varžtui




d, mm	10x1,5	12x1,5	14x1,5	16x1,5	5	6	8	10	12	16
s, mm	15	17	19	22	8	10	13	15	17	22
k, mm	8,5	12	14	15,6	4,3	5,5	7	8,5	10	14
d2, mm	21	24	27	31	11,2	14,2	18,2	21	24	31

Varžtas rėmui su poveržle




d, mm	5	6	8	10	12	16	10x1,5	12x1,5	14x1,5	16x1,5
s, mm	8	10	13	15	17	22	15	17	19	22
k, mm	4,3	5,5	7	8,5	10	14	8,5	10	12	14
d2, mm	11,2	14,2	18,2	21	24	31	21	24	27,5	31

Veržlē atspari temperatūrai su poveržle fiksuojanti





D, mm	H, mm	sw, mm	išorė, mm
(A)M 8	10	13	17
M 8	8	13	17
M 10	10	15	21

Sraigtas su poveržle



d, mm	4,8	5,5	6,3	8
s, mm	8	8	10	13
d1, mm	15	15	18	21
t, mm	1,6	1,6	1,6	2


Medvaržtis



Ø mm X L mm

A handwritten signature in black ink, appearing to be 'J. 120'.


Kniedē



Kniedē d, mm X l, mm


Handwritten signature or mark inside an oval.

Kniedė su didele galvute




$d \times l$, mm	Kiaurymė, mm	Užspaudimo storis, mm	d_k , mm	k , mm	d_m , mm	Kirpimo- nutraukimo jėga, N	Tempimo- nutraukimo jėga, N
4,8 x 10,0	4,9 – 5,1	1,5 – 6,0	16	1,8	2,7	1470	2400
4,8 x 17,0	4,9 – 5,1	6,5 – 12,5	16	1,8	2,7	1470	2400
4,8 x 25,0	4,9 – 5,1	12,0 – 19,5	16	1,8	2,7	1470	2400

Kniedė plastikui




dxl, mm	Kiaurymė, mm	Užspaudimo storis, mm	dk, mm	k, mm	dm, mm	Kirpimo-nutraukimo jėga, N	Tempimo-nutraukimo jėga, N
4,8 x 21,0	5,0 – 5,1	1,0 – 9,0	10	2,1	3,2	800	1100

Kniedė plastikui (minkštos)




dxl, mm	Kiaurymė, mm	Užspaudimo storis, mm	dk, mm	k, mm	dm, mm	Kirpimo-nutraukimo jėga, N	Tempimo-nutraukimo jėga, N
4 x 10	4,1 – 4,5	1,5 – 5,0	9,5	1,2	2,1	1280	1140
4 x 12	4,1 – 4,5	4,0 – 6,5	9,5	1,2	2,1	1280	1140
4 x 14	4,1 – 4,5	6,0 – 9,0	9,5	1,2	2,1	1280	1140
4 x 16	4,1 – 4,5	8,0 – 11,0	9,5	1,2	2,1	1280	1140
4 x 18	4,1 – 4,5	10,0 – 13,0	9,5	1,2	2,1	1280	1140
4 x 20	4,1 – 4,5	12,0 – 15,0	9,5	1,2	2,1	1280	1140
4,8 x 10	4,9 – 5,3	0,5 – 4,0	9,5	1,3	2,7	2100	2450
4,8 x 12	4,9 – 5,3	2,0 – 6,0	9,5	1,3	2,7	2100	2450
4,8 x 14	4,9 – 5,3	4,0 – 8,0	9,5	1,3	2,7	2100	2450
4,8 x 16	4,9 – 5,3	6,0 – 10,0	9,5	1,3	2,7	2100	2450
4,8 x 18	4,9 – 5,3	8,0 – 12,0	9,5	1,3	2,7	2100	2450
4,8 x 20	4,9 – 5,3	10,0 – 14,0	9,5	1,3	2,7	2100	2450
4,8 x 21	4,9 – 5,3	8,0 – 15,0	9,5	1,3	2,7	2100	2450
4,8 x 22	4,9 – 5,3	12,0 – 16,0	9,5	1,3	2,7	2100	2450
4,8 x 25	4,9 – 5,3	16,0 – 19,0	9,5	1,3	2,7	2100	2450
4,8 x 30	4,9 – 5,3	19,0 – 24,0	9,5	1,3	2,7	2100	2450
4,8 x 35	4,9 – 5,3	24,0 – 29,0	9,5	1,3	2,7	2100	2450
4,8 x 40	4,9 – 5,3	29,0 – 34,0	9,5	1,3	2,7	2100	2450

Kniedė hermetiška




d x l, mm	Kiaurymė, mm	Užspaudimo storis, mm	dk, mm	k, mm	dm, mm	Kirpimo-nutraukimo jėga, N	Tempimo-nutraukimo jėga, N
3,2 x 6,5	3,3	0,5 – 2,0	6	1,3	1,7	1170	1350
3,2 x 8,0	3,3	1,5 – 3,5	6	1,3	1,7	1170	1350
3,2 x 9,5	3,3	3,0 – 5,0	6	1,3	1,7	1170	1350
3,2 x 12,5	3,3	6,0 – 8,0	6	1,3	1,7	1170	1350
4,0 x 8,0	4,1	0,5 – 3,5	8	1,7	2,2	1660	2250
4,0 x 9,5	4,1	3,0 – 5,0	8	1,7	2,2	1660	2250
4,0 x 12,5	4,1	6,0 – 8,0	8	1,7	2,2	1660	2250
4,8 x 8,0	4,9	1,0 – 3,5	9,5	2	2,7	2330	3170
4,8 x 9,5	4,9	3,0 – 5,0	9,5	2	2,7	2330	3170
4,8 x 12,5	4,9	6,0 – 8,0	9,5	2	2,7	2330	3170
4,8 x 16,0	4,9	9,0 – 11,0	9,5	2	2,7	2330	3170
4,8 x 18,0	4,9	10,5 – 13,0	9,5	2	2,7	2330	3170
4,8 x 21,0	4,9	12,5 – 16,0	9,5	2	2,7	2330	3170

Kniedė įleidžiama galvute



d x l, mm	Kiaurymė, mm	Užspaudimo storis, mm	dk, mm	k, mm	dm, mm	Kirpimo-nutraukimo jėga, N	Tempimo-nutraukimo jėga, N
3,0 x 6,0	3,1	1,5 – 3,5	6	0,9	1,8	850	850
3,0 x 8,0	3,1	3,5 – 5,5	6	0,9	1,8	850	850
3,0 x 10,0	3,1	5,5 – 7,0	6	0,9	1,8	850	850
3,0 x 12,0	3,1	7,0 – 9,0	6	0,9	1,8	850	850
4,0 x 6,0	4,1	1,5 – 3,0	7,5	1	2,2	1300	1960
4,0 x 8,0	4,1	3,0 – 5,0	7,5	1	2,2	1300	1960
4,0 x 10,0	4,1	5,0 – 6,5	7,5	1	2,2	1300	1960
4,0 x 12,0	4,1	6,5 – 8,5	7,5	1	2,2	1300	1960
4,0 x 16,0	4,1	10,5 – 12,5	7,5	1	2,2	1300	1960
4,0 x 20,0	4,1	14,5 – 16,5	7,5	1	2,2	1300	1960
5,0 x 8,0	5,1	3,0 – 4,5	9	1,2	2,25	2150	3000
5,0 x 10,0	5,1	4,5 – 6,0	9	1,2	2,25	2150	3000
5,0 x 12,0	5,1	6,0 – 8,0	9	1,2	2,25	2150	3000
5,0 x 16,0	5,1	10,0 – 12,0	9	1,2	2,25	2150	3000


Sraigta medis/metalas



Sraigta skirti prisukti medį prie metalo, be gręžimo.

d, mm	6,3	8
dk, mm	15	15
lp, mm	13	18
Konstrukcijos storis, mm	2,0 – 6,0	2,0 - 12,0


Veržlė



DIN 985/UNC

“	AV	vijos/”	h, mm
N:O 10	3/8	24	4,2
1/4	7/16	20	8
5/16	1/2	18	8,5
3/8	9/16	16	11,4
7/16	11/16	14	14
1/2	3/4	13	15
5/8	15/16	11	19
3/4	1 1/8	10	22,5
7/8	1 5/16	9	27
1	1 1/2	8	28,5


Veržlē



DIN 985/UNF

"	AV	vijos/"	h, mm
1/4	7/16	28	8
5/16	1/2	24	8,5
3/8	9/16	24	11,4
7/16	11/16	20	14
1/2	3/4	20	15
9/16	7/8	18	16
5/8	15/16	18	19
3/4	1 1/8	16	22,5
7/8	1 5/16	16	24,5
1	1 1/2	12	28,5


Veržlė



DIN 934/UNC

"	AV	vijos/"	h, mm
N:O 10	3/8	24	3
1/4	7/16	20	8
5/16	1/2	18	8,5
3/8	9/16	16	11,4
7/16	11/16	14	14
1/2	3/4	13	15
5/8	15/16	11	19
3/4	1 1/8	10	22,5
1	1 1/2	8	28,5
1 1/4	1 7/8	7	26

Veržlė



DIN 934/UNF

"	AV	vijos/"	h, mm
1/4	7/16	28	5,5
5/16	1/2	24	6,8
3/8	9/16	24	8,2
7/16	11/16	20	9,5
1/2	3/4	20	11,0
9/16	7/8	18	12,0
5/8	15/16	18	14,0
3/4	1/8	16	16,0
1	1 1/2	12	22,5
1 1/4	1 7/8	12	27,0

Apkaba žarnoms



Ø žarnos, mm (min-max)
8 - 12
10 - 16
8 - 16
12 - 22
16 - 27
20 - 32
25 - 40
30 - 45
32 - 50
40 - 60
50 - 70
60 - 80
70 - 90
80 - 100
90 - 110
100 - 120