

Poz 4. Pilvinės dalies dviejų klubinių atšakų (bifurkacinis) stentgraftas

ENGINEERED FOR

CONFIDENCE

TREO[®]

ABDOMINAL STENT-GRAFT SYSTEM



Bolton Medical

Poz 4. Pilvinės dalies dviejų klubinių atšakų (bifurkacinis) stentgraftas

ADVANCED
DESIGN

Every aspect of the TREO[®] Abdominal Stent-Graft system is engineered for performance. As the only EVAR solution with dual proximal fixation and active leg fixation, TREO offers the next advancement in abdominal stent-graft solutions.

TREO is **Engineered for Confidence.**

MODULAR DESIGN


Three-piece system available in a wide range of sizes, lengths, and tapers.

ACCURATE DEPLOYMENT

Designed to work together, the proximal clasp system enables precise deployment of TREO's unique dual proximal fixation.

LOCK STENT

TREO's main body actively engages both legs, ensuring a durable connection.



Poz 4. Pilvinės dalies dviejų klubinių atšakų (bifurkacinis) stentgraftas

DESIGNED FOR SAFETY

Infrarenal and suprarenal barbs remain contained inside the clasp and in valleys of graft material during initial deployment.

PROXIMAL CLASP

Engineered for precise deployment, TREO's advanced proximal clasp moves distally to deploy.

SYSTEM REMOVAL

All components were designed for safe removal, without sharp edges.

ENHANCED DELIVERY

Designed for patient safety and physician confidence, TREO:

- /// Tracks through challenging anatomy
- /// Enables precise deployment
- /// Allows for safe removal


CLINICAL PROCEDURE HIGHLIGHTS:

- /// 100% successful deployment
- /// 100% accurate placement
- /// 100% stent-graft patency

PRE-OP



POST-OP



Clinical case courtesy of: Obi Agu, MD - Royal Free Hospital, London, UK
Source: The Bolton Treovance Endograft For EVAR: Unique Features, Advantages, Limitations And Early US Results. Presented at Veith Symposium 2016 by Daniel Clair, MD

SECURE FIXATION

TREO is the **only** EVAR graft with dual proximal fixation and exclusive Lock Stent technology. Clinical follow-up highlights include:

- /// 0% migration
- /// 0% aneurysm enlargement
- /// 0% stent-graft occlusions

SUPRA AND INFRARENAL FIXATION

Two rows of strategically-placed nitinol bars promote optimal fixation to combat migration, even in angulated anatomies.


ROUNDED BARBS

The lock stent barbs are dulled to ensure compatibility with balloons.

LOCK STENT TECHNOLOGY

Rounded barbs inside main body gates are designed to securely engage with legs.

PULLOUT FORCES OF BODY WITH LEG EXTENSIONS



Average pull out forces calculated during internal bench testing

Poz 4. Pilvinės dalies dviejų klubinių atšakų (bifurkacinis) stentgraftas

LOW PROFILE
DELIVERY SYSTEM

OPTIMIZED PROCEDURE

The TREO delivery system was designed for ease of use, improved confidence, and reliable outcomes.

CONTROLLED DEPLOYMENT

Allows for precise delivery using intuitive mechanical advantage or quick pin and pull. Available on both legs and main body systems.

BI-DIRECTIONAL
FLUSH PORT


LOCKING MECHANISM

DETACHABLE
SHEATH

ADVANCED
HEMOSTASIS VALVE

CLASP RELEASE MECHANISM

Intuitive mechanism releases proximal clasp.



Poz 4. Pilvinės dalies dviejų klubinių atšakų (bifurkacinis) stentgraftas

A MORE
P E R S O N A L I Z E D
 A P P R O A C H

TREO offers a three-piece system with a wide range of sizes, diameters, and tapers that allow for precise treatment.

pagrindinės dalies proksimalinis
 diametras pasirinktinai nuo 20 mm
 iki 36 mm

INDICATIONS


- /// Up to 75 degree infrarenal angulation with 15mm landing zone
- /// Up to 60 degree infrarenal angulation with 10mm landing zone

THREE-PIECE SYSTEM WITH IN-SITU SIZING

- /// Three main body lengths, multiple leg extensions lengths
- /// Adjustable zones between main body and leg extensions allows *in situ* sizing

LOW PROFILE DELIVERY SYSTEM

- /// Main body system: 18–19F, OD
- /// Leg system: 13–14F, OD



Poz 4. Pilvinės dalies dviejų klubinių atšakų (bifurkacinis) stentgraftas

C U S T O M I Z E D
S O L U T I O N S

The TREO custom platform allows physicians to design a customized solution when needed.

/// Delivery time: three weeks*

PROXIMAL SCALLOP



SHORT MAIN BODY



CATEGORY	CUSTOM DESIGN
Custom tapered	Reverse tapers Extreme tapers
Custom lengths	Short Main bodies Long Main bodies
Custom main bodies	Single Scallop Double Scallop Single fenestration
Leg extension	"Dog Bone" shape legs Iliac Branch Device

*from physician design approval to operating room delivery
Custom-made devices do not bear CE mark. According to medical device law, physician prescription is required. Custom-made option not available in the U.S.

Poz 4. Pilvinės dalies dviejų klubinių atšakų (bifurkacinis) stentgrafas

MAIN BODY SIZING GUIDE

AORTIC OUTER DIAMETER (PROXIMAL NECK ANGLE <60°)*	PROXIMAL LANDING ZONE MINIMUM LENGTH (NECK ANGLE <60°)*	LOWEST RENAL TO AORTIC BIFURCATION MINIMUM LENGTH	PROXIMAL DIAMETER	CONTRALATERAL LENGTH	PROFILE	DESCRIPTION	TREO CATALOG REFERENCE
17-18	10	90	20	80	18 Fr	20 mm Bifurcate - 80 mm	28-B2-20-080S
	10	110	20	100	18 Fr	20 mm Bifurcate - 100 mm	28-B2-20-100S
	10	130	20	120	18 Fr	20 mm Bifurcate - 120 mm	28-B2-20-120S
18-19	10	90	22	80	18 Fr	22 mm Bifurcate - 80 mm	28-B2-22-080S
	10	110	22	100	18 Fr	22 mm Bifurcate - 100 mm	28-B2-22-100S
	10	130	22	120	18 Fr	22 mm Bifurcate - 120 mm	28-B2-22-120S
19-21	10	90	24	80	18 Fr	24 mm Bifurcate - 80 mm	28-B2-24-080S
	10	110	24	100	18 Fr	24 mm Bifurcate - 100 mm	28-B2-24-100S
	10	130	24	120	18 Fr	24 mm Bifurcate - 120 mm	28-B2-24-120S
21-23	10	90	26	80	18 Fr	26 mm Bifurcate - 80 mm	28-B2-26-080S
	10	110	26	100	18 Fr	26 mm Bifurcate - 100 mm	28-B2-26-100S
	10	130	26	120	18 Fr	26 mm Bifurcate - 120 mm	28-B2-26-120S
23-25	10	90	28	80	18 Fr	28 mm Bifurcate - 80 mm	28-B2-28-080S
	10	110	28	100	18 Fr	28 mm Bifurcate - 100 mm	28-B2-28-100S
	10	130	28	120	18 Fr	28 mm Bifurcate - 120 mm	28-B2-28-120S
25-27	10	90	30	80	19 Fr	30 mm Bifurcate - 80 mm	28-B2-30-080S
	10	110	30	100	19 Fr	30 mm Bifurcate - 100 mm	28-B2-30-100S
	10	130	30	120	19 Fr	30 mm Bifurcate - 120 mm	28-B2-30-120S
27-30	10	90	33	80	19 Fr	33 mm Bifurcate - 80 mm	28-B2-33-080S
	10	110	33	100	19 Fr	33 mm Bifurcate - 100 mm	28-B2-33-100S
	10	130	33	120	19 Fr	33 mm Bifurcate - 120 mm	28-B2-33-120S
30-32	10	90	36	80	19 Fr	36 mm Bifurcate - 80 mm	28-B2-36-080S
	10	110	36	100	19 Fr	36 mm Bifurcate - 100 mm	28-B2-36-100S
	10	130	36	120	19 Fr	36 mm Bifurcate - 120 mm	28-B2-36-120S

CUFF SIZING GUIDE

AORTIC OUTER DIAMETER (PROXIMAL NECK ANGLE <60°)*	PROXIMAL LANDING ZONE MINIMUM LENGTH (NECK ANGLE <60°)*	PROXIMAL AND DISTAL DIAMETER	COVERED LENGTH	PROFILE	DESCRIPTION	TREO CATALOG REFERENCE
17-18	10	20	40	18 Fr	20 mm Cuff - 40 mm	28-C2-20-040S
	10	20	55	18 Fr	20 mm Cuff - 55 mm	28-C2-20-055S
	10	20	70	18 Fr	20 mm Cuff - 70 mm	28-C2-20-070S
18-19	10	22	40	18 Fr	22 mm Cuff - 40 mm	28-C2-22-040S
	10	22	55	18 Fr	22 mm Cuff - 55 mm	28-C2-22-055S
	10	22	70	18 Fr	22 mm Cuff - 70 mm	28-C2-22-070S
19-21	10	24	40	18 Fr	24 mm Cuff - 40 mm	28-C2-24-040S
	10	24	55	18 Fr	24 mm Cuff - 55 mm	28-C2-24-055S
	10	24	70	18 Fr	24 mm Cuff - 70 mm	28-C2-24-070S
21-23	10	26	40	18 Fr	26 mm Cuff - 40 mm	28-C2-26-040S
	10	26	55	18 Fr	26 mm Cuff - 55 mm	28-C2-26-055S
	10	26	70	18 Fr	26 mm Cuff - 70 mm	28-C2-26-070S
23-25	10	28	40	18 Fr	28 mm Cuff - 40 mm	28-C2-28-040S
	10	28	55	18 Fr	28 mm Cuff - 55 mm	28-C2-28-055S
	10	28	70	18 Fr	28 mm Cuff - 70 mm	28-C2-28-070S
25-27	10	30	40	19 Fr	30 mm Cuff - 40 mm	28-C2-30-040S
	10	30	55	19 Fr	30 mm Cuff - 55 mm	28-C2-30-055S
	10	30	70	19 Fr	30 mm Cuff - 70 mm	28-C2-30-070S
27-30	10	33	40	19 Fr	33 mm Cuff - 40 mm	28-C2-33-040S
	10	33	55	19 Fr	33 mm Cuff - 55 mm	28-C2-33-055S
	10	33	70	19 Fr	33 mm Cuff - 70 mm	28-C2-33-070S
30-32	10	36	40	19 Fr	36 mm Cuff - 40 mm	28-C2-36-040S
	10	36	55	19 Fr	36 mm Cuff - 55 mm	28-C2-36-055S
	10	36	70	19 Fr	36 mm Cuff - 70 mm	28-C2-36-070S

LEG EXTENSION SIZING GUIDE

ILIAC OUTER DIAMETER	ILIAC LANDING ZONE MINIMUM LENGTH	LEG EXTENSION DISTAL DIAMETER	COVERED LENGTH	PROFILE	DESCRIPTION	TREO CATALOG REFERENCE
8	10	9	80	13 Fr	15/9 mm Leg Extension - 80 mm	28-L2-09-080S
	10	9	100	13 Fr	15/9 mm Leg Extension - 100 mm	28-L2-09-100S
	10	9	120	13 Fr	15/9 mm Leg Extension - 120 mm	28-L2-09-120S
	10	9	140	13 Fr	15/9 mm Leg Extension - 140 mm	28-L2-09-140S
	10	9	160	13 Fr	15/9 mm Leg Extension - 160 mm	28-L2-09-160S
9	10	11	80	13 Fr	15/11 mm Leg Extension - 80 mm	28-L2-11-080S
	10	11	100	13 Fr	15/11 mm Leg Extension - 100 mm	28-L2-11-100S
	10	11	120	13 Fr	15/11 mm Leg Extension - 120 mm	28-L2-11-120S
	10	11	140	13 Fr	15/11 mm Leg Extension - 140 mm	28-L2-11-140S
	10	11	160	13 Fr	15/11 mm Leg Extension - 160 mm	28-L2-11-160S
10-11	10	13	80	13 Fr	15/13 mm Leg Extension - 80 mm	28-L2-13-080S
	10	13	100	13 Fr	15/13 mm Leg Extension - 100 mm	28-L2-13-100S
	10	13	120	13 Fr	15/13 mm Leg Extension - 120 mm	28-L2-13-120S
	10	13	140	13 Fr	15/13 mm Leg Extension - 140 mm	28-L2-13-140S
	10	13	160	13 Fr	15/13 mm Leg Extension - 160 mm	28-L2-13-160S
12-13	10	15	80	13 Fr	15/15 mm Leg Extension - 80 mm	28-L2-15-080S
	10	15	100	13 Fr	15/15 mm Leg Extension - 100 mm	28-L2-15-100S
	10	15	120	13 Fr	15/15 mm Leg Extension - 120 mm	28-L2-15-120S
	10	15	140	13 Fr	15/15 mm Leg Extension - 140 mm	28-L2-15-140S
	10	15	160	13 Fr	15/15 mm Leg Extension - 160 mm	28-L2-15-160S
14-15	15	17	80	14 Fr	15/17 mm Leg Extension - 80 mm	28-L2-17-080S
	15	17	100	14 Fr	15/17 mm Leg Extension - 100 mm	28-L2-17-100S
	15	17	120	14 Fr	15/17 mm Leg Extension - 120 mm	28-L2-17-120S
	15	17	140	14 Fr	15/17 mm Leg Extension - 140 mm	28-L2-17-140S
	15	17	160	14 Fr	15/17 mm Leg Extension - 160 mm	28-L2-17-160S
16-17	15	20	80	14 Fr	15/20 mm Leg Extension - 80 mm	28-L2-20-080S
	15	20	100	14 Fr	15/20 mm Leg Extension - 100 mm	28-L2-20-100S
	15	20	120	14 Fr	15/20 mm Leg Extension - 120 mm	28-L2-20-120S
	15	20	140	14 Fr	15/20 mm Leg Extension - 140 mm	28-L2-20-140S
	15	20	160	14 Fr	15/20 mm Leg Extension - 160 mm	28-L2-20-160S
18-20	15	24	80	14 Fr	15/24 mm Leg Extension - 80 mm	28-L2-24-080S
	15	24	100	14 Fr	15/24 mm Leg Extension - 100 mm	28-L2-24-100S
	15	24	120	14 Fr	15/24 mm Leg Extension - 120 mm	28-L2-24-120S
	15	24	140	14 Fr	15/24 mm Leg Extension - 140 mm	28-L2-24-140S
	15	24	160	14 Fr	15/24 mm Leg Extension - 160 mm	28-L2-24-160S

AORTO - UNI - ILIAC (AUI) SIZING GUIDE

AORTIC OUTER DIAMETER (PROXIMAL NECK ANGLE <60°)*	PROXIMAL LANDING ZONE MINIMUM LENGTH (NECK ANGLE <60°)*	PROXIMAL DIAMETER	COVERED LENGTH	PROFILE	DESCRIPTION	TREO CATALOG REFERENCE
17-18	10	20	100	18 Fr	20 mm AUI - 100 mm	28-A1-20-100S
18-19	10	22	100	18 Fr	22 mm AUI - 100 mm	28-A1-22-100S
19-21	10	24	100	18 Fr	24 mm AUI - 100 mm	28-A1-24-100S
21-23	10	26	100	18 Fr	26 mm AUI - 100 mm	28-A1-26-100S
23-25	10	28	100	18 Fr	28 mm AUI - 100 mm	28-A1-28-100S
25-27	10	30	100	19 Fr	30 mm AUI - 100 mm	28-A1-30-100S
27-30	10	33	100	19 Fr	33 mm AUI - 100 mm	28-A1-33-100S
30-32	10	36	100	19 Fr	36 mm AUI - 100 mm	28-A1-36-100S

OCCLUDER SIZING GUIDE

ILIAC OUTER DIAMETER	SEAL ZONE NECK LENGTH REQUIREMENT	DIAMETER	COVERED LENGTH**	PROFILE	DESCRIPTION	TREO CATALOG REFERENCE
6	10	8	31	14 Fr	8 mm Occluder - 31 mm	28-P1-08-031S
7-8	10	10	31	14 Fr	10 mm Occluder - 31 mm	28-P1-10-031S
9-10	10	12	31	14 Fr	12 mm Occluder - 31 mm	28-P1-12-031S
11-12	10	14	33	14 Fr	14 mm Occluder - 33 mm	28-P1-14-033S
13-14	15	17	33	14 Fr	17 mm Occluder - 33 mm	28-P1-17-033S
15-17	15	20	35	14 Fr	20 mm Occluder - 35 mm	28-P1-20-035S
18-20	15	24	35	14 Fr	24 mm Occluder - 35 mm	28-P1-24-035S

STRAIGHT SIZING GUIDE

ILIAC OUTER DIAMETER	ILIAC LANDING ZONE MINIMUM LENGTH	LEG EXTENSION DISTAL DIAMETER	COVERED LENGTH	PROFILE	DESCRIPTION	TREO CATALOG REFERENCE
8	10	9	80	13 Fr	9 mm Straight Extension - 80 mm	28-S2-09-080S
9	10	11	80	13 Fr	11 mm Straight Extension - 80 mm	28-S2-11-080S
10-11	10	13	80	13 Fr	13 mm Straight Extension - 80 mm	28-S2-13-080S

Notes for Main Body, Cuff and AUI.

*For Proximal Neck angle 60-75°, refer to the instructions for use.

**In occluder, from spring to spring

All measures are in mm unless differently specified

All measures are in mm unless differently specified



INSPIRED by a belief that quality designs lead to a better quality of life. By focusing our efforts in the aortic space, we develop specific solutions, and refine every detail.

DRIVEN by a passion and respect for the aortic anatomy. Recognizing that each anatomy is different and deserves an endovascular solution.

COMMITTED to crafting advanced endovascular solutions for every patient. As every person is unique, their healthcare should be, too.

We are AORTIC BY DESIGN. We are BOLTON MEDICAL.

TREO[®]
ABDOMINAL STENT-GRAFT SYSTEM

 Bolton Medical