



General construction characteristics		and wheels		Environmental performances	
1.	Number of axles	: 2		46.	Sound level
3.	Powered axles (number, position, interconnection)	: 1 in front			Stationary
3.1.	The vehicle is	: non-automated		47.	Exhaust emission level EURO
4.	Main dimensions			47.1.	Parameters for emission testing of Wind
4.1.	Wheelbase	: 2423 mm		47.1.1.	Test mass, kg
4.1.1.	Axle spacing	: 2-3		47.1.2.	Frontal area, m2
5.	Length	: 3702 mm		47.1.2.1.	Projected frontal area of air entrance of the front grille (if applicable), cm2
6.	Width	: 1587 mm		47.1.3.	Road load coefficients
7.	Height	: 1478 mm		47.1.3.0.	f0, N
Masses				47.1.3.1.	f1, N/(km/h)
13.	Mass in running order	: 1049 kg		47.1.3.2.	f2, N/(km/h)2
13.2.	Actual mass of the vehicle	: 01054,0 kg		47.2.	Driving cycle
16.	Technically permissible maximum masses			47.2.1.	Driving Cycle class
16.1.	Technically permissible maximum laden mass	: 1315 kg		47.2.2.	Downscaling factor (fdsc)
16.2.	Technically permissible mass on each axle	: 2		47.2.3.	Capped speed
16.4.	Technically permissible maximum mass of the combination	: 0000 kg		48.	Exhaust emissions
18.	Technically permissible maximum towable mass in case of				Number of the base regulatory act and latest amending regulatory act applicable
18.1.	Drawbar trailer	: -		1-2.	test procedure: Type I (WLTP highest values) or WHSC (Euro VI)
18.3.	Centre-axle trailer	: -			Petrol/ Diesel oil
18.4.	Unbraked trailer	: -			CO
19.	Technically permissible maximum static mass at the coupling point	: -			THC + NOx
Power plant					Particulates (mass)
20.	Manufacturer of the engine	: Shanghai Auto Edrive Co., Ltd			Particulates (number)
21.	Engine code as marked on the engine	: 4DB403			LPG/NG/Ethanol
22.	Working principle	: Yes			CO
23.	Pure electric	: -			NMHC
23.1.	Class of hybrid (electric) vehicle	: -			THC + NOx
24.	Number and arrangement of cylinders	: -			Particulates (mass)
25.	Engine capacity	: -			Particulates (number)
26.	Fuel	: Electric			2.2. test procedure: WHTC (Euro VI)
26.1.	Mono fuel/Bi fuel/Flex fuel/Dual-fuel	: -			Diesel oil
26.2.	Type (dual fuel only)	: -			CO
27.	Maximum power	: -			NMHC
27.1.	Maximum net power (internal combustion engine)	: at -			CH4
Maximum net power LPG/Ethanol					Particulates (mass)
27.3.	Maximum net power (electric motor)	: 48 kW			Particulates (number)
27.4.	Maximum 30 minutes power (electric motor)	: 18.6 kW			Exhaust emissions (LPG)
28.	Gearbox (type)	: Fixed ratio			CO
28.1.	Gearbox ratios (for vehicles with manual shift transmissions)	: 3:-			NMHC
1:-		: 4:-			CH4
2:-		: 8:-			Particulates (mass)
3:-		: 12,057			Particulates (number)
4:-		: 12,057			Smoke corrected absorption coefficient
5:-		: 4:-			48.1. Smoke corrected absorption coefficient
6:-		: 8:-			48.2. Declared maximum RDE values (if applicable)
28.1.1.	Final drive ratio (if applicable)	: -			Complete RDE trip
28.1.2.	Final drive ratios (to complete if and where applicable)	: -			Urban RDE trip
2:-		: 4:-			CO2 emissions/fuel consumption/electric energy consumption
3:-		: 8:-			1. all power train except OVC hybrid electric
6:-		: 125 km/h			Petrol/Diesel oil/electric
Maximum speed					WLTP values
29.	Maximum speed	: 125 km/h			CO2 emissions
30.	Axles and suspension				Fuel consumption
30.1.	Axle(s) track	: 1385 mm			CO2 emissions
35.	Fitted tyre/wheel combination/ energy efficiency class of rolling resistance coefficients (RRC)	: 1365 mm			low
1					medium
2					high
3					extra-high
165/65 R15 (81)		: 4.5 J 15 - 37 (C1)A			combined
165/65 R15 (81)		: 4.5 J 15 - 37 (C1)A			LPG/NG/Ethanol
Brakes					CO2 emissions
36.	Trailer brake connections	: -			low
Bodywork					medium
38.	Code for bodywork	: AB			high
40.	Colour of vehicle	: red			extra-high
41.	Number and configuration of doors	: 4 swing side doors and 1 back door			combined
42.	Number of seating positions (including the driver)	: 04 - 2 front and 2 rear			2. Electric range of pure electric vehicles
42.1.	Seat(s) designated for use only when the vehicle is stationary	: -			Electric range
42.3.	Number of wheelchair user accessible position	: -			Electric range city