



INTERVENTIONAL
VASCULAR
DIAGNOSTICS AND
THERAPY

HEMODYNAMICS

Interventional Vascular Diagnostics and Therapy

PRODUCTS FOR MINIMAL-INVASIVE DIAGNOSTICS AND THERAPY

BALLOON FLOATATION CATHETERS FOR MEASUREMENT OF HEMODYNAMIC PRESSURE AND CARDIAC OUTPUT

Corodyn

- 4 Corodyn P1
- 4 Corodyn P2
- 5 Corodyn TD
- 5 Corodyn TD-I
- 6 Corodyn TD touch-free
- 6 Corodyn TD-I touch-free
- 7 Corodyn accessories
- 8 Corodyn technical data

Eledyn

- 9 Eledyn stimulation probe
- 9 Add-ON set for Eledyn

MONITORING KITS WITH DISPOSABLE TRANSDUCER FOR PHYSIOLOGICAL PRESSURE MEASUREMENT

Combitrans®

- 10 Combitrans® Monitoring Kits
- 10 Combidity® pressure tubing with three-way stopcock
- 11 Exadyn-Combitrans® Monitoring Kits
- 11 Exadyn-Combitrans® Monitoring Kit
- 11 Exadyn-Combitrans® Monitoring Kit PVC-free
- 11 Exadyn-Combitrans® Monitoring Kit long tubes
- 12 Combitrans® Monitoring kit "fixation tape"
- 13 Combitrans® Monitoring double Kit
- 13 Combitrans® Monitoring triple Kit
- 13 Combitrans® Monitoring Add-ON Set
- 14 Combitrans® disposable transducer
- 14 Intrafix® M infusion device
- 15 Haemofix®-Combitrans® Monitoring Kit, arterial
- 15 Haemofix®-Exadyn Monitoring Kit
- 15 Haemofix®-Combitrans® Monitoring Kit double
- 15 Haemofix® accessories
- 16 Haemofix®-Combitrans® Monitoring Kit, arterial
- 16 Haemofix®-Exadyn Monitoring Kit
- 16 Haemofix®-Combitrans® Monitoring Kit, double
- 16 Haemofix® accessories
- 17 Combitrans® attachment plates
- 18 Combitrans® Easy Click Monitoring Kit
- 19 Exadyn-Combitrans® Easy Click Monitoring Kit
- 20 Combitrans® Easy Click Special Kit, double
- 20 Combitrans® Easy Click Special Kit, triple
- 20 Combitrans® Easy Click Special Kit, triple plus
- 20 Combitrans® Easy Click Special Kit, single use
- 21 Haemofix® Combitrans® Easy Click Monitoring Kit, arterial
- 21 Haemofix® Combitrans® Easy Click Monitoring Kit, double
- 21 Haemofix® Combitrans® Easy Click Monitoring Kit, red
- 22 Combitrans® Easy Click Transducer Boards
- 23 Combitrans® Easy Click Connection Cables
- 24 Combitrans® Easy Click Holder and Accessories

PRESSURE TUBING FOR PHYSIOLOGICAL PRESSURE MEASUREMENT

Combidyn®

- 25 Combidyn® Pressure Tubings, DEHP-free PVC
- 26 Combidyn® Pressure Tubings, Polyethylene

CATHETER INTRODUCER SHEATHS FOR SELDINGER TECHNIQUE

Intradyn®

- 27 Intradyn® Venous
- 28 Intradyn® Special Basic Intensive Care Kit
- 29 Intradyn® accessories
- 30 Intradyn® Tear Away

ARTERIAL PUNCTURE ACC. TO SELDINGER TECHNIQUE

Arteriofix



- 31 Arteriofix Catheter Kits, arterial
- 32 Arteriofix V Catheter Kits, arterial

CABLES

- 33 - 41 Combitrans® Monitoring Cables
 - 42 Conversion Tables
-


Corodyn P1/P2

BALLOON FLOATATION CATHETERS MADE OF POLYURETHANE (PUR)

	Corodyn P1/P2	Code- Number	Sales unit-pcs.
	Balloon floatation catheters for hemodynamic pressure measurement		
	– catheter length 110 cm		
	– catheter marking every 100 mm from the catheter tip as an indicator of depth of introduction and position of catheter		
	– radiopaque		
	Corodyn P1		
	Balloon floatation catheter with distal lumen		
	– made of PUR		
	F5	5011590	5
	F6	5011698	5
	F7	5011795	5
	Corodyn P2		
	Balloon floatation catheter with two lumina for simultaneous pressure measurement and application of infusions or medications		
	– made of PUR		
	– distance between exit port and catheter tip 19 cm		
	F7	5021740	5

Corodyn TD/TD-I

THERMODILUTION CATHETERS WITH BALLOON MADE OF POLYURETHANE (PUR)

	Corodyn TD	Code- Number	Sales unit-pcs.
	Thermodilution catheter with balloon for measurement of hemodynamic pressure and cardiac output		
	– catheter (4 lumina) with lumen for injection of a cold bolus and distal lumen for pressure measurement		
	– catheter length 110 cm		
	– thermistor, 35 mm from catheter tip		
	– catheter marking every 100 mm from the catheter tip as an indicator of depth of introduction and position of catheter		
	– radiopaque		
	– special three-pin plug connector for all standard computers and patient monitors		
	– made of PUR		
	Corodyn TD		
	F5	5041406	5
	F6	5041414	5
	F7	5041422	5
	F7, S-Tip	5041945	5


Corodyn TD-I

Thermodilution catheter with 5 lumina

- same catheters as Corodyn TD but with additional lumen for simultaneous pressure measurement resp. for the application of infusions or medications


Corodyn TD-I


PUR, F 7,5	5041856	5
------------	---------	---



Corodyn touch-free

THERMODILUTION CATHETERS WITH BALLOON MADE OF POLYURETHANE (PUR)

	Corodyn TD touch-free	Code- Number	Sales unit-pcs.
	Thermodilution catheter with balloon for measurement of hemodynamic pressure and cardiac output Catheter with touch-free contamination guard – catheter contamination guard (110 cm) – test chamber – special connection of the contamination guard to the sheath Corodyn TD catheter – catheter (4 lumina) with lumen for injection of a cold bolus and distal lumen for pressure measurement – catheter length 110 cm – thermistor, 35 mm from catheter tip – catheter marking every 100 mm from the catheter tip as an indicator of depth of introduction and position of catheter – radiopaque – special three-pin plug connector for all standard computers and patient monitors – made of PUR		
	Corodyn TD touch-free F7	5040035	5
	Corodyn TD-I touch-free Thermodilution catheter with 5 lumina – same catheter as Corodyn TD but with additional lumen for the application of infusions and medications Corodyn TD-I touch-free F7.5	5040043	5

		Code- Number	Sales unit-pcs.
	Closed Injectate Delivery System for measurement of cardiac In-line temperature probe		
	For in-line injectate temperature sensing at catheter injection site, sterile		
	– with screw connection		
	– with snap lock		
	with screw connection	680006	25
	with snap lock	93505	8

Corodyn

BALLOON FLOATATION CATHETERS TECHNICAL DATA

Catheter	French size	B. Braun Introducer	Length	Maximum Balloon Capacity	Inflated Balloon Diameter	Recommended Guide wire	Distance between Exit Port and Tip	Inner Diameter of Distal Opening
Corodyn P1	F5	F5	110 cm	0.75 cm ³	8 mm	0.025"		0.025"
	F6	F6	110 cm	1.25 cm ³	10 mm	0.025"		0.030"
	F7	F7	110 cm	1.50 cm ³	12 mm	0.038"		0.039"
Corodyn P2	F7	F7	110 cm	1.50 cm ³	12 mm	0.018"	19 cm	0.019"

Catheter	French size	B. Braun Introducer	Length	Maximum Balloon Capacity	Inflated Balloon Diameter	Recommended Guide wire	Distance betw. Injection Lumen and Tip	Distance betw. Infusion Lumen and Tip	Distance Thermistor cm	Inner Diameter of Distal Opening
Corodyn TD	F5	F5	110 cm	0.75 cm ³	8 mm	0.018"	29 cm		3.5	0.019"
	F6	F6	110 cm	1.25 cm ³	10 mm	0.025"	29 cm		3.5	0.025"
	F7	F7	110 cm	1.50 cm ³	12 mm	0.025"	29 cm		3.5	0.030"
Corodyn TD-I	F7,5	F8	110 cm	1.50 cm ³	12 mm	0.025"	29 cm	31 cm	3.5	0.030"

Length marking every 100 mm from the catheter tip.


Catheter computation constants


Injectate Temperature (°C)		0 °C – 5 °C			23 °C – 25 °C		
Injectate Volume (cm3) (Vi)		3	5	10	3	5	10
Computation constants (k)	5 FR., 100 cm	0.144	0.239	0.481	0.146	0.246	0.489
	6 FR, 100 cm	0.158	0.268	0.547	0.163	0.277	0.558
	7 FR, 110 cm	0.160	0.274	0.561	0.162	0.278	0.558
	7.5 F, 110 cm	0.160	0.274	0.561	0.162	0.278	0.558
	8 F, 110 cm	0.160	0.274	0.561	0.162	0.278	0.558

$$k = \frac{(1.08)(C_T)60(V_i)}{1000}$$

Eledyn

BIPOLAR TEMPORARY BALLOON PROBE FOR ANAESTHESIA AND INTENSIVE CARE

	Eledyn	Code- Number	Sales unit-pcs.
	Bipolar temporary balloon probe for transvenous heart stimulation – catheter material: Polyurethane (PUR) – the use of stainless steel for electrode rings and wires avoids formation of galvanic elements – stainless steel, gold-plated 2 mm pins		
	▪ stimulation probe 110 cm – catheter marking every 100 mm from the tip of the probe as an indicator of depth of introduction and position of the probe – bipolar		
	▪ electrodes – electrode length 3 mm – electrode distance 10 mm – radiopaque		
	▪ with floatation balloon		
	▪ Omnifix® Lock – disposable syringe – with plunger stop for exact volume of air / CO₂ for balloon inflation – for connection to balloon lumen with stopcock		
	Eledyn stimulation probe with balloon F5	5101506	5
	Add-ON kit for Eledyn – 1 Contamination guard – 4 Gauze pads 10 x 10 cm, 8-ply – 1 Safety Cutfix scalpel Fig. E11 – 1 Seldinger puncture needle 1.3 x 70 mm, light pink – 1 Guide wire J3 SFU70-035 in dispenser and with a straightener – 1 Intradyn® venous hemostasis introducer F6 with a stop cock		
	Add-ON set for Eledyn F5	5150021	10
	Add-ON set for Eledyn F6	5150020	10
	EasyConnect Adapter Kit – 2 mm screw-in pin adapter to connect shrouded 2 m connector pins		
	EasyConnect Adapter Kit	509-393	1



Combitrans®

Code-
Number

Sales
unit-pcs.

Monitoring kit with disposable transducer for physiological pressure measurement

Combitrans® Monitoring kit

- **Intrafix M**
 - special administration kit for pressure measurement
- **Combitrans® flush device**
 - quick flush rate ≥ 1 ml/s
 - continuous flush rate 3 ml/h at 300 mmHg
- **Combitrans® disposable transducer**
 - compact and 100 % tested unit with excellent pressure transmission
 - can be used in combination with all CF-class monitors
 - adapts to interface cable with plug connection
 - modern chip technology for an accurate registration of values
 - precalibrated sensor with constant electrical parameters (sensitivity, linearity, zero stability)
 - straight fluid channel for an easy air-bubble free filling
- **Discofix-3**
 - 2 three-way stopcocks red (arterial), blue (venous) or yellow (pulmonary arterial)
- **Combidyn® pressure tubing 125 cm**
 - $\varnothing 1.5 \times \varnothing 2.7$ mm
 - with red (arterial), blue (venous) or yellow (pulmonary arterial) stripe
- **Combidyn® pressure tubing 20 cm**
 - $\varnothing 1.5 \times \varnothing 2.7$ mm
 - with red (arterial) stripe, blue (venous) or yellow (pulmonary arterial) stripe

Combitrans® Monitoring kit

red (arterial)	5202620-1	20
blue (venous)	5202604-1	20
yellow (pulmonary arterial)	5202617	20


Combidyn® pressure tubing with three-way stopcock

- pressure tubing, red, $\varnothing 1.5$ mm x $\varnothing 2.7$ mm, 20 cm
- connected three-way stopcock, red

Combidyn® pressure tubing with three-way stopcock	5208599	50
---	----------------	----

Exadyn-Combitrans®

MONITORING KITS WITH DISPOSABLE TRANSDUCER



Exadyn-Combitrans®

Code-
Number

Sales
unit-pcs.

Monitoring kit with disposable transducer for measurement of arterial pressure and CVP (central venous pressure)

Exadyn-Combitrans® Monitoring kit

- **Intrafix M**
 - special administration kit for pressure measurement
- **Combitrans® flush device**
 - quick flush rate ≥ 1 ml/s
 - continuous flush rate 3 ml/h at 300 mmHg
- **Combitrans® disposable transducer**
 - compact and 100 % tested unit with excellent pressure transmission
 - can be used in combination with all CF-class monitors
 - adapts to interface cable with plug connection
 - modern chip technology for an accurate registration of values
 - precalibrated sensor with constant electrical parameters (sensitivity, linearity, zero stability)
 - straight fluid channel for an easy air-bubble free filling
- **Discofix-3**
 - 2 three-way stopcocks red handle (arterial)
 - 1 three-way stopcock blue handle (venous)
- **Combidyn® pressure tubing 125 cm**
 - $\varnothing 1.5 \times \varnothing 2.7$ mm
 - with red (arterial) or blue (venous) stripe
- **Combidyn® pressure tubing 20 cm**
 - $\varnothing 1.5 \times \varnothing 2.7$ mm
 - with red (arterial) stripe
- **Exadyn special 90° stopcock**
 - 90° two-way safety stopcock for switch between arterial and venous measurement
 - no shunts possible

Exadyn-Combitrans® Monitoring kit

5202507-0

20

Exadyn-Combitrans® Monitoring kit PVC-free

Monitoring kit with disposable transducer for measurement of arterial pressure and CVP

– same configuration as above, however, **all components PVC-free** for active environmental protection

PVC free

Exadyn-Combitrans® Monitoring kit PVC-free

5212391

20

Exadyn-Combitrans® Monitoring kit long tubings

Monitoring kit with disposable transducer and long tubings for measurement of arterial pressure and CVP

– same configuration as above, but with 200 cm long tubings instead of 125 cm


Exadyn-Combitrans® Monitoring kit long tubings

5206994

20


Combitrans® Special

MONITORING KITS WITH DISPOSABLE TRANSDUCER CUSTOMIZED KIT SOLUTIONS

		Code- Number	Sales unit-pcs.
	Create your individual Combitrans® monitoring kit for invasive pressure measurement Individual and user-friendly solutions are combined with economical and ecological advantages: 1. Service through sales representative: Demand analysis – kit proposal – sample and individual kit configuration according to your requirements – offer 2. Customized and user-friendly: Your made-to-order solution out of our large B. Braun product portfolio – reduction of preparation time – designed and packaged due to customer specification – one order number 3. Economical: Standardization of work practices – relief of clinic personnel – easy material management – less money tight up for storage – less administration 4. Ecological: Reduced packaging volume and waste – easy disposal		
	Components: – Intrafix „M“ special administration kit 150 cm – Combitrans® flush device 3ml/h – Combitrans® disposable transducer – Discofix three-way stopcock, red – Discofix three-way stopcock, white – Combidyn® pressure tubing, red, 1.5 x 2.7 x 300 mm – fixation tape 1.5 cm x 40 cm, velcro Combitrans® Monitoring Kit „Fixation tape“ Monitoring kit to fix the transducer at the patient's arm. – easy patient care, especially in intensive care units due to a short and direct connection between transducer and puncture site – less dead volume in the pressure tubing – less tubing in working area	5216200	20

Combitrans® Special

MONITORING KITS WITH DISPOSABLE TRANSDUCER CUSTOMIZED KIT SOLUTIONS



Combitrans® Monitoring Double Kit (without illustration)

- Intrafix special administration kit, double
- two Combitrans® disposable transducers with flush device 3 ml/h and Discofix three-way stopcock (red and blue)
- two Combidyn® pressure tubing 125 cm (red and blue)
- two Discofix three-way stopcocks (red and blue)
- Combidyn® 20 cm red as arterial extension

Combitrans® Monitoring Double Kit (without illustration)

without attachment plate	5201152	20
with attachment plate	5200830	20

Combitrans® Monitoring Triple Kit (without illustration)

Same as Combitrans® monitoring double kit but with

- Intrafix special administration kit, triple
- additional Combitrans® disposable transducer with flush system and Discofix three-way stopcock yellow
- Combidyn® pressure tubing 125 cm yellow connected with Discofix three-way stopcock yellow
- mounted on a quadruple plate

Combitrans® Monitoring triple kit (without illustration)	5200849	20
--	----------------	----


Combitrans Monitoring Add-ON Set

- Add-ON for double and triple plus kits
- transducer with flush device 3ml/h
- stopcock in white
- Combidyn® tube 125 cm transparent

Combitrans® Monitoring Add-ON Set (without illustration)	5207167	20
--	----------------	----

Combitrans® / Intrafix M

DISPOSABLE TRANSDUCER / INFUSION DEVICE



Combitrans®

- Disposable transducer for physiological pressure measurement
- can be used in combination with all CF-class monitors
 - adapts to interface cable with plug connection
 - modern chip technology for an accurate registration of values
 - precalibrated sensor with constant electrical parameters (sensitivity, linearity, zero stability)
 - straight fluid channel for an easy air-bubble free filling


Combitrans® disposable transducer

Code-
Number

5203660

Sales
unit-pcs.

20



Intrafix M

- special administration kit for pressure measurements
- plastic spike in accordance with ISO
- dropper in accordance with DIN 58362-1, 20 drops = 1 ml $\pm$ 0.1
- flexible lower section of drip chamber permits rapid adjustment of fluid level
- 15 μ m fluid filter in accordance with DIN 58362/1
- tubing length approx. 180 cm
- roller clamp
- lock-fitting


Intrafix M

40700380

100

Haemofix®-Combitrans®

MONITORING KIT WITH DISPOSABLE TRANSDUCER FOR CLOSED BLOOD-SAMPLING



Haemofix®-Combitrans®, arterial

Code-
Number

Sales
unit-pcs.

Monitoring kit with disposable transducer for physiological pressure measurement and closed blood sampling

Complete System

- integrated reservoir and port for closed blood sampling
- low risk of contamination is achieved with minimum blood waste

Haemofix®-Combitrans® Monitoring Kit

- Intrafix "M" administration kit
- Combitrans® flush device 3ml/h
- Combitrans® disposable transducer
- Discofix three-way stopcock, red
- Combidyn® pressure tubing 1.5 x 2.7 x 1800 mm red with integrated Haemofix® reservoir 5 ml (20 cm prior to transducer) and blood sampling port (30 cm prior to distal end)

Haemofix®-Combitrans® Monitoring Kit, arterial

5213505

20

Haemofix®-Exadyn Monitoring Kit (without illustration)

Same configuration as 5213505 but with the option to switch between arterial pressure and CVP.

Additional components:

- Exadyn special 90° stopcock
- Combidyn® pressure tubing 1.5 x 2.7 x 1500 mm, blue
- Discofix three-way stopcock, blue

Haemofix®-Exadyn Monitoring Kit (without illustration)

5213516

20

Haemofix®-Combitrans® Monitoring Kit double (without illustration)

Same configuration as 5213505 but with a second venous line, which allows the simultaneous measurement of two pressures.

Additional components:

- Combitrans® disposable transducer with flush device 3ml/h and Discofix three-way stopcock blue
- Combidyn® pressure tubing 1.5 x 2.7 x 1500 mm, blue
- Discofix three-way stopcock, blue

Haemofix®-Combitrans® Monitoring Kit double (without illustration)

5213527

20


Blood sampling adapter

- for needle-free blood sampling with blunt, concealed cannula
- single, sterile packaging
- Luer Lock

Blood sampling adapter Luer


5213940

70



Haemofix®-Combitrans®

MONITORING KIT WITH DISPOSABLE TRANSDUCER FOR CLOSED BLOOD-SAMPLING VIA STOPCOCK



Haemofix®-Combitrans®, arterial

Code-
Number

Sales
unit-pcs.

Monitoring kit with disposable transducer for physiological pressure measurement and closed blood sampling

Complete System

- integrated reservoir and port for closed blood sampling
- low risk of contamination is achieved with minimum blood waste

Haemofix®-Combitrans® Monitoring Kit

- Intrafix "M" administration kit
- Combitrans® flush device 3ml/h
- Combitrans® disposable transducer
- Discofix three-way stopcock, red
- Combidyn® pressure tubing 1.5 x 2.7 x 1700 mm red with integrated Haemofix® reservoir 5 ml (20 cm prior to transducer) and blood sampling stopcock

Haemofix®-Combitrans® Monitoring Kit, arterial

5200182

20

Haemofix®-Exadyn Monitoring Kit (without illustration)

Same configuration as 5200182 but with the option to switch between arterial pressure and CVP.

Additional components:

- Exadyn special 90° stopcock
- Combidyn® pressure tubing 1.5 x 2.7 x 1250 mm, blue
- Discofix three-way stopcock, blue

Haemofix®-Exadyn Monitoring Kit (without illustration)

5200183

20

Haemofix®-Combitrans® Monitoring Kit double (without illustration)

Same configuration as 5200182 but with a second venous line, which allows the simultaneous measurement of two pressures.

Additional components:

- Combitrans® disposable transducer with flush device 3ml/h and Discofix three-way stopcock blue
- Combidyn® pressure tubing 1.5 x 2.7 x 1250 mm, blue
- Discofix three-way stopcock, blue

Haemofix®-Combitrans® Monitoring Kit double (without illustration)

5200181

20

Blood sampling stopcock

- for needle-free blood sampling




Blood sampling stopcock

5200411

25


Combitrans®

ATTACHMENT PLATES/ACCESSORIES

		Code- Number	Sales unit-pcs.
	Combitrans® attachment plate for Siemens SC 9000 – exchange plate for integration into the Hemo-module of the patient monitor Siemens SC 9000 – for four Combitrans® disposable transducers		
	Combitrans® attachment plate for Siemens SC 9000	5208741	1
	Combitrans® attachment plate – for vertical attachment to infusion stand		
	Combitrans® attachment plate, quadruple	5203597	1
	Combitrans® attachment plate, double	5214696	1
	Combi-holder for Combitrans® attachment plate – for attachment to infusion stand		
	Combi-holder for Combitrans® attachment plate	4086007	1


Combitrans® Easy Click

MONITORING KITS WITH DISPOSABLE TRANSDUCER BASIC KITS

	Combitrans® EC	Code- Number	Sales unit-pcs.
	Complete system – easy click design Combitrans® EC Monitoring Kit ▪ Intrafix® M – special giving kit for pressure measurement ▪ Combitrans® flush device – quick flush rate ≥ 1 ml/s – continuous flush rate 3 ml/h at 300 mmHg ▪ Combitrans® EC disposable transducer – compact and 100 % tested unit with excellent pressure transmission – can be used in combination with all CF-class monitors – modern chip technology for an accurate registration of values – precalibrated sensor with constant electrical parameters (sensitivity, linearity, zero stability) – straight fluid channel for an easy air-bubble free filling – cableless transducer subassembly ▪ Discofix®-3 – 2 three-way stopcocks red (arterial), blue (venous) or yellow (pulmonal arterial) ▪ Combidityn® pressure tube 125 cm – $\varnothing 1.5 \times \varnothing 2.7$ mm – with red (arterial), blue (venous) or yellow (pulmonal arterial) stripe ▪ Combidityn® pressure tube 20 cm – $\varnothing 1.5 \times \varnothing 2.7$ mm – with red (arterial) stripe, blue (venous) or yellow (pulmonal arterial) stripe		
	Combitrans® EC Monitoring Kit red (arterial) blue (venous)	5319289 5319290	20 20

Exadyn-Combitrans® Easy Click

MONITORING SETS WITH DISPOSABLE TRANSDUCER

	Exadyn-Combitrans® EC	Code- Number	Sales unit-pcs.
	Monitoring kit with disposable transducer for measurement of arterial pressure and CVP Exadyn-Combitrans® EC Monitoring kit ▪ Intrafix® M – special giving kit for pressure measurement ▪ Combitrans® flush device – quick flush rate ≥ 1 ml/s – continuous flush rate 3 ml/h at 300 mmHg ▪ Combitrans® EC disposable transducer – compact and 100 % tested unit with excellent pressure transmission – can be used in combination with all CF-class monitors – modern chip technology for an accurate registration of values – precalibrated sensor with constant electrical parameters (sensitivity, linearity, zero stability) – straight fluid channel for an easy air-bubble free filling – cableless transducer subassembly ▪ Discofix®-3 – 2 three-way stopcocks red handle (arterial) – 1 three-way stopcock blue handle (venous) ▪ Combidyn® pressure tube 125 cm – $\varnothing 1.5 \times \varnothing 2.7$ mm – with red (arterial) or blue (venous) stripe ▪ Combidyn® pressure tube 20 cm – $\varnothing 1.5 \times \varnothing 2.7$ mm – with red (arterial) stripe ▪ Exadyn special 90° stopcock – 90° two-way safety stopcock for switch over between arterial and venous measurement Exadyn-Combitrans® EC Monitoring Kit Combitrans® EC Exadyn Monitoring Kit (arterial + venous pressure)	5318575	20

Combitrans® Easy Click Special

MONITORING KIT WITH DISPOSABLE TRANSDUCER

	Code- Number	Sales unit-pcs.
Combitrans® EC Monitoring Double Kit – Intrafix® special giving kit, double – two Combitrans® EC disposable transducer assemblies with flush device 3 ml/h and Discofix® three-way stopcock (red and blue) – two Combidyn® pressure tubes 150 cm (red and blue) – two Discofix® three-way stopcocks (red and blue) – Combidyn® 20 cm red as arterial extention		
Combitrans® EC Monitoring double kit – red/blue	5318762	20
Combitrans® EC Monitoring Triple Kit (no illustration) Same as Combitrans® EC monitoring double kit but with – Intrafix® special giving kit, triple – additional Combitrans® disposable transducer with flush system and Discofix® three-way stopcock yellow – Combidyn® pressure tube 125 cm yellow		
Combitrans® EC Monitoring triple kit – red/blue/yellow	5318768	20
Combitrans® EC Monitoring Kit Add-ON Additional set for Monitoring Kit 2 Plus and 3 Plus – Combitrans® EC disposable transducer with flush device 3ml/h – Discofix® three-way stopcock white – Combidyn® pressure tubing 125 cm transparent		
Combitrans® EC Monitoring single kit Add-ON	5318776	20

Haemofix®-Combitrans® Easy Click

MONITORING KIT WITH DISPOSABLE TRANSDUCER INCLUDING CLOSED BLOOD SAMPLING SYSTEM

	Code- Number	Sales unit-pcs.
Haemofix®-Combitrans® EC Monitoring Kit arterial		
- Combitrans® disposable transducer with flush device 3ml/h and closed blood sampling system - Combidyn® pressure tubing 20 cm red as arterial extention		
Haemofix®-Combitrans® EC Monitoring kit, arterial	5319295	20
Haemofix®-Combitrans® EC Monitoring Double Kit		
- Combitrans® EC disposable transducer assembly with flush device and closed blood sampling system - Intrafix® special giving kit, double - Combitrans® EC disposable transducer assembly with flush device 3 ml/h and Discofix® three-way stopcock (blue) - Combidyn® pressure tubes 150 cm (blue) - Discofix® three-way stopcocks (blue) - Combidyn® 20 cm red as arterial extention		
Combitrans® EC Monitoring double kit	5319305	20
Haemofix®-Combitrans® EC Exadyn Monitoring Kit		
- Monitoring set with 90° two-way safety stopcock to switch between arterial and venous pressure measurements		
Combitrans® EC Monitoring kit – red	5319300	20
Blood sampling stopcock		
- for needle-free blood sampling		
Blood sampling stopcock	5200411	25

Combitrans® Easy Click

TRANSDUCER BOARDS

		Code- Number	Sales unit-pcs.
	Transducer Boards with standard hub		
	CEC TD-BOARD, 1-fold	5225000	1
	CEC TD-BOARD, 2-fold	5225005	1
	CEC TD-BOARD, 3-fold	5225010	1
	CEC TD-BOARD, 4-fold	5225015	1
	Transducer Boards with integrated monitor hub		
	CEC TB+Cable Datascop IABP, 1-fold	5225035	1
	CEC TB+Cable DATEX, 2-fold	5225190	1
	CEC TB+Cable DATEX, 4-fold	5225195	1
	CEC TB+Cable DRÄGER 7, 2-fold	5225170	1
	CEC TB+Cable DRÄGER 7, 4-fold	5225175	1
	CEC TB+Cable DRÄGER 10, 2-fold	5225020	1
	CEC TB+Cable DRÄGER 10, 4-fold	5225025	1
	CEC TB+Cable DRÄGER QUADHAEM 2-F	5225205	1
	CEC TB+Cable DRÄGER QUADHAEM 4-F	5225210	1
	CEC TB+Cable Hemopod, 2-fold	5225040	1
	CEC TB+Cable Hemopod, 4-fold	5225045	1
	CEC TB+Cable Honeywell 7 2-fold	5225240	1
	CEC TB+Cable Honeywell 7 4-fold	5225245	1
	CEC TB+Cable Honeywell 10 2-fold	5225250	1
	CEC TB+Cable Honeywell 10 4-fold	5225255	1
	CEC TB+Cable HP, 2-fold	5225180	1
	CEC TB+Cable HP, 4-fold	5225185	1
	CEC TB+Cable Med. Physio Contr., 1-fold	5225030	1
	CEC TB+Cable METEK 2-fold	5225155	1
	CEC TB+Cable Marquette 2-fold	5225160	1
	CEC TB+Cable Marquette 4-fold	5225165	1
	CEC TB+Cable Nihon Koden 5 2-fold	5225220	1
	CEC TB+Cable Nihon Koden 5 4-fold	5225225	1
	CEC TB+Cable Nihon Koden 14 2-fold	5225230	1
	CEC TB+Cable Nihon Koden 14 4-fold	5225235	1
	CEC TB+Cable SW EVO SUP, 2-fold	5225200	1

Combitrans® Easy Click

CONNECTION CABLES

	Code- Number	Sales unit-pcs.
Connection Cables		
CEC Cable Datascope 2-fold	5225305	1
CEC Cable DATEX, 2-fold	5225110	1
CEC Cable DATEX, 3-fold	5225115	1
CEC Cable DATEX, 4-fold	5225120	1
CEC Cable GE/Marquette 2-fold	5225065	1
CEC Cable GE/Marquette 3-fold	5225070	1
CEC Cable GE/Marquette 4-fold	5225075	1
CEC Cable HELLIGE 2-fold	5225310	1
CEC Cable Honeywell 7 2-fold	5225280	1
CEC Cable Honeywell 7 4-fold	5225285	1
CEC Cable Honeywell 10 2-fold	5225290	1
CEC Cable Honeywell 10 4-fold	5225295	1
CEC Cable HP/Philips 2-fold	5225050	1
CEC Cable HP/Philips 3-fold	5225055	1
CEC Cable HP/Philips 4-fold	5225060	1
CEC Cable METEK 2-fold	5225140	1
CEC Cable Nihon Kodon 5 2-fold	5225260	1
CEC Cable Nihon Kodon 5 4-fold	5225265	1
CEC Cable Nihon Kodon 14 2-fold	5225270	1
CEC Cable Nihon Kodon 14 4-fold	5225275	1
CEC Cable SIEMENS7/DRÄGER, 2-fold	5225095	1
CEC Cable SIEMENS7/DRÄGER, 3-fold	5225100	1
CEC Cable SIEMENS7/DRÄGER, 4-fold	5225105	1
CEC Cable SIEMENS10/DRÄGER,2-fold	5225080	1
CEC Cable SIEMENS10/DRÄGER,3-fold	5225085	1
CEC Cable SIEMENS10/DRÄGER,4-fold	5225090	1
CEC Cable Siemens Miniograph 2-fold	5225125	1
CEC Cable Spacelab 2-fold	5225145	1
CEC Cable Spacelab 4-fold	5225150	1
CEC Cable Stoeckert 3-fold	5225300	1
CEC Cable Welch Allyn 2-fold	5225315	1

Combitrans® Easy Click

HOLDER / ACCESSORIES



Holder

Haemofix®-Combitrans® EC Holder

5225215

1

Combitrans® EC Holder, unmoveable

5225135

1

Accessories

Combitrans® EC Dummy (for unused transducer nest)

5310000

25

Combitrans® EC Adapter for Hemopod

5225130

1

Combitrans® EC Monitoring Kit for cath lab Typ Munich, arterial

5311010

1

Combitrans® EC Monitoring Kit for cath lab Typ Munich. venous


5312020

1

Combitrans® EC Monitoring Kit for cath lab Typ Stuttgart

5313030

1




Combidyn®

Pressure tubing for the measurement of physiological pressure


- ø 1.5 x 2.7 mm
- undamped and accurate pressure monitoring
- pressure stability tested up to 8 bar
- transparent for visual control
- tubing of various lengths
- dead space approx. 1.2 ml/m
- tube length matches practical requirements
- colour-coding:
 - red stripes (arterial)
 - blue stripes (venous)
 - yellow stripes (pulmonal arterial)

■ luer-fittings

- with special screw thread
- male/female
- ABS



length	Code- Number	Sales unit-pcs.
Combidyn® transparent		
20	5204984	50
30	5204992	50
50	5205000	50
100	5205018	50
150	5205026	50
200	5205034	50
Combidyn® transparent with red stripes		
20	5204941	50
100	5204976	50
150	5205042	50
200	5205050	50
Combidyn® transparent with blue stripes		
100	5205255	50
150	5205263	50
200	5205271	50
Combidyn® pressure tubing with three-way stopcock		
– pressure tube, red, ø 1.5 mm x ø 2.7 mm, 20 cm		
– connected three-way stopcock, red		
Combidyn® pressure tubing with three-way stopcock	5208599	50



Combidyn®

Code-
Number

Sales
unit-pcs.

Pressure tubing for physiological pressure measurement and intravenous medications

Combidyn® Polyethylene

- transparent Polyethylene
- especially useful for infusion of drugs with PVC-incompatibility
- pressure resistance tested up to 8 bar
- transparent for visual control
- reduced dead space
- easy handling due to flexible material
- especially for paediatric and neonatal pressure measurement
- tubing diameter $\varnothing$ 1.0 x 2.0 mm
- dead space approx. 0.8 ml/m

length

Code-
Number

Sales
unit-pcs.

Combidyn® transparent

15	5204995	50
30	5214993	50
100	5215019	50
120	5201281	50
150	5215027	50
180	5201337	50
200	5215035	50
240	5201272	50

Combidyn® transparent with red stripes

30	5204950	50
150	5215043	50

Combidyn® transparent with blue stripes

30	5205239	50
150	5215264	50

Combidyn® pressure tubing

Pressure tubing for additional connection of a three-way stopcock with a catheter.

- pressure tubing Combidyn® PE $\varnothing$ 1.0 x 2.0 mm with blue stripes
- luer-fittings male/male

150 blue	5210577	50
----------	---------	----

Combifix Adaptor


to connect Luer lock-fittings

female/female	5206634	100
male/male	5206642	100



Intradyn® Venous

INTRODUCER FOR ANAESTHESIA AND INTENSIVE CARE



Intradyn® Venous Hemostasis Introducer

Code-
Number

Sales
unit-pcs.

Percutaneous catheter introducer kit using the Seldinger technique according to Desilets-Hofmann

- **Intradyn® puncture needle, according to Seldinger, 1.3 x 70 mm (18 G)**
 - stainless steel, Ø 1.3 mm (18G)
 - smoothly tapered fitting for easy introduction of the guide wire
- **Guide wire, 40 cm**
 - stainless steel, Ø 0.035 „/0.89 mm
 - flexible straight tip
- **Vessel dilator, 205 mm, made of FEP**
 - flexible, causing minimal trauma to vessels
 - smoothly tapered transition to guide wire
- **Sheath, 115 mm, made of PUR**
 - thin-walled
 - smoothly tapered transition to vessel dilator
- **Hemostasis valve**
 - to avoid retrograde blood flow
 - for venous application
 - smoothly tapered transition for easy introduction of catheter
 - sideport with mounted three-way stopcock for easy administration of I.V. solutions and injection of medications
 - Lock-fitting

Intradyn® venous with hemostasis valve

- with J3-guide wire

F6 green	5209749	20
F7 orange	5209757	20
F8 blue	5209765	20


Intradyn® venous with hemostasis valve


- with straight guide wire

F5 grey	5210615	20
F6 green	5210062	20
F7 orange	5210070	20
F8 blue	5210089	20

Intradyn® Special

BASIC INTENSIVE CARE KIT

	Intradyn® Basic Intensive Care Kit	Code- Number	Sales unit-pcs.
	Intradyn® venous, percutaneous catheter introducer kit using the Seldinger technique according to Desilets-Hofmann – Intradyn® puncture needle ø 1.3 x 63.5 mm (18 G) – guide wire, 70 cm, ø 0.035"/0.89 mm flexible J3-tip with insertion tool or flexible straight tip – vessel dilator, 205 mm made of FEP – venous hemostasis introducer sheath, 115 mm made of PUR – hemostasis valve – catheter contamination guard, 120 cm – disposable scalpel – 4 gauze pads, 10 x 10 cm, eight-ply		
	Intradyn® basic kit F6	5210950	10
	Intradyn® basic kit F7	5210100	10
	Intradyn® basic kit F8	5210097	10



Catheter contamination guard for Intradyn® hemostasis introducer sheath

- proximal: fitting for safe fixation of the catheter or probe
- transparent contamination guard for visual control prevents contamination of catheters and probes during their introduction
- special connection to the sheath due to bayonet locking, 120 cm

Catheter contamination guard	5210178	50
------------------------------	---------	----

Intradyn® guide wires (ø 0.035"/0.89mm) (without illustration)

J3-tip with straightener in dispenser	5050529	25
---------------------------------------	---------	----




Intradyn® arterial puncture needle (Seldinger)

- Smoothly tapered design for easy introduction of the guide wire up to max. ø 0.035" (0.089 mm)
- Luer-Lock fitting

gauge (G)	diam (mm)	length (mm)	Colour	Code-Number	Sales unit-pcs.
18	1.3	70	light pink	5208505	50

Intradyn® Tear-Away

TEAR-AWAY INTRODUCER



Intradyn® Tear-Away

Code-
Number

Sales
unit-pcs.

Tear-Away introducer sheath using the Seldinger technique according to Desilets-Hofmann

- the pre-scored tearing line ensures a clean and easy sheath removal after catheter placement
- the spin-lock connector holds dilatator and sheath together, preventing dilatator from backing out of sheath during vascular access

Intradyn® Tear-Away


- **Intradyn® puncture needle according to Seldinger 1.3 x 70 mm (18 G)**
 - made of stainless steel
 - smoothly tapered hub transition for easy introduction of guide wire
- **Guide wire 40 cm**
 - made of stainless steel, $\varnothing$ 0.035" / 0.89 mm
 - flexible J3-tip and flexible straight tip
- **Vessel dilatator, 190 mm made of PE**
 - flexible, minimal trauma to vessels
 - smoothly tapered transition to guide wire
- **Introducer sheath, 160 mm made of FEP- thin-walled**
 - smoothly tapered transition to vessel dilatator
- **Syringe Luer lock-fitting 10 ml**

Intradyn® Tear-Away Introducer

F6	5210313	20
F7	5210593	20
F8	5210321	20
F9	5210330	20
F10	5210348	20
F11	5210585	20

Arteriofix

ARTERIAL CATHETER KITS



Arteriofix

Arterial catheter kit for invasive monitoring of blood pressure and blood sampling using the Seldinger technique

- **Introducer needle** made of stainless steel
 - smoothly tapered hub transition for easy insertion of guide wire
 - integrated design, providing smooth transition from guide wire to needle and needle to catheter to ensure minimal trauma at puncture site
 - Luer lock fitting
- **Catheter** made of FEP
 - for pressure transmission and good physical and mechanical properties of the material
 - excellent tissue and blood compatibility
 - smooth surface prevents thrombogenesis
 - special tip for easy insertion
 - FEP catheters have good gliding characteristics during insertion
 - fixation wings at proximal end
 - colour-coded Luer lock-fittings
- **Guide wire** made of stainless steel
 - flexible straight tip
 - designed according to the different inner diameters of catheters



colour	size	capillary: mm [Ø]; length [mm]	needle: Ø [G; mm]; length [mm]	wire: length [cm] – Ø [Inch]	Code- Number	Sales unit-pcs.
Arteriofix Catheter kits						
yellow	22G/ 80 mm	0.87; 80	22; 0.80 x 50	25-0.021	5206316	20
red	20G/ 80 mm	1.08; 80	20; 0.95 x 50	25-0.025	5206324	20
white	20G/160 mm	1.08; 160	20; 0.95 x 70	40-0.025	5206332	20
grey	18G/ 80 mm	1.29; 80	18; 1.30 x 70	40-0.035	5206345	20
grey	18G/160 mm	1.29; 160	18; 1.30 x 70	40-0.035	5206359	20

Arteriofix V

ARTERIAL CATHETER KITS

Arteriofix V				Code- Number	Sales unit-pcs.																																			
	This new version of Arteriofix® convinces with its outstanding new features and with established components. Catheter, consisting of: ▪ Capillary – made of FEP – excellent tissue and blood compatibility – smooth surface prevents thrombogenesis – special tip for easy insertion – outstanding gliding characteristics during insertion ▪ Fixation wings – wings made of PUR – soft wings adapt easily to the skin – three suture holes – continuous and smooth transition between wings and capillary ▪ Connecting tubing – 7 cm long PUR tubing – distance between puncture site and the connection area – strain relief at the puncture site during connection ▪ Valve – avoids blood reflux and facilitates the handling – provides a high leak tightness – does not affect the pressure measurement results Introducer needle made of stainless steel – smoothly tapered hub transition for easy insertion of guide wire – integrated design, providing smooth transition from guide wire to needle and needle to catheter to ensure minimal trauma at puncture site – Luer Lock fitting Guide wire made of stainless steel – flexible straight tip – designed according to the different inner diameters of catheters																																							
	<table><tr><th>size</th><th>capillary: mm [Ø]; length [mm]</th><th>needle: Ø [G; mm]; length [mm]</th><th>wire: length [cm] – Ø [Inch]</th><th>Code- Number</th><th>Sales unit-pcs.</th></tr><tr><td colspan="6">Ateriofix V Catheter kits</td></tr><tr><td>22G/ 80 mm</td><td>0.87; 80</td><td>22; 0.80 x 50</td><td>35-0.021</td><td>5206364</td><td>20</td></tr><tr><td>20G/ 80 mm</td><td>1.08; 80</td><td>20; 0.95 x 50</td><td>35-0.025</td><td>5206363</td><td>20</td></tr><tr><td>20G/160 mm</td><td>1.08; 160</td><td>20; 0.95 x 70</td><td>45-0.025</td><td>5206362</td><td>20</td></tr><tr><td>18G/160 mm</td><td>1.29; 160</td><td>18; 1.30 x 70</td><td>45-0.035</td><td>5206361</td><td>20</td></tr></table>					size	capillary: mm [Ø]; length [mm]	needle: Ø [G; mm]; length [mm]	wire: length [cm] – Ø [Inch]	Code- Number	Sales unit-pcs.	Ateriofix V Catheter kits						22G/ 80 mm	0.87; 80	22; 0.80 x 50	35-0.021	5206364	20	20G/ 80 mm	1.08; 80	20; 0.95 x 50	35-0.025	5206363	20	20G/160 mm	1.08; 160	20; 0.95 x 70	45-0.025	5206362	20	18G/160 mm	1.29; 160	18; 1.30 x 70	45-0.035	5206361
size	capillary: mm [Ø]; length [mm]	needle: Ø [G; mm]; length [mm]	wire: length [cm] – Ø [Inch]	Code- Number	Sales unit-pcs.																																			
Ateriofix V Catheter kits																																								
22G/ 80 mm	0.87; 80	22; 0.80 x 50	35-0.021	5206364	20																																			
20G/ 80 mm	1.08; 80	20; 0.95 x 50	35-0.025	5206363	20																																			
20G/160 mm	1.08; 160	20; 0.95 x 70	45-0.025	5206362	20																																			
18G/160 mm	1.29; 160	18; 1.30 x 70	45-0.035	5206361	20																																			

Combitrans® Monitoring Cables



Connection cables

- to connect Combitrans® disposable transducers with patient monitors (CF-class)
- internal adaption to monitor specification
- length 3 m

Transducer plug /colours monitor cable








- PIN 1 = -UB (white)
- PIN 2 = + Signal (green)
- PIN 3 = + UB (yellow)
- PIN 4 = -Signal (grey)

Cable Management







- safe and compact
- easy to clean
- simplify your cable management
- available as double, triple and quadruple

plug details	picture of plug	monitor model	Pins	Code-Number	length
CABLE MANAGEMENT					
		Combitrans®-Cable-Datascope double	6	5203467	3.0 m
		Combitrans®-Cable-Datascope triple	6	5203477	3.0 m
		Combitrans®-Cable-Datascope quadruple	6	5203487	3.0 m
		Combitrans®-Cable-Datex double	10	5203424	3.0 m
		Combitrans®-Cable-Datex triple	10	5203434	3.0 m
		Combitrans®-Cable-Datex quadruple	10	5203444	3.0 m
		Combitrans®-Cable-HP double	12	5205422	3.0 m
		Combitrans®-Cable-HP triple	12	5206433	3.0 m
		Combitrans®-Cable-HP quadruple	12	5207440	3.0 m
		Combitrans®-Cable-Marquette double	11	5202422	3.0 m
		Combitrans®-Cable-Marquette triple	11	5202433	3.0 m
		Combitrans®-Cable-Marquette quadruple	11	5202444	3.0 m
		Combitrans®-Cable-Spacelab double	6	5209222	3.0 m
		Combitrans®-Cable-Spacelab triple	6	5209233	3.0 m
		Combitrans®-Cable-Spacelab quadruple	6	5209244	3.0 m
		Combitrans®-Cable-Siemens double	10	5203270	3.0 m
		Combitrans®-Cable-Siemens triple	10	5203280	3.0 m
		Combitrans®-Cable-Siemens quadruple	10	5203290	3.0 m










Combitrans[®] Monitoring Cables

plug details	picture of plug	monitor model	Pins	Code- Number	length
(no illustration)		ACTA GRAPH			
		Polygraph	7	5209234	3.0 m
		ARROW			
		IABP ACAT-1 Kontron Stecker Kwat II Plus	12 12	5203408 5202337	3.0 m 3.0 m
		BARD EPU Appliance 1344; LAB-System ECG / PR-200847 (Insertion)	8	5212542	3.0 m
		B. Braun VISICON IBP supply for CombiCable CC M010; M011; M111; M211	12	8732582	1.5 m
		BCI 6200; 9100; 9200 Advisor	6	5203511	3.0 m
		BIOMEDICAL IVY 401; 402; 403; 403D; 404; 405D; 700; 701; 704; 706; 707	6	5203511	3.0 m
		BIOTRONIK EPM; HBV (20); HDR (20); Franke-Druck; MS4010; MS6010; MS8010	5	5203260	3.0 m
		EP-Control	7	5209100	3.0 m
(no illustration)		BRUKER			
		SM 784; 785; 786; TM 910 Defigard 2002; Physiogard MB 910	12	5201497	3.0 m
		CARDIO CAP See Datex Engstrom	10	5203414	3.0 m













Combitrans® Monitoring Cables

plug details	picture of plug	monitor model	Pins	Code- Number	length
		CARDIOTEC EP Tracer	9	5206153	3.0 m
		COBE CDX III	4	5211670	3.0 m
(no illustration)		CORPULS Corpuls 3	11	5211468 + Corpuls adapter cable (04233.02)	3.0 m
Note: The Corpuls Adapter has to be ordered directly at Corpuls or an authorized distributor.					
		CRITIKON DINAMAP PLUS (8720; 8721; 8722) DINAMAP MPS Select / Portable	6	5203511	3.0 m
		CRITICARE Scholar 1 Modell 2200; PoetPlus	5	5206152	3.0 m
(no illustration)		DANICA Dialogue 2000	10	5213363	3.0 m
		DANTEC 21C15; 23M02; 23M04; UD5000 MK2; UD5500 MK2; Urodyne 5000; 5500; Menuet; Menuet Compact; Etude; Duet; Video	5	5202825	3.0 m
		DATASCOPE System 80; 82; 83; 84; 90; 90T; 95; 98, 97 IABP; 850; 870; P2; P3; 2000; 2000A; 2001; 2001A; 2002; x 2002A; 2200I; 3000; Passport; CS-100; CS-300	6	5203457	3.0 m












Combitrans® Monitoring Cables

plug details	picture of plug	monitor model	Pins	Code-Number	length
(no illustration)		DATASCOPE / Mindray Medical Germany GmbH			
		PM 9000 Express	6	5203511	3.0 m
		iPM 9800, BeneView (T5, T8)	12	5203511 + Mindray adapter cable PN: 0010-20-42795	
		Passport V	5	5203457 + Mindray adapter cable PN: 040-000096-00	
 	 	DATEX			
		Cardio-Cap CC-104; CCI-104; CMO-104; AS/3; CS/3; Light Cardiocap II CG-1G; S/5 light; CG-1GS; CG-2CS; CG-2G; CG-2GS; CH-1R; CH-1RS; CH-2; CH-2s; M-ESTP; M-ETP; M-P	10	5203414	3.0 m
		all moduls with P (e.g. E-PRESTN, E-PT, E-PP)	11	5211468	3.0 m
(no illustration)		DISA			
		2100; 21C15	6	5202833	3.0 m
		DRAEGER			
 	 	Cato; Cicero EM; Vitara Parameterbox PB 8800; PM 8010; PM 8014; PM 8040; PM8060; Sulla; UM3; UM3.1;	7	5203350	3.0 m
		North American Draeger Monitor Vitalert 2000 Dash 2000/3000/4000	11	5211468	3.0 m
		MPod	5	5203251	
(no illustration)	(no illustration)	Mpod - active	5	5203255	
(no illustration)		Adapter for Hämobox/HemoMed 2 channels, D-Sub-Plug	15	5203399	0.1 m
		E for M			
		see Marquette PDS 300	11	5211468	3.0 m
		GE / MARQUETTE			
		2000 Series	8	5212430	3.0 m
		7000 Series 7010 Series (not traded anymore)			


















Combitrans® Monitoring Cables

plug details	picture of plug	monitor model	Pins	Code- Number	length
		GE / MARQUETTE			
		Cath-Lab; MAC-Lab (general term) Tram Module 100 up to 600; Muse Solar 7000; 8000; 9000; 808; Cardio-Window Eagle/Dash 1000; 2000; 3000; 3100; 4000	11	5211468	3.0 m
		HELLIGE			
		Vicom (5. Generation) SMU 610; 611; 612; 613; 630; 639; SMK 230; 231; 260; SMU-EVO Caution: Marquette Eagle	10	5201098	3.0 m
		Servomed (4.Generation) SMV 104; 107; 111:	10	5203295	3.0 m
		SMS 104; 108; 109; 164; 168; 302; 304; 308 SMK 155			
		Midas	18	5213169	3.0 m
		Vicom	10	5211972	5.0 m
		HONEYWELL			
(no illustration)		CM 120;130;150; PM 300; 301	7	5223350	3.0 m
		Philips Physio-Cardiopan	9	5203392	3.0 m
		INVIVO RESEARCH			
		3000; 3200; Omni-trek TVS Millennia; Omeda; 1400 Series; Expression	6	5203511	3.0 m
(no illustration)		JOSTRA			
		HLM 20/21	5	5216767	3.0 m
		KONE			
		M560A; M565A; M575; MA544	10	5203414	3.0 m
		KONTRON			
		Minimon 7131 up to 7136: Fetalmon 2A; 2B Fetalogic 4000; Fetasonde 5; 5A: 5B; K2000 Balloon Pump; KAAT II; Module 10 up to 7286; Supermon	12	5202337	3.0 m
		Series 108; 200	6	5203457	3.0 m







Combitrans® Monitoring Cables

plug details	picture of plug	monitor model	Pins	Code-Number	length
LOHMEIER / B. BRAUN					
		VISICON IBP supply for CombiCable CC M010; M011; M111; M211	12	8732582	1.5 m
		M6 08; M8 08; M910; PM315	12	5211661	3.0 m
LITTON					
		see Hellige Servomed	10	5203295	3.0 m
MEDTRONIC / PHYSIO CONTROL					
		VSM-1; VSM-4A; VSM-5	6	5202485	3.0 m
		Lifepak 12; Lifepak 15	6	5203449	3.0 m
MENNEN					
		Horizon 1100; 2000 Series; 3000 9000 Series; XL Series	6	5202876	3.0 m
		EMS; ENVOY; MERCURY; SOLO; MICRO-SOLO; MR 1200 up to 9200; Cathlab	6	5203511	3.0 m
(no illustration)		ENVOY	8	5202531 + Mennen adapter part no. 551- 360-11	3.0 m
METEK					
		DAVID	15	5203000	3.0 m
NDE					
		Monitor	6	5203511	3.0 m
NELLCOR PURITAN BENNET					
		Escort 300 A	6	5203511	3.0 m
		PD 240; PB 245; PB 245 P	10	5209242	3.0 m
NIHON KOHDEN					
(no illustration)		BSM 2301; BSM4101A		5203201 + Nihon Kohden adapter cable (K952)	











Combitrans® Monitoring Cables

plug details	picture of plug	monitor model	Pins	Code-Number	length
 (no illustration) (no illustration) (no illustration)		PHILIPS / HEWLETT PACKARD			
		B series Philips MX700/800	12	5203406	3.0 m
		A series	12	5213080	3.0 m
		B series Intellivue MP70	12	5202850	3.0 m
		POLYGRAPH			
		EP 12	8	5209218	3.0 m
		PPG BIOMEDICAL			
		see HELIGE VICOM	10	5201098	3.0 m
		PRUCKA			
		CLAB I (see Datascope)	6	5203457	3.0 m
		CLAB II	8	5203460	3.0 m
		PROTOCOL			
		Propaq 104; 106; 206; 204 Encore; welchallyn; Zoll	6	5203449	3.0 m
		PURITAN BENNET			
		PB 224; 240; 245	6	5203511	3.0 m
		ROCHE			
		220; 222; 223; 224; 7320; 7324	6	5203457	3.0 m
		S&W (SIMSON & WEIL)			
		System 8000 Athena; 8041; Diascope 2; Diascope Traveler; Diascope NT	10	5203430	3.0 m
		SARNS / 3M			
		5000; 8000; 8595; 9000 HLM; System 1	5	5209226	3.0 m
(no illustration)		SCHWARZER PICKER			
		DME 48	12	5203546	3.0 m

Combitrans® Monitoring Cables

plug details	picture of plug	monitor model	Pins	Code-Number	length
SIEMENS / DRAEGER					
		SC 6000, SC7000; Dräger Infinity Delta, Gamma, Gamma XL	7	5212643	3.0 m
		SC 6000 Adapter 7 to 10 Pin SC 7000	7 10	5206458	0.2 m
		Sirecust 400-1281; SC 8000; Dräger Infinity Kappa Cable for Siemens Hemo Adapter	10	5203361	0.1 m
		Sirecust 400-1281; SC 8000; Dräger Infinity Kappa	10	5203263	1.7 m
		Sirecust 400-1281; SC 8000; Dräger Infinity Kappa	10	5209250	5.0 m
		Mingograph 7 (Europe); CathCor; HKL 440M; Multigraph Recor; CathLab; Micor; Cartridge; Sicor;	15	5203279	3.0 m
		Sirecust 400-1281; SC 8000; Dräger Infinity Kappa CrosKop X-ray system; 2002 Tochttersichtgerät	10	5203252	3.0 m
(no illustration)		Sirecust 300 series (342R)	5	5203260	3.0 m
SPACELABS					
		Series 400; 500; 600; 700; 1000; 3000; 90300; 90400; (90402; 90470; 90496); 90600; Alpha 7; 9; PC 1,2; UVW; 90367 portable PC Express; TEK / VIATEK; Scout	6	5203511	3.0 m
		Module 90496 (10 cm Adapter Cable)	10	Spacelabs 700-0028-00	3.0 m

Combitrans[®] Monitoring Cables

plug details	picture of plug	monitor model	Pins	Code- Number	length
		STOECKERT / SORIN			
		Stoeckert HLM; CAPS Series; S5 and C5 systems	4	5211670	3.0 m
		SCHILLER			
		Cardioswiss CM-8; TM-7 Cardiovit AT-2S Argus	5	5211603	3.0 m
		PB-1000 (F-Series until 2005)	4	5211601	3.0 m
		PB-1000 (LP-Series new generation), Argus PRO	4	5211602	3.0 m
		SCHWARZER			
		Physioscript PD 14 (since 9/98) Cardis 5000 Neurocard Monitor	5	5212846	3.0 m
		Physioscript PD 14 (till 9/98) CU12-C	12	5211735	3.0 m
		Cardis 5000 with Philips module	12	5212850	3.0 m
		TEKTRONIX			
		413A; 414; 414-21	6	5203511	3.0 m
		VIATEK			
		see Spacelab	6	5203511	3.0 m
		WITT	8	5209500	3.0 m

Customized devices on request. Please ask your clinical specialist.

Conversion tables

Pressure units	bar	mm Hg	cm H ₂ O	atm	psi	kPa
1 bar =	1	736	1019	0.987	14.51	100
1 mm Hg =	0.0013	1	1.39	0.0013	0.02	0.133
1 cm H ₂ O =	9.81*10 ⁻⁴	0.736	1	0.0013	0.019	0.0981
1 atm =	1.013	745	1033	1	14.69	101.3
1 psi =	0.0689	50.71	70.21	0.068	1	6.89
1 kPa =	0.01	7.501	10.19	0.0099	0.145	1

Metal cannula

Gauge	Nominal outer diameter in mm*	acc. to ISO 6009 colour code for injection cannulas
30	0.3	yellow
28	0.36	blue-green
26	0.45	brown
24	0.55	pink
22	0.7	black
20	0.9	yellow
18	1.2	rose
16	1.6	white
14	2.1	white-green
12	2.7	white-blue

*) according to ISO/DIN 9626

Catheter diameter 1 F = 1/3 mm

French (F)	1	2	3	4	5	6	7	8	9	10	11	12	14
mm	0.33	0.67	1.0	1.33	1.67	2.0	2.33	2.67	3.0	3.33	3.67	4.0	4.67

Wire diameter 1" = 25.4 mm

Inch (")	0.008	0.010	0.014	0.018	0.024	0.028	0.032	0.035	0.038	0.045	0.047	0.063	0.071
mm	0.20	0.25	0.36	0.46	0.61	0.71	0.81	0.89	0.97	1.14	1.19	1.60	1.80

Catheter length 1 foot = 30.5 cm

Feet	1	2	3	4	5	6
cm	30.5	61.0	91.4	1.22	1.52	1.83

Interventional Vascular Diagnostics & Therapy

EUROPE

AUSTRIA

B. Braun Austria GmbH

Otto Braun - Straße 5
2344 Maria Enzersdorf
Phone ++43/22 36 46 54 10
Fax ++43/22 36 4 84 79

BELGIUM

B. Braun Medical N. V./S. A.

Woluwelaan 140 b
1831 Diegem
Phone ++32 70 22 33 00
Fax ++32 70 22 33 00

CZECH REPUBLIC

B. Braun Medical s. r. o.

V Parku 2335/20
148 00 Praha 4
Phone ++420/2/71 091 911
Fax ++420/2/71 091 912

DENMARK

B. Braun Medical A/S

Solbjergvej 3, 5 sal
2000 Frederiksberg
Phone ++45/33 31 31 41
Fax ++45/33 31 14 23

ESTONIA

B. Braun Medical OÜ

Kadaka tee 70 b
12618 Tallinn
Phone ++372/6 77 12 00
Fax ++372/6 77 12 09

FINLAND

B. Braun Medical Oy

Huopalahdentie 24
00350 Helsinki
Phone ++358/20/17 72 700
Fax ++358/20/17 72 720

FRANCE

B. Braun Medical S. A. S.

204, Av. du Maréchal-Juin
92107 Boulogne - Cedex
Phone ++33/1/41 10 53 00
Fax ++33/1/41 10 53 99

HUNGARY

B. Braun Medical Kft.

Montevideo u. 2/c
1037 Budapest
Phone ++36/1/3 46 97 00
Fax ++36/1/4 38 49 00

IRELAND

B. Braun Medical Ltd.

3 Naas Road Industrial Park
Dublin 12
Phone ++353/1/4 55 31 11
Fax ++353/1/4 55 31 15

ITALY

B. Braun Milano S. p. A.

Via V. da Seregno, 14
20161 Milano
Phone ++39/02 66 21 81
Fax ++39/02 66 21 82 90

LATVIA

B. Braun Medical SIA

Udelu Str. 16
1064 Riga, LV
Phone ++371/678 19 549
Fax ++371/678 19 547

LITHUANIA

B. Braun Medical UAB

Ateities 10
08303 Vilnius
Phone ++370/2/37 43 33
Fax ++370/2/37 43 44

THE NETHERLANDS

B. Braun Medical B. V.

Euterpehof 10/Postbus 659
5342 CW Oss/5340 AR Oss
Phone ++31/4 12 67 24 11
Fax ++31/4 12 67 24 90

NORWAY

B. Braun Medical A/S

Kjaernasveien 13 B
3142 Vestskogen
Phone ++47/33 35 18 00
Fax ++47/33 35 18 90

POLAND

Aesculap Chifa Sp. zo. o

Tysiaclecia 14
64300 Nowy Tomysl
Phone ++48/61/44 20 100
Fax ++48/61/4 42 39 36

PORTUGAL

B. Braun Medical Lda.

Est. Consiglieri Pedrosa, 80
Queluz de Baixo
2730-053 Barcarena
Phone ++351/21/4 36 82 00
Fax ++351/21/4 36 82 80

RUSSIA

B. Braun Medical LLC

59, Bolshoy Pr.
Petrogradskaja Side
Saint Petersburg 197101
Phone ++7 (812) 320-40-04
Fax ++7 (812) 320-50-71

SLOVAKIA

B. Braun Medical s. r. o.

Handlovska 19
85101 Bratislava
Phone ++421/2/63 83 89 20
Fax ++421/2/63 82 76 97

SPAIN

B. Braun Medical S. A.

Carretera de Terrassa, 121
08191 Rubi (Barcelona)
Phone ++34/93/5 86 62 00
Fax ++34/ 93/5 88 10 96

SWEDEN

B. Braun Medical AB

Svärdvägen 21
18211 Danderyd
Phone ++46/8/6 34 34 00
Fax ++46/8/6 34 34 34

SWITZERLAND

B. Braun Medical AG

Seesatz
6204 Sempach
Phone ++41/58 258 50 00
Fax ++41/58 258 60 00

TURKEY

B. Braun Medical Irengrün Dis

Ticaret A. S.
Üniversite Mahallesi
Civan Sokak No. 15 Aviclar
34850 Istanbul
Phone ++90/21 25 90 35 60
Fax: ++90/21 25 91 94 30

UNITED KINGDOM

B. Braun Medical Ltd.

Thorncliffe Park
Sheffield S35 2PW
Phone ++44/1 14/2 25 90 00
Fax ++44/1 14/2 25 91 11

NORTH AMERICA

USA

B. Braun Medical Inc.

824 Twelfth Avenue
Bethlehem, PA 18018
Phone ++610-691-5400
Fax: ++610-691-2202

LATIN AMERICA

ARGENTINA

B. Braun Medical S. A.

J. E. Uriburu, 663-7° Piso
AR-(C1027AAM) Buenos Aires
Phone ++541/1 49 54-20 30
Fax ++541/1 49 54-75 27

BRAZIL

Laboratórios B. Braun S. A.

Av. Eugenio Borges, 1092
24751-000 Sao Goncalo RJ
Phone ++5521/6 02 33 10
Fax ++5521/6 02 31 89

CHILE

B. Braun Comercial S. A.

Calle Nueva 5335 - Conchalí
Santiago de Chile
Phone ++562/4 40 71 00
Fax ++562/6 23 01 00

COLUMBIA

B. Braun Medical S. A.

Calle 44, No. 8-08
Bogota D.C.
Phone ++571/3 40 30 01
Fax ++571/3 40 30 03

ECUADOR

B. Braun Medical S. A.

Manuel Ambrosi 117y, Av. Eloy Alfaro
Manuel Ambrosi 117y Los Cipreses
Phone ++593/2/24 81/1 50
Fax ++593/2/24 83/0 31

MEXICO

B. Braun Aesculap

de México S. A. de C.V.
Av. Vasco de Quiroga 2121 1er Piso
Col. Santa Fe, Del. Alvaro Obregón
C. P. 01210 México, D.F.
Phone ++52/55/50897800
Fax ++52/55/50894975

PERU

B. Braun Medical Peru S. A.
Av. Separadora Industrial No. 887
Lima 3
Phone ++511/3 26 18 25
Fax ++511/3 26 79 90

AUSTRALIA

B. Braun Australia Pty. Ltd.
Norwest Business Park
17 Lexington Drive
Bella Vista NSW 2153
Phone ++61/2/96 29 02 00
Fax ++61/2/96 29 02 99

AFRICA

SOUTH AFRICA

B. Braun Medical Ltd.
Building 12B (Wentworth)
Fourways Golf Park
1016 Roos Street - Fourways
2125 Gauteng
Phone ++27/11/5485500
Fax ++27/11/5485599

ASIA

CHINA

B. Braun Medical (Shanghai)
International Trading Co. Ltd.
21F, Sun Young Center
398 Jiangsu Road
Shanghai 200050, PR China
Phone ++86/21/22 16 30 00
Fax ++86/21/32 50 60 10

HONGKONG

B. Braun Medical (H.K.) Ltd.
13-14/F. Henan Building
90 Jaffe Road Wanchai Hongkong
Phone ++852/25/29 20 09
Fax ++852/28/65 60 95

INDIA

B. Braun Medical India Pvt Ltd
5th Floor, East Quadrant,
The I.L & F.S. Financial Centre,
Bandra - Kurla Complex,
Bandra (E), Mumbai,
400051 Maharashtra
Phone ++91/22 66 68 22 22
Fax ++91/22 66 68 21 21

INDONESIA

PT. B. Braun Medical Indonesia
Century Tower 14th Floor ,
Jl. HR. Rasuna Said Kav. X-2 No. 4,
Jakarta 12950 , INDONESIA.
Phone ++62 21 52907177
Fax ++62 21 5290.7178

JAPAN

B. Braun Aesculap Japan Co. Ltd.
38-16, Hongo 2-chome,
Bunkyo-Ku
Tokyo 113-0033
Phone ++81/3/3814 2525
Fax ++81/3/5684 7080

MALAYSIA

B. Braun Medical Industries
Sdn. Bhd.
Bayan Lepas Free Industrial Zone
P.O. Box 880
10810 Penang
Phone ++60/4/6 32 31 00
Fax ++60/4/6 43 37 50

PAKISTAN

B. Braun Pakistan Ltd.
Plot E-3, Farzana Building, Room #11
3rd Floor, Block 7&8,
Main Shaheed-e-eMillat Road
75400 Karachi
Phone ++92/21/4 54 10 17
Fax ++92/2 14 54 10 02

PHILIPPINES

B. Braun Medical Supplies Inc.
2nd Floor, The JMT Corporate Center,
ADB Avenue, 1605 Pasig City
Phone ++632/633-72 84 to 95
Fax ++632/633-72 98

SINGAPORE

B. Braun Singapore Pte. Ltd.
600 North Bridge Road, #15-02/05
Parkview Square
188778 Singapore
Phone ++65/6/2 13 09 33
Fax ++65/6/2 13 09 30

SOUTH KOREA

B. Braun Korea Co., Ltd.
13th Floor, POSCO Center Bldg. 892
Daechi 4-Dong
Kangnam-Ku
135-777 Seoul
Phone ++82/2 34 59 78 00
Fax ++82/2 34 53 30 60

TAIWAN

B. Braun Taiwan Co. Ltd.
11/F, No. 132, Nanking E. Road, Sec. 3
104 Taipei
Phone ++886/2/27 21 99 00
Fax ++886/2/27 31 66 28

VIETNAM

B. Braun Vietnam Co., Ltd.
170 La Thanh Street - Dong Da District
Hanoi
Phone ++84/4/35 11 00 88
Fax ++84/4/38 51 00 72

**For further information about
dealer networks etc. please contact
the Vascular Systems head office in
Berlin.**

NOTES

This image shows a blank sheet of white paper with horizontal ruling lines. At the very top, there is a solid dark gray rectangular bar spanning the entire width of the page. Below this bar, the page is filled with evenly spaced, thin gray horizontal lines that extend across the full width of the document, providing a template for writing.

NOTES



Lined area for notes, consisting of multiple horizontal lines.

Distributor

B. Braun Melsungen AG | Vascular Systems | Sieversufer 8 | 12359 Berlin | Germany
Phone +49 30 568207-300 | Fax +49 30 568207-210 | www.bbraun.com

Manufacturer acc. to MDD 93/42/EEC: B. Braun Melsungen AG, Carl-Braun-Str. 1, 34212 Melsungen, Germany

The product trademarks "Combitrans", "Combidyn", "Intrafix", "Haemofix" and "Intradyn" are registered trademarks of B. Braun Melsungen AG.

Subject to technical changes. All rights reserved. This brochure may only be used for the exclusive purpose of obtaining information about our products. Reproduction in any form partial or otherwise is not permitted.