

## Tripod flowtech® 100 GS

SKU: 5587

Sachtler flowtech® 100 Carbon Fibre Tripod with Ground Spreader, Carry handle and Attachment mount



## PRODUCT DESCRIPTION

When you don't know what challenges a project will throw at you, having a tripod that is lightweight, durable and versatile can help you work smart and fast. No matter the environment, setting up the Sachtler flowtech® 100 GS is as simple as releasing the unique brakes. Setting up in a stable and safe way becomes a matter of seconds, with no need for time consuming fiddling. Once you are in position, the versatile hinge lock mechanism allows you to capture extremely high and low shots easily.

Finding the right shot is easier too, with the carbon fibre and ergonomic design meaning that the Sachtler flowtech 100 GS will never weigh you down. Once you are set up and ready to go, the design gives high levels of torsional stiffness so that you can concentrate on getting the best shot. Designed to give a reliable high performance wherever you need it, flowtech won't let you down in the field.

### Success Stories

#### Filter

[Allflowtech](#)

[Thrill of the Chill](#)

[Thrill of the ChillCase StudiesNeed for Speed](#)

#### **[Thrill of the Chill](#)**

A breathtaking journey across the globe with snowboarding pirates.

Read More ↗

[Blazing through the Old World](#)

[Blazing through the Old WorldCase StudiesNeed for Speed](#)

#### **[Blazing through the Old World](#)**

15 athletes, 8 disciplines, 7 countries and 100% Europe.

Read More ↗

[Ghosts in the Snow](#)

[Ghosts in the SnowCase StudiesNeed for Speed](#)

## **Ghosts in the Snow**

Elusive felines and the heroes working tirelessly to ensure their survival.

Read More ↗

[Rock Salt Media adopts flowtech® 100, the world's fastest tripod](#)

[Rock Salt Media adopts flowtech® 100, the world's fastest tripodSachtler News](#)

## **Rock Salt Media adopts flowtech® 100, the world's fastest tripod**

Support and stability for heavy payloads — even in a Hawaiian hurricane!

Read More ↗

[Capturing the Lemurs of Madagascar](#)

[Capturing the Lemurs of MadagascarSachtler News](#)

## **Capturing the Lemurs of Madagascar**

Flexible, fast setup was critical to capture the fast-moving lemurs in the high treetops.

Read More ↗

[flowtech® wins D&AD Product Design Award](#)

[flowtech® wins D&AD Product Design AwardAwardsSachtler News](#)

## **flowtech® wins D&AD Product Design Award**

flowtech receives a coveted Graphite Pencil at the D&AD Design Awards.

Read More ↗

[flowtech® named Tripod of the Year](#)

[flowtech® named Tripod of the YearAwardsSachtler News](#)

## **flowtech® named Tripod of the Year**

World's fastest tripod tops filmmakers best gear list.

Read More ↗

[flowtech®100 goes news gathering](#)

[flowtech®100 goes news gatheringCase Studies](#)

### **flowtech®100 goes news gathering**

"I need to be super-fast and reactive, my equipment can't slow me down."

Read More ↗

[The Tripod Revolution Continues: Sachtler unveil flowtech® 100](#)

[The Tripod Revolution Continues: Sachtler unveil flowtech® 100](#)[Sachtler News](#)

### **The Tripod Revolution Continues: Sachtler unveil flowtech® 100**

World's fastest tripod range now optimised for heavier camera payloads.

Read More ↗

## TECHNICAL SPECIFICATIONS

<b>Height With Ground Spreader</b>	43 cm to 159 cm   16.93 in to 62.6 in
<b>Payload</b>	0 kg to 30 kg   0 lb to 66.14 lb
<b>Weight</b>	4 kg   8.82 lb
<b>Bowl Size</b>	100 mm
<b>Spreader Type</b>	Ground spreader
<b>Material</b>	Carbon Fibre
<b>Tripod Stages</b>	2
<b>Transport Length</b>	69 cm   27.17 in
<b>Height Without Spreader</b>	26 cm to 153 cm   10.24 in to 60.24 in
<b>Weight Without Spreader</b>	3.2 kg   7.05 lb

## IN THE BOX

flowtech100 including ground spreader, carry handle, attachment mount and tie down

- [Ground spreader flowtech®](#) (S2058-0001)
- [Tie down 100 mm](#) (S2052-1100)
- [flowtech® attachment mount](#) (S2051-1900)

## YOU MAY ALSO LIKE...



**[System aktiv12T  
flowtech100 GS](#)**



**[System aktiv14T  
flowtech100 GS](#)**



**[System aktiv10  
flowtech100 GS](#)**



**[System Video 18 FT  
GS](#)**