




## JOST Polyester



JOST Polyester is synthetic, multifilament, non-absorbable, sterile, surgical suture with special coating for atraumatic passage through tissue.

- Medžiaga**
- Material: isotactic polyethylene terephthalate,
  - Coating: wax, silicon or teflon,
  - Color: green and undyed,
  - Available in diameters 6/0-8, cut in different lengths,
  - Sterilized: ethylene oxide,
  - Depending on the diameter of the suture and surgical branch, sutures are combined with standard or special needles of different types and sizes.

### Advantages:

JOST Polyester surgical sutures have high stretch-resistance during the critical wound healing period.

### Performance:

- High quality coating provides easy passage through tissue,
- Cause minimal acute inflammatory tissue reaction.

### Indications:

JOST Polyester is indicated for use in general soft tissue approximations and/or ligation, also in cardiovascular surgery, ophthalmic surgery and neurosurgery.

### Contraindications:

Contraindications are not known for the use of JOST Polyester sutures.

### Needles:

We offer needles of different lengths and shapes, recommended for use in various surgical procedures. Needles are made of special high quality stainless medical steel. Our steel alloys are from series 300 (301, 302 or 304) and 400 (420, 455).

- Outstanding performance,
- Silicon coating (optional double layer),
- Easy passage through tissue.

## PES.TP.0175.3712

Suture material type	Needle type	Suture tickness	Suture length	Needle length	Needle curve	Additional information
short description	short description	short description	short description	short description	short description	skrać. opis
PGQ PGA Quick	TP Taper Point	120 USP 12/0	10 10 cm	00 no needle	14 1/4 circle	Z 2 needles
PLQ PGLA Quick	TC Taper Cutting	110 USP 11/0	15 15 cm	040 4 mm	56 5/16 circle	B black needle
PGA PGA	CC Cutting	100 USP 10/0	20 20 cm	045 4.5 mm	38 3/8 circle	TI # - spec needle
PLA PGLA	CR Cutting Reverse	90 USP 9/0	25 25 cm	050 5 mm	76 7/16 circle	H # - spec. needle
PGC PGCL	CP Cutting Precision	80 USP 8/0	30 30 cm	055 5.5 mm	12 1/2 circle	Y5 # - spec needle
PDO PDO	BL Blunt	70 USP7/0	35 35 cm	060 6 mm	58 5/8 circle	W wax
PPP POLYPROPYLEN	BP Ball Point	60 USP 6/0	40 40 cm	063 6.3 mm	45 4/5 circle	P # - spec needle
PVD PVDF	SP Spatula	50 USP 5/0	45 45 cm	065 6.5 mm	99 Bi-curve	R4 # - spec needle
PTe ePTFE	DI Diamond	40 USP 4/0	50 50 cm	070 7 mm	00 straight	C # - spec needle
PTF PTFE	SC Straight Cutting	30 USP 3/0	55 55 cm	075 7.5 mm		Z # - spec needle
PES POLYESTER	SK Ski	20 USP 2/0	60 60 cm	080 8 mm		X # - spec needle
UPE UHMWPE	SH Hook	00 USP 0	65 65 cm	085 8.5 mm		U # - spec needle
PAM POLYAMIDE	00 No needle	01 USP 1	70 70 cm	090 9 mm		IS # - spec needle
SIL SILK		02 USP 2	75 75 cm	093 9.3 mm		SG super glide
BDO PDO Barbed		03 USP 3	80 80 cm	095 9.5 mm		TH # - spec needle
AGA PGA antibacterial		04 USP 4	85 85 cm	10 10 mm		NI # - spec needle
ALA PGLA antibacterial		05 USP 5	90 90 cm	11 11 mm		L with a loop
AGC PGCL antibacterial		06 USP 6	95 95 cm	12 12 mm		K2 2 sut. per pack
ADO PDO antibacterial		07 USP 7	100 100 cm	13 13 mm		K3 3 sut. per pack
		08 USP 8	110 110 cm	14 14 mm		K4 4 sut. per pack
		09 USP 9	120 120 cm	15 15 mm		K5 5 sut. per pack
		3M TAPE 3mm	130 130 cm	16 16 mm		K6 6 sut. per pack
		4M TAPE 4mm	140 140 cm	17 17 mm		K7 7 sut. per pack
		5M TAPE 5mm	150 150 cm	18 18 mm		K8 8 sut. per pack
		6M TAPE 6mm	160 160 cm	19 19 mm		K9 9 sut. per pack
			170 170 cm	20 20 mm		K10 10 sut. per pack
			180 180 cm	21 21 mm		K11 11 sut. per pack
			190 190 cm	22 22 mm		K12 12 sut. per pack
			200 200 cm	23 23 mm		K13 13 sut. per pack
			210 210 cm	24 24 mm		K14 14 sut. per pack
			220 220 cm	25 25 mm		K15 15 sut. per pack
			230 230 cm	26 26 mm		K16 16 sut. per pack
			240 240 cm	27 27 mm		SP00L on a spool
			250 250 cm	28 28 mm		CL caprolactone
			260 260 cm	29 29 mm		S silicone
			270 270 cm	30 30 mm		V vascular needle
			280 280 cm	31 31 mm		T teflon
				32 32 mm		PG0 pledget oval
				33 33 mm		PGT pledget square
				34 34 mm		35 3x5 mm
				35 35 mm		36 3x6 mm
				36 36 mm		37 3x7 mm
				37 37 mm		10 1,0 mm
				38 38 mm		15 1,5 mm
				39 39 mm		16 1,6 mm
				40 40 mm		S3 absorption profile
				43 43 mm		S5 absorption profile
				45 45 mm		S7 absorption profile
				47 47 mm		CV violet
				48 48 mm		CU undyed
				50 50 mm		CW white
				53 53 mm		CG green
				55 55 mm		CB blue
				60 60 mm		CK black
				63 63 mm		CRL control release
				65 65 mm		VTB vinyl tube
				70 70 mm		PST beads & collars
				73 73 mm		BTN with button
				75 75 mm		AMP antimem. pack.
				80 80 mm		

Non-resorbable, synthetic, polyfilament, coated, braided.  
The chemical material is polyester. The gray sheath consists of 16 threads.

- combinations needle/suture are possible in all variations according to this template
- it's possible to make products in different non-standard sizes at the customer's request

- needle lengths listed in the table are the most commonly used lengths
- \* - needles from 3 to 10 mm are made in all sizes with an increment of 0,1 mm
- needles from 10 to 130 mm are made in all sizes with an increment of 1 mm

- # - specific needles - code explanation is on the page 5a of the catalog

## PES.TP.0075.3712

Suture material type	Needle type	Suture tickness	Suture length	Needle length	Needle curve	Additional information
short description	short description	short description	short description	short description	short description	skrać. opis
PGQ PGA Quick	TP Taper Point	120 USP 12/0	10 10 cm	00 no needle	14 1/4 circle	Z 2 needles
PLQ PGLA Quick	TC Taper Cutting	110 USP 11/0	15 15 cm	040 4 mm	56 5/16 circle	B black needle
PGA PGA	CC Cutting	100 USP 10/0	20 20 cm	045 4.5 mm	38 3/8 circle	TI # - spec needle
PLA PGLA	CR Cutting Reverse	90 USP 9/0	25 25 cm	050 5 mm	76 7/16 circle	H # - spec. needle
PGC PGCL	CP Cutting Precision	80 USP 8/0	30 30 cm	055 5.5 mm	12 1/2 circle	Y5 # - spec needle
PDO PDO	BL Blunt	70 USP7/0	35 35 cm	060 6 mm	58 5/8 circle	W wax
PPP POLYPROPYLEN	BP Ball Point	60 USP 6/0	40 40 cm	063 6.3 mm	45 4/5 circle	P # - spec needle
PVD PVDF	SP Spatula	50 USP 5/0	45 45 cm	065 6.5 mm	99 Bi-curve	R4 # - spec needle
PTe ePTFE	DI Diamond	40 USP 4/0	50 50 cm	070 7 mm	00 straight	C # - spec needle
PTF PTFE	SC Straight Cutting	30 USP 3/0	55 55 cm	075 7.5 mm		Z # - spec needle
PES POLYESTER	SK Ski	20 USP 2/0	60 60 cm	080 8 mm		X # - spec needle
UPE UHMWPE	SH Hook	00 USP 0	65 65 cm	085 8.5 mm		U # - spec needle
PAM POLYAMIDE	00 No needle	01 USP 1	70 70 cm	090 9 mm		IS # - spec needle
SIL SILK		02 USP 2	75 75 cm	093 9.3 mm		SG super glide
BDO PDO Barbed		03 USP 3	80 80 cm	095 9.5 mm		TH # - spec needle
AGA PGA antibacterial		04 USP 4	85 85 cm	10 10 mm		NI # - spec needle
ALA PGLA antibacterial		05 USP 5	90 90 cm	11 11 mm		L with a loop
AGC PGCL antibacterial		06 USP 6	95 95 cm	12 12 mm		K2 2 sut. per pack
ADO PDO antibacterial		07 USP 7	100 100 cm	13 13 mm		K3 3 sut. per pack
		08 USP 8	110 110 cm	14 14 mm		K4 4 sut. per pack
		09 USP 9	120 120 cm	15 15 mm		K5 5 sut. per pack
		3M TAPE 3mm	130 130 cm	16 16 mm		K6 6 sut. per pack
		4M TAPE 4mm	140 140 cm	17 17 mm		K7 7 sut. per pack
		5M TAPE 5mm	150 150 cm	18 18 mm		K8 8 sut. per pack
		6M TAPE 6mm	160 160 cm	19 19 mm		K9 9 sut. per pack
			170 170 cm	20 20 mm		K10 10 sut. per pack
			180 180 cm	21 21 mm		K11 11 sut. per pack
			190 190 cm	22 22 mm		K12 12 sut. per pack
			200 200 cm	23 23 mm		K13 13 sut. per pack
			210 210 cm	24 24 mm		K14 14 sut. per pack
			220 220 cm	25 25 mm		K15 15 sut. per pack
			230 230 cm	26 26 mm		K16 16 sut. per pack
			240 240 cm	27 27 mm		SP00L on a spool
			250 250 cm	28 28 mm		CL caprolactone
			260 260 cm	29 29 mm		S silicone
			270 270 cm	30 30 mm		V vascular needle
			280 280 cm	31 31 mm		T teflon
				32 32 mm		PG0 pledget oval
				33 33 mm		PGT pledget square
				34 34 mm		35 3x5 mm
				35 35 mm		36 3x6 mm
				36 36 mm		37 3x7 mm
				37 37 mm		10 1,0 mm
				38 38 mm		15 1,5 mm
				39 39 mm		16 1,6 mm
				40 40 mm		S3 absorption profile
				43 43 mm		S5 absorption profile
				45 45 mm		S7 absorption profile
				47 47 mm		CV violet
				48 48 mm		CU undyed
				50 50 mm		CW white
				53 53 mm		CG green
				55 55 mm		CB blue
				60 60 mm		CK black
				63 63 mm		CRL control release
				65 65 mm		VTB vinyl tube
				70 70 mm		PST beads & collars
				73 73 mm		BTN with button
				75 75 mm		AMP antimem. pack.
				80 80 mm		

Non-resorbable, synthetic, polyfilament, coated, braided.  
The chemical material is polyester. The gray sheath consists of 16 threads.

- combinations needle/suture are possible in all variations according to this template
- it's possible to make products in different non-standard sizes at the customer's request

- needle lengths listed in the table are the most commonly used lengths
- \* - needles from 3 to 10 mm are made in all sizes with an increment of 0,1 mm
- needles from 10 to 130 mm are made in all sizes with an increment of 1 mm

- # - specific needles - code explanation is on the page 5a of the catalog

## PES.TP.2075.2212

Suture material type	Needle type	Suture tickness	Suture length	Needle length	Needle curve	Additional information
short description	short description	short description	short description	short description	short description	skrać. opis
PGQ PGA Quick	TP Taper Point	120 USP 12/0	10 10 cm	00 no needle	14 1/4 circle	Z 2 needles
PLQ PGLA Quick	TC Taper Cutting	110 USP 11/0	15 15 cm	040 4 mm	56 5/16 circle	B black needle
PGA PGA	CC Cutting	100 USP 10/0	20 20 cm	045 4.5 mm	38 3/8 circle	TI # - spec needle
PLA PGLA	CR Cutting Reverse	90 USP 9/0	25 25 cm	050 5 mm	76 7/16 circle	H # - spec. needle
PGC PGCL	CP Cutting Precision	80 USP 8/0	30 30 cm	055 5.5 mm	12 1/2 circle	Y5 # - spec needle
PDO PDO	BL Blunt	70 USP7/0	35 35 cm	060 6 mm	58 5/8 circle	W wax
PPP POLYPROPYLEN	BP Ball Point	60 USP 6/0	40 40 cm	063 6.3 mm	45 4/5 circle	P # - spec needle
PVD PVDF	SP Spatula	50 USP 5/0	45 45 cm	065 6.5 mm	99 Bi-curve	R4 # - spec needle
PTe ePTFE	DI Diamond	40 USP 4/0	50 50 cm	070 7 mm	00 straight	C # - spec needle
PTF PTFE	SC Straight Cutting	30 USP 3/0	55 55 cm	075 7.5 mm		Z # - spec needle
PES POLYESTER	SK Ski	20 USP 2/0	60 60 cm	080 8 mm		X # - spec needle
UPE UHMWPE	SH Hook	00 USP 0	65 65 cm	085 8.5 mm		U # - spec needle
PAM POLYAMIDE	00 No needle	01 USP 1	70 70 cm	090 9 mm		IS # - spec needle
SIL SILK		02 USP 2	75 75 cm	093 9.3 mm		SG super glide
BDO PDO Barbed		03 USP 3	80 80 cm	095 9.5 mm		TH # - spec needle
AGA PGA antibacterial		04 USP 4	85 85 cm	10 10 mm		NI # - spec needle
ALA PGLA antibacterial		05 USP 5	90 90 cm	11 11 mm		L with a loop
AGC PGCL antibacterial		06 USP 6	95 95 cm	12 12 mm		K2 2 sut. per pack
ADO PDO antibacterial		07 USP 7	100 100 cm	13 13 mm		K3 3 sut. per pack
		08 USP 8	110 110 cm	14 14 mm		K4 4 sut. per pack
		09 USP 9	120 120 cm	15 15 mm		K5 5 sut. per pack
		3M TAPE 3mm	130 130 cm	16 16 mm		K6 6 sut. per pack
		4M TAPE 4mm	140 140 cm	17 17 mm		K7 7 sut. per pack
		5M TAPE 5mm	150 150 cm	18 18 mm		K8 8 sut. per pack
		6M TAPE 6mm	160 160 cm	19 19 mm		K9 9 sut. per pack
			170 170 cm	20 20 mm		K10 10 sut. per pack
			180 180 cm	21 21 mm		K11 11 sut. per pack
			190 190 cm	22 22 mm		K12 12 sut. per pack
			200 200 cm	23 23 mm		K13 13 sut. per pack
			210 210 cm	24 24 mm		K14 14 sut. per pack
			220 220 cm	25 25 mm		K15 15 sut. per pack
			230 230 cm	26 26 mm		K16 16 sut. per pack
			240 240 cm	27 27 mm		SPOOL on a spool
			250 250 cm	28 28 mm		CL caprolactone
			260 260 cm	29 29 mm		S silicone
			270 270 cm	30 30 mm		V vascular needle
			280 280 cm	31 31 mm		T teflon
				32 32 mm		PG0 pledget oval
				33 33 mm		PGT pledget square
				34 34 mm		35 3x5 mm
				35 35 mm		36 3x6 mm
				36 36 mm		37 3x7 mm
				37 37 mm		10 1,0 mm
				38 38 mm		15 1,5 mm
				39 39 mm		16 1,6 mm
				40 40 mm		S3 absorption profile
				43 43 mm		S5 absorption profile
				45 45 mm		S7 absorption profile
				47 47 mm		CV violet
				48 48 mm		CU undyed
				50 50 mm		CW white
				53 53 mm		CG green
				55 55 mm		CB blue
				60 60 mm		CK black
				63 63 mm		CRL control release
				65 65 mm		VTB vinyl tube
				70 70 mm		PST beads & collars
				73 73 mm		BTN with button
				75 75 mm		AMP antimem. pack.
				80 80 mm		

Non-resorbable, synthetic, polyfilament, coated, braided.  
The chemical material is polyester. The gray sheath consists of 16 threads.

- combinations needle/suture are possible in all variations according to this template
- it's possible to make products in different non-standard sizes at the customer's request

- needle lengths listed in the table are the most commonly used lengths
- \* - needles from 3 to 10 mm are made in all sizes with an increment of 0,1 mm
- needles from 10 to 130 mm are made in all sizes with an increment of 1 mm

- # - specific needles - code explanation is on the page 5a of the catalog

## PES.00.0075.0000/K6

Suture material type		Needle type		Suture tickness		Suture length		Needle length		Needle curve		Additional information	
short description	short description	short description	short description	short description	short description	short description	short description	short description	short description	short description	skrać.	opis	
PGQ	PGA Quick	TP	Taper Point	120	USP 12/0	10	10 cm	00	no needle	14	1/4 circle	Z	2 needles
PLQ	PGLA Quick	TC	Taper Cutting	110	USP 11/0	15	15 cm	040	4 mm	56	5/16 circle	B	black needle
PGA	PGA	CC	Cutting	100	USP 10/0	20	20 cm	045	4.5 mm	38	3/8 circle	TI	# - spec needle
PLA	PGLA	CR	Cutting Reverse	90	USP 9/0	25	25 cm	050	5 mm	76	7/16 circle	H	# - spec. needle
PGC	PGCL	CP	Cutting Precision	80	USP 8/0	30	30 cm	055	5.5 mm	12	1/2 circle	Y5	# - spec needle
PDO	PDO	BL	Blunt	70	USP7/0	35	35 cm	060	6 mm	58	5/8 circle	W	wax
PPP	POLYPROPYLEN	BP	Ball Point	60	USP 6/0	40	40 cm	063	6.3 mm	45	4/5 circle	P	# - spec needle
PVD	PVDF	SP	Spatula	50	USP 5/0	45	45 cm	065	6.5 mm	99	Bi-curve	R4	# - spec needle
PTe	ePTFE	DI	Diamond	40	USP 4/0	50	50 cm	070	7 mm	00	straight	C	# - spec needle
PTF	PTFE	SC	Straight Cutting	30	USP 3/0	55	55 cm	075	7.5 mm			Z	# - spec needle
PES	POLYESTER	SK	Ski	20	USP 2/0	60	60 cm	080	8 mm			X	# - spec needle
UPE	UHMWPE	SH	Hook	00	USP 0	65	65 cm	085	8.5 mm			U	# - spec needle
PAM	POLYAMIDE	00	No needle	01	USP 1	70	70 cm	090	9 mm			IS	# - spec needle
SIL	SILK			02	USP 2	75	75 cm	093	9.3 mm			SG	super glide
BDO	PDO Barbed			03	USP 3	80	80 cm	095	9.5 mm			TH	# - spec needle
AGA	PGA antibacterial			04	USP 4	85	85 cm	10	10 mm			NI	# - spec needle
ALA	PGLA antibacterial			05	USP 5	90	90 cm	11	11 mm			L	with a loop
AGC	PGCL antibacterial			06	USP 6	95	95 cm	12	12 mm			K2	2 sut. per pack
ADO	PDO antibacterial			07	USP 7	100	100 cm	13	13 mm			K3	3 sut. per pack
				08	USP 8	110	110 cm	14	14 mm			K4	4 sut. per pack
				09	USP 9	120	120 cm	15	15 mm			K5	5 sut. per pack
				3M	TAPE 3mm	130	130 cm	16	16 mm			K6	6 sut. per pack
				4M	TAPE 4mm	140	140 cm	17	17 mm			K7	7 sut. per pack
				5M	TAPE 5mm	150	150 cm	18	18 mm			K8	8 sut. per pack
				6M	TAPE 6mm	160	160 cm	19	19 mm			K9	9 sut. per pack
						170	170 cm	20	20 mm			K10	10 sut. per pack
						180	180 cm	21	21 mm			K11	11 sut. per pack
						190	190 cm	22	22 mm			K12	12 sut. per pack
						200	200 cm	23	23 mm			K13	13 sut. per pack
						210	210 cm	24	24 mm			K14	14 sut. per pack
						220	220 cm	25	25 mm			K15	15 sut. per pack
						230	230 cm	26	26 mm			K16	16 sut. per pack
						240	240 cm	27	27 mm			SP00L	on a spool
						250	250 cm	28	28 mm			CL	caprolactone
						260	260 cm	29	29 mm			S	silicone
						270	270 cm	30	30 mm			V	vascular needle
						280	280 cm	31	31 mm			T	teflon
								32	32 mm			PG0	pledget oval
								33	33 mm			PGT	pledget square
								34	34 mm			35	3x5 mm
								35	35 mm			36	3x6 mm
								36	36 mm			37	3x7 mm
								37	37 mm			10	1,0 mm
								38	38 mm			15	1,5 mm
								39	39 mm			16	1,6 mm
								40	40 mm			S3	absorption profile
								43	43 mm			S5	absorption profile
								45	45 mm			S7	absorption profile
								47	47 mm			CV	violet
								48	48 mm			CU	undyed
								50	50 mm			CW	white
								53	53 mm			CG	green
								55	55 mm			CB	blue
								60	60 mm			CK	black
								63	63 mm			CRL	control release
								65	65 mm			VTB	vinyl tube
								70	70 mm			PST	beads & collars
								73	73 mm			BTN	with button
								75	75 mm			AMP	antimem. pack.
								80	80 mm				

Non-resorbable, synthetic, polyfilament, coated, braided.  
The chemical material is polyester. The gray sheath consists of 16 threads.

- combinations needle/suture are possible in all variations according to this template
- it's possible to make products in different non-standard sizes at the customer's request

- needle lengths listed in the table are the most commonly used lengths
- \* - needles from 3 to 10 mm are made in all sizes with an increment of 0,1 mm
- needles from 10 to 130 mm are made in all sizes with an increment of 1 mm

- # - specific needles - code explanation is on the page 5a of the catalog

## PES.TP.0075.2612

Suture material type	Needle type	Suture tickness	Suture length	Needle length	Needle curve	Additional information
short description	short description	short description	short description	short description	short description	skrać. opis
PGQ PGA Quick	TP Taper Point	120 USP 12/0	10 10 cm	00 no needle	14 1/4 circle	Z 2 needles
PLQ PGLA Quick	TC Taper Cutting	110 USP 11/0	15 15 cm	040 4 mm	56 5/16 circle	B black needle
PGA PGA	CC Cutting	100 USP 10/0	20 20 cm	045 4.5 mm	38 3/8 circle	TI # - spec needle
PLA PGLA	CR Cutting Reverse	90 USP 9/0	25 25 cm	050 5 mm	76 7/16 circle	H # - spec. needle
PGC PGCL	CP Cutting Precision	80 USP 8/0	30 30 cm	055 5.5 mm	12 1/2 circle	Y5 # - spec needle
PDO PDO	BL Blunt	70 USP7/0	35 35 cm	060 6 mm	58 5/8 circle	W wax
PPP POLYPROPYLEN	BP Ball Point	60 USP 6/0	40 40 cm	063 6.3 mm	45 4/5 circle	P # - spec needle
PVD PVDF	SP Spatula	50 USP 5/0	45 45 cm	065 6.5 mm	99 Bi-curve	R4 # - spec needle
PTe ePTFE	DI Diamond	40 USP 4/0	50 50 cm	070 7 mm	00 straight	C # - spec needle
PTF PTFE	SC Straight Cutting	30 USP 3/0	55 55 cm	075 7.5 mm		Z # - spec needle
PES POLYESTER	SK Ski	20 USP 2/0	60 60 cm	080 8 mm		X # - spec needle
UPE UHMWPE	SH Hook	00 USP 0	65 65 cm	085 8.5 mm		U # - spec needle
PAM POLYAMIDE	00 No needle	01 USP 1	70 70 cm	090 9 mm		IS # - spec needle
SIL SILK		02 USP 2	75 75 cm	093 9.3 mm		SG super glide
BDO PDO Barbed		03 USP 3	80 80 cm	095 9.5 mm		TH # - spec needle
AGA PGA antibacterial		04 USP 4	85 85 cm	10 10 mm		NI # - spec needle
ALA PGLA antibacterial		05 USP 5	90 90 cm	11 11 mm		L with a loop
AGC PGCL antibacterial		06 USP 6	95 95 cm	12 12 mm		K2 2 sut. per pack
ADO PDO antibacterial		07 USP 7	100 100 cm	13 13 mm		K3 3 sut. per pack
		08 USP 8	110 110 cm	14 14 mm		K4 4 sut. per pack
		09 USP 9	120 120 cm	15 15 mm		K5 5 sut. per pack
		3M TAPE 3mm	130 130 cm	16 16 mm		K6 6 sut. per pack
		4M TAPE 4mm	140 140 cm	17 17 mm		K7 7 sut. per pack
		5M TAPE 5mm	150 150 cm	18 18 mm		K8 8 sut. per pack
		6M TAPE 6mm	160 160 cm	19 19 mm		K9 9 sut. per pack
			170 170 cm	20 20 mm		K10 10 sut. per pack
			180 180 cm	21 21 mm		K11 11 sut. per pack
			190 190 cm	22 22 mm		K12 12 sut. per pack
			200 200 cm	23 23 mm		K13 13 sut. per pack
			210 210 cm	24 24 mm		K14 14 sut. per pack
			220 220 cm	25 25 mm		K15 15 sut. per pack
			230 230 cm	26 26 mm		K16 16 sut. per pack
			240 240 cm	27 27 mm		SP00L on a spool
			250 250 cm	28 28 mm		CL caprolactone
			260 260 cm	29 29 mm		S silicone
			270 270 cm	30 30 mm		V vascular needle
			280 280 cm	31 31 mm		T teflon
				32 32 mm		PG0 pledget oval
				33 33 mm		PGT pledget square
				34 34 mm		35 3x5 mm
				35 35 mm		36 3x6 mm
				36 36 mm		37 3x7 mm
				37 37 mm		10 1,0 mm
				38 38 mm		15 1,5 mm
				39 39 mm		16 1,6 mm
				40 40 mm		S3 absorption profile
				43 43 mm		S5 absorption profile
				45 45 mm		S7 absorption profile
				47 47 mm		CV violet
				48 48 mm		CU undyed
				50 50 mm		CW white
				53 53 mm		CG green
				55 55 mm		CB blue
				60 60 mm		CK black
				63 63 mm		CRL control release
				65 65 mm		VTB vinyl tube
				70 70 mm		PST beads & collars
				73 73 mm		BTN with button
				75 75 mm		AMP antimem. pack.
				80 80 mm		

Non-resorbable, synthetic, polyfilament, coated, braided.  
The chemical material is polyester. The gray sheath consists of 16 threads.

- combinations needle/suture are possible in all variations according to this template
- it's possible to make products in different non-standard sizes at the customer's request

- needle lengths listed in the table are the most commonly used lengths
- \* - needles from 3 to 10 mm are made in all sizes with an increment of 0,1 mm
- needles from 10 to 130 mm are made in all sizes with an increment of 1 mm

- # - specific needles - code explanation is on the page 5a of the catalog