

Drainage



SKATER™ Drainage System

The SKATER™ Drainage System provides a portfolio for clinicians and patients to manage their drainage needs. The portfolio includes a complete size range of catheters for percutaneous drainage procedures including abscess, nephrostomy, biliary, and centesis. To assist in targeted catheter placement, an array of accessories including introducer sets, Introducer Sheaths/Needles (ISN), and blunt needle access are available. The system is completed with drainage bags for collecting fluid.



SKATER™ Single Step, Nephrostomy, and Biliary Drainage Catheters:

The SKATER™ catheters are designed to promote maximum drainage flow. They are formulated for patient comfort, kink resistance, easy insertion, and radiopacity.

- Skived drainage holes promote maximum drainage flow
- Position markings reference catheter migration post-placement (*Single Step, SKATER™ Drainage and Nephrostomy only*)
- Locking shoulder tip construction reduces accordion effect during entry
- Polyurethane catheter material provides kink resistance and patient comfort
- Slip-Coat™ hydrophilic coating significantly reduces friction allowing for easier catheter insertion
- Consistent catheter-to-hub inner lumen size eliminates bottleneck effect



Each Set Includes:

- (1) SKATER™ catheter
- (1) Removable pigtail straightener
- (1) Metal stiffening cannula
- (1) Flexible stiffening cannula (*Only in Nephrostomy, SKATER™ Drainage and Biliary*)
- (1) Locking system with snap-off tab (*Not available on non-locking pigtail catheters*)



SKATER™ Single Step Drainage Catheters

SKATER™ Single Step Drainage Catheters with centimetre markings are suitable for a variety of applications. They feature a large catheter lumen, large drainage holes and a large lumen hub designed to promote maximum flow and drainage. SKATER™ is formulated for patient comfort, kink resistance and easy insertion.

- Choice Lock™ trocar stylet allows for single-handed abscess drainage placement
- Hydrophilic coating allows for easy catheter insertion
- Locking shoulder tip ensures smooth insertion while preventing accordian effect
- Low profile, easy-to-use locking system with snap-off tab ensures secure pigtail deployment while maximising patient comfort
- Polyurethane catheter material provides kink resistance
- Large skived drain holes promote maximum drainage while reducing catheter occlusion
- Includes SKATER™ Single Step Drainage Catheter with metal stiffening cannulae, Choice Lock™ trocar stylet, removable pigtail straightener and locking system with snap-off tab



7565

SKATER™ Single Step Drainage Catheter w/Locking Pigtail (Box of 5)

CATALOGUE NO.	DESCRIPTION
756506020	6F x 20 cm, 19G trocar, accepts .035" guidewire
756506025	6F x 25 cm, 19G trocar, accepts .035" guidewire
756507020	7F x 20 cm, 18G trocar, accepts .035" guidewire
97.4. 756507025	7F x 25 cm, 18G trocar, accepts .035" guidewire
756508020	8F x 20 cm, 17G trocar, accepts .038" guidewire
97.3. 756508025	8F x 25 cm, 17G trocar, accepts .038" guidewire
756508030	8F x 30 cm, 17G trocar, accepts .038" guidewire
756510020	10F x 20 cm, 17G trocar, accepts .038" guidewire
97.1. 756510025	10F x 25 cm, 17G trocar, accepts .038" guidewire
756510030	10F x 30 cm, 17G trocar, accepts .038" guidewire
756512020	12F x 20 cm, 17G trocar, accepts .038" guidewire
756512025	12F x 25 cm, 17G trocar, accepts .038" guidewire
756514020	14F x 20 cm, 14G trocar, accepts .038" guidewire
756514025	14F x 25 cm, 14G trocar, accepts .038" guidewire
756516025	16F x 25 cm, 14G trocar, accepts .038" guidewire

SKATER™ Single Step Drainage Catheter w/Non-Locking Pigtail (Box of 5)

CATALOGUE NO.	DESCRIPTION
756006020	6F x 20 cm, 19G trocar, accepts .035" guidewire
756006025	6F x 25 cm, 19G trocar, accepts .035" guidewire
756007020	7F x 20 cm, 18G trocar, accepts .035" guidewire
756007025	7F x 25 cm, 18G trocar, accepts .035" guidewire
756008020	8F x 20 cm, 17G trocar, accepts .038" guidewire
756008025	8F x 25 cm, 17G trocar, accepts .038" guidewire
756008030	8F x 30 cm, 17G trocar, accepts .038" guidewire
756010020	10F x 20 cm, 17G trocar, accepts .038" guidewire
756010025	10F x 25 cm, 17G trocar, accepts .038" guidewire
756010030	10F x 30 cm, 17G trocar, accepts .038" guidewire
756012020	12F x 20 cm, 14G trocar, accepts .038" guidewire
756012025	12F x 25 cm, 14G trocar, accepts .038" guidewire
756014020	14F x 20 cm, 14G trocar, accepts .038" guidewire
756014025	14F x 25 cm, 14G trocar, accepts .038" guidewire
756016025	16F x 25 cm, 14G trocar, accepts .038" guidewire

SKATER™ Drainage Catheters

The SKATER™ Drainage Catheter is made of soft polyurethane for optimal kink-resistance and perfect configuration memory. The catheter is coated with SLIP-COAT™ hydrophilic coating for minimal friction during insertion.

- Soft polyurethane for optimal kink-resistance and perfect configuration memory
- SLIP-COAT™ hydrophilic coating on distal part for easy insertion
- Large oval drainage holes and large lumen are designed for maximal drainage capacity
- With locking or non-locking pigtail



SKATER™ Drainage Catheter w/Locking Pigtail (Box of 5)

CATALOGUE NO.	DESCRIPTION
755106025	6F x 25 cm, accepts .035" guidewire
755106035	6F x 35 cm, accepts .035" guidewire
755107025	7F x 25 cm, accepts .035" guidewire
755107035	7F x 35 cm, accepts .035" guidewire
755108025	8F x 25 cm, accepts .038" guidewire
755108035	8F x 35 cm, accepts .038" guidewire
755110025	10F x 25 cm, accepts .038" guidewire
755110035	10F x 35 cm, accepts .038" guidewire
755112025	12F x 25 cm, accepts .038" guidewire
755112035	12F x 35 cm, accepts .038" guidewire
755114025	14F x 25 cm, accepts .038" guidewire
755114035	14F x 35 cm, accepts .038" guidewire
755116025	16F x 25 cm, accepts .038" guidewire

SKATER™ Drainage Catheter w/Non-Locking Pigtail (Box of 5)

CATALOGUE NO.	DESCRIPTION
751106025	6F x 25 cm, accepts .035" guidewire
751106035	6F x 35 cm, accepts .035" guidewire
751107025	7F x 25 cm, accepts .035" guidewire
751107035	7F x 35 cm, accepts .035" guidewire
751108025	8F x 25 cm, accepts .038" guidewire
751108035	8F x 35 cm, accepts .038" guidewire
751110025	10F x 25 cm, accepts .038" guidewire
751110035	10F x 35 cm, accepts .038" guidewire
751112025	12F x 25 cm, accepts .038" guidewire
751112035	12F x 35 cm, accepts .038" guidewire
751114025	14F x 25 cm, accepts .038" guidewire
751116025	16F x 25 cm, accepts .038" guidewire