

CELLPRO

PRODUCT CATALOGUE

Specialized in high-end Biomedical consumables
Working for global life science

2022

SUZHOU CELLPRO BIOTECHNOLOGY CO.,LTD.



Specialized in high-end Biomedical consumables

Working for global life science

Suzhou CellPro Biotechnology Co., Ltd. founded in 2018, CellProBio commits to providing high-quality consumables and customized services for global customers in molecular diagnosis, cell culture, immunotherapy.

CellProBio has 1000 staff, 80 persons of R&D team, 60,000 square meters facility. ISO Class 8 clean room, ISO Class 7 assembly workshop, high-precision tooling R & D workshop.

CellProBio builds professional PCR laboratory, cell culture laboratory, microbiology laboratory.

CellProBio is certified by ISO13485, ISO9001, ISO14001 and obtained dozens of patents.

Our products are widely used in life science, pharmaceutical industry, environmental protection, food safety, government agencies and clinical medicine, etc.

CellProBio already established business relationship with customers from more than 80 countries, and enjoyed the good reputation through reliable quality, reasonable price and good service.

R&D Headquarters

Headquarters covers 8000 square meters, owns Class 8 clean room workshop, Class 7 assembly workshop, high precision R&D mold production workshop. Equipped with a professional laboratory, including gene amplification laboratory, cell culture laboratory, microbiology laboratory.

Production Base

The production base covers more than 10,000 square meters, has built a class 8 clean room, complying with the GMP standard. Installed 30 units FANUC, TOYO injection machines, mainly for the production of pipette tips, automatic workstation pipette tips, PCR consumables, centrifuge tubes, serological pipette tips and other popular products. The new production facility has multiple automated production lines. It enable simultaneous production of multiple projects, effectively avoiding cross-contamination and mixing risks.

CellProBio Nantong Factory

CellProBio Nantong's factory covers 80,000 square meters, owns Class 8 clean room workshop, Class 7 assembly workshop. Installed over 100 units imported electrical injection machines, brand as FANUC, TOYO ARBURG etc. CellProBio's quality control application verification platforms & Multi-cavity high-efficiency mold R & D platform are successful approved in this industry. Our products are widely applied in fields like biotechnology and molecular biology - medicine, chemistry, pharmacology, environment, agriculture, etc.

Mold R&D Center

CellProBio is capable of providing ODM and OEM service, including product research and development, mold design and manufacturing, process customization, injection molding production, product verification, etc.

1200M² high precision mold R&D production workshop, being able to start new projects at any time without waiting in line.

A professional team of 60 staff with rich experience in the industry. The core team members are composed of technical and management backbone who serve the Fortune Global 500 companies.

Efficient mold development and production capacity, 45 days it can be realized from mold opening to large-scale production.



Applied Technology R&D Center

CellProBio application technology development serves for products qualified. CellProBio is able to develop application technology and one-stop development, including consumables, reagents and instruments.

There are multi-function biological laboratory cabinet with various instruments and supporting facilities.

CellProBio enable to do most biological experiments as following: nucleic acid extraction, PCR amplification, electrophoresis, Elisa, Cell Culture, microbial culture, etc.

CellProBio established cooperation with Suzhou University in project: About the testing and application technical services of cell culture consumables in the medical research center and with Zhejiang University in project of New concept of industry-university-research cooperation: The basic support of Chinese biomedical science and technology system.

Equipments and Functions

Professional gene amplification laboratory, cell culture laboratory and microbiology laboratory.

Independent experimental process development capacity to evaluate and verify consumables, reagents and instruments.

Introduction GMP standards in the production and R&D process, including process validation, material traceability, production process validation, etc.



Workshop

141 units imported electrical injection machines, Brand as FANUC, ARBURG, ENGEL, TOYO

Introduction GMP standards in the production and R&D process, including process validation, material traceability, production process validation, Verified process in 48 hours.

Executing the purpose: high standards, strict requirements during production process. It ensures that the entire production process is under control and ensures the stability of the production process and the stability of the batch quality of the products.



Advantages

Made of steel imported from Germany, the mold has better polishing performance, which makes the product have the characteristics of high transparency.

Possess more than 300 sets of advanced mold processing and testing equipment such as Hexagon and GF, the machining accuracy can reach 0.001-0.005mm.

The hot runner system of famous brands such as HUSKY and Synventive is used for numerous cavity molds, so that the forming speed is faster and the quality is more stable.



P.	Universal Pipette Tips
05	Pipette Tips
11	CLT Pipette Tips
14	RN Pipette Tips

P.	Automation Workstation Tips
18	Tecan Automation Pipette Tips
22	PerkinElmer Automation Pipette Pips
24	Hamilton Automation Pipette Tips
26	Beckman Automation Pipette Tips

P.	PCR Consumables
28	PCR 8-tube Strips and Caps
29	96-well PCR Plates
30	PCR Single Tubes with Flat Caps
31	PCR Sealing Film

P.	Centrifuge Tubes
32	15/50ml Centrifuge Tubes
33	SnapLock Micro Centrifuge Tubes

P.	Screw Cap Micro Tubes
34	Screw Cap Micro Tubes

P.	Cell Culture Products
36	Cell Culture Plates
37	Cell Culture Flasks
38	Cell Culture Dishes

P.	Serological Pipettes
39	1mL/2mL/5mL/10mL/25mL/50mL


P.	Elisa MicroPlates
40	Elisa MicroPlates

P.	Erlenmeyer Flasks
41	125mL/250mL/500mL/1000mL

P.	Centrifuge Bottles
42	250mL/500mL

P.	Nucleic Acid Extraction/Virus Sampling
43	96-well Deep Well Plates
44	96-well Deep Well Tip Combs
45	Transport Tubes
45	Nasal/Throat Sampling Collectors
45	Sampling Collection Kits
46	Saliva Sampling Collectors

P.	PremPette Mechanical Pipettes
48	0.5-10µL/20-200µL/100-1000µL



Optimal wetting properties, high transparency and special, certified purity grades are the visible expression of our product and production philosophy.

Features

- 100% virgin polypropylene
- ISO Class 8 clean room
- DNA-free, DMase-free, RNase-free, Pyrogen/Endotoxin-free
- Universal fit
- Smooth surfaces to ensure accurate pipetting

Applications

- Pipetting liquids
- Dispensing liquids
- Mixing liquids
- Filling plates and reaction vessels
- Filling gels for electrophoresis
- Phase extraction and removal of supernatants



10µL Aerosol Filter Tips



20µL Aerosol Filter Tips



50µL Aerosol Filter Tips



100µL Aerosol Filter Tips




200µL Aerosol Filter Tips




250µL Aerosol Filter Tips

10µL Pipette Tips




PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
800101	10	Bulk	Clear	1000 tips/pack, 20 packs/case
800103	10	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
800104	10	Low Retention, Bulk	Clear	1000 tips/pack, 20 packs/case
800106	10	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
800111	10	Reload System, Sterile	Clear	960 tips/pack, 10 packs/case

10µL Aerosol Filter Tips




PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
800107	10	Bulk, Filtered	Clear	1000 tips/pack, 20 packs/case
800108	10	Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
800109	10	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case

20µL Aerosol Filter Tips




PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
800707	20	Bulk, Filtered	Yellow	1000 tips/pack, 20 packs/case
800708	20	Rack Packed, Filtered, Sterile	Yellow	96 tips/rack, 50 racks/case
800709	20	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case

50µL Aerosol Filter Tips




PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
800907	50	Bulk, Filtered	Yellow	1000 tips/pack, 20 packs/case
800908	50	Rack Packed, Filtered, Sterile	Yellow	96 tips/rack, 50 racks/case
800909	50	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case

100µL Aerosol Filter Tips




PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
800807	100	Bulk, Filtered	Yellow	1000 tips/pack, 20 packs/case
800808	100	Rack Packed, Filtered, Sterile	Yellow	96 tips/rack, 50 racks/case
800809	100	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case

200µL Pipette Tips




PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
800201	200	Bulk	Yellow	1000 tips/pack, 20 packs/case
800203	200	Rack Packed, Sterile	Yellow	96 tips/rack, 50 racks/case
800204	200	Low Retention, Bulk	Clear	1000 tips/pack, 20 packs/case
800206	200	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
800211	200	Reload System, Sterile	Yellow	960 tips/pack, 10 packs/case

200µL Aerosol Filter Tips



PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
800607	200	Bulk, Filtered	Clear	1000 tips/pack, 20 packs/case
800608	200	Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
800609	200	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case

250µL Pipette Tips



PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
800601	250	Bulk	Clear	1000 tips/pack, 20 packs/case
800603	250	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
800604	250	Low Retention, Bulk	Clear	1000 tips/pack, 20 packs/case
800606	250	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
800611	250	Reload System, Sterile	Clear	960 tips/pack, 10 packs/case



200µL Extended Length Aerosol Filter Tips




300µL Aerosol Filter Tips



1000µL Aerosol Filter Tips



1000µL Aerosol Filter Tips




1000µL Extended Length Pipette Tips




1000µL Extended Length Aerosol Filter Tips

200µL Extended Length Pipette Tips




P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
801101	300	Bulk	Clear	1000 tips/pack, 20 packs/case
801103	300	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
801104	300	Low Retention, Bulk	Clear	1000 tips/pack, 20 packs/case
801106	300	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
801111	300	Reload System, Sterile	Clear	960 tips/pack, 10 packs/case

200µL Extended Length Aerosol Filter Tips




P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
801107	250	Bulk, Filtered	Clear	1000 tips/pack, 20 packs/case
801108	250	Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
801109	250	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case

300µL Aerosol Filter Tips



P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
801127	300	Bulk Filtered	Clear	1000 tips/pack, 20 packs/case
801128	300	Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
801129	300	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case


1000µL Pipette Tips



P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
800401	1000	Bulk	Blue	1000 tips/pack, 5 packs/case
800403	1000	Rack Packed, Sterile	Blue	96 tips/rack, 50 racks/case
800404	1000	Low Retention, Bulk	Clear	1000 tips/pack, 5 packs/case
800406	1000	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
800411	1000	Reload System, Sterile	Blue	480 tips/pack, 10 packs/case

1000µL Aerosol Filter Tips

P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
800407	1000	Bulk, Filtered	Blue	1000 tips/pack, 5 packs/case
800408	1000	Rack Packed, Filtered, Sterile	Blue	96 tips/rack, 50 racks/case
800409	1000	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case





1000µL Extended Length Pipette Tips

P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
800501	1250	Bulk	Blue	1000 tips/pack, 5 packs/case
800503	1250	Rack Packed, Sterile	Blue	96 tips/rack, 50 racks/case
800504	1250	Low Retention, Bulk	Clear	1000 tips/pack, 5 packs/case
800506	1250	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
800511	1250	Reload System, Sterile	Blue	480 tips/pack, 10 packs/case

1000µL Extended Length Aerosol Filter Tips

P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
800507	1000	Bulk, Filtered	Blue	1000 tips/pack, 5 packs/case
800508	1000	Rack Packed, Filtered, Sterile	Blue	96 tips/rack, 50 racks/case
800509	1000	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case







T400 10µL Extended Length Aerosol Filter Tips



5000µL Aerosol Filter Tips




compilations



T400µL Pipette Tips

P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
T400C01	50	Bulk	Clear	500 tips/pack, 20 packs/case
T400C03	50	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case




T400µL Aerosol Filter Tips

P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
T400C08	20	Rack Packed, Filtered, Sterile	Clear	500 tips/pack, 20 packs/case
T400C09	20	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case



5000µL Pipette Tips

P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
8300501	5000	Bulk	Clear	400 tips/pack, 5 packs/case
8300503	5000	Rack Packed, Sterile	Clear	54 tips/rack, 100 racks/case
8300504	5000	Low Retention, Bulk, Sterile	Clear	400 tips/pack, 5 packs/case



5000µL Aerosol Filter Tips

P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
8300508	5000	Rack Packed, Filtered, Sterile	Clear	54 tips/rack, 100 racks/case
8300509	5000	Low Retention, Rack Packed, Filtered, Sterile	Clear	54 tips/rack, 100 racks/case



CLT universal pipette tips are available in specialty and non-filtered varieties, making it easier than ever to find a tip for every applications and virtually any brand of pipette in your lab. CLT delivers the quality, performance and reliability you expect.

Features

- 100% virgin polypropylene
- ISO Class 8 clean room
- DNA-free, DMase-free, RNase-free, Pyrogen/Endotoxin-free
- Universal fit
- Smooth surfaces to ensure accurate pipetting

Applications

- Pipetting liquids
- Dispensing liquids
- Mixing liquids
- Filling plates and reaction vessels
- Filling gels for electrophoresis
- Phase extraction and removal of supernatants



CLT 10µL Extended Length Filter Tips



CLT 20µL Extended Length Filter Tips



CLT 200µL Extended Length Pipette Tips




CLT 200µL Extended Length Filter Tips




CLT 1000µL Extended Length Filter Tips

CLT 10µL Extended Length Pipette Tips




PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
CLT10C01	50	Bulk	Clear	1000 tips/pack, 10 packs/case
CLT10C03	50	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
CLT10C04	50	Low Retention, Bulk	Clear	1000 tips/pack, 10 packs/case
CLT10C06	50	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case

CLT 10µL Extended Length Filter Tips



PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
CLT10C07	10	Bulk, Filter	Clear	1000 tips/pack, 10 packs/case
CLT10C08	10	Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
CLT10C09	10	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case

CLT 20µL Extended Length Filter Tips



PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
CLT20C07	20	Bulk, Filter	Clear	1000 tips/pack, 10 packs/case
CLT20C08	20	Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
CLT20C09	20	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case


CLT 200µL Extended Length Pipette Tips



PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
CLT200C01	200	Bulk	Clear	1000 tips/pack, 10 packs/case
CLT200C03	200	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
CLT200C04	200	Low Retention, Bulk	Clear	1000 tips/pack, 10 packs/case
CLT200C06	200	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case

CLT 200µL Extended Length Filter Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
CLT200C07	200	Bulk, Filter	Clear	1000 tips/pack, 10 packs/case
CLT200C08	200	Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
CLT200C09	200	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case




CLT 1000µL Extended Length Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
CLT1000C01	1000	Bulk	Clear	1000 tips/pack, 5 packs/case
CLT1000C03	1000	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
CLT1000C04	1000	Low Retention, Bulk	Clear	1000 tips/pack, 5 packs/case
CLT1000C06	1000	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case

CLT 1000µL Extended Length Filter Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
CLT1000C07	1000	Bulk, Filter	Clear	1000 tips/pack, 5 packs/case
CLT1000C08	1000	Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
CLT1000C09	1000	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case





Adapted models: **Rainin LTS Series**

Features

- Imported polypropylene (PP), in line with USP Class VI standards
 - Smooth inner wall, reduce liquid residue, ensure the accuracy of liquid suction
 - 100,000-grade dust-free purification workshop automatic production, strict quality control, to ensure that the products without pyrogen, endotoxin, DNase, RNA enzyme
 - Ultrafine grinding molding technology, without release agent release, to ensure better product quality
 - Tolerance temperature range: -80 °C - 121 °C , no deformation after high temperature and high pressure
 - Innovative thin-wall technology, increase product flexibility, improve heat transfer efficiency
- Box packaging specifications, there are conventional
- models, filter models to choose, to meet the needs of different customers




RN 20µL Aerosol Filter Tips



RN 200µL Aerosol Filter Tips



RN 300µL Aerosol Filter Tips



RN 20µL Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
8600101	20	Bulk,Filter	Clear	1000 tips/pack, 10 packs/case
8600103	20	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
8600104	20	Low Retention, Bulk	Clear	1000 tips/pack, 10 packs/case
8600106	20	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case

RN 20µL Aerosol Filter Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
8600107	20	Filtered, Bulk	Clear	1000 tips/pack, 10 packs/case
8600108	20	Rack Packed,Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
8600109	20	Low Retention, Rack Packed, Filtered,Sterile	Clear	96 tips/rack, 50 racks/case
8600119	20	Low Retention, Bulk, Filtered	Clear	1000 tips/pack, 10 packs/case



RN 200µL Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
8600201	200	Bulk,Filter	Clear	1000 tips/pack, 20 packs/case
8600203	200	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
8600204	200	Low Retention, Bulk	Clear	1000 tips/pack, 20 packs/case
8600206	200	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case

RN 200µL Aerosol Filter Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
8600207	200	Filtered, Bulk	Clear	1000 tips/pack, 20 packs/case
8600208	200	Rack Packed,Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
8600209	200	Low Retention, Rack Packed, Filtered,Sterile	Clear	96 tips/rack, 50 racks/case
8600219	200	Low Retention, Bulk, Filtered	Clear	1000 tips/pack, 20 packs/case




RN 1000µL Aerosol Filter Tips



RN 1200µL Aerosol Filter Tips



RN 300µL Pipette Tips




PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
8600301	300	Bulk,Filter	Clear	1000 tips/pack, 20 packs/case
8600303	300	Rack Packed, Sterile	Clear	96 tips/rack, 40 racks/case
8600304	300	Low Retention, Bulk	Clear	1000 tips/pack, 20 packs/case
8600306	300	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 40 racks/case

RN 300µL Aerosol Filter Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
8600307	300	Filtered, Bulk	Clear	1000 tips/pack, 20 packs/case
8600308	300	Rack Packed,Filtered, Sterile	Clear	96 tips/rack, 40 racks/case
8600309	300	Low Retention, Rack Packed, Filtered,Sterile	Clear	96 tips/rack, 40 racks/case
8600319	300	Low Retention, Bulk, Filtered	Clear	1000 tips/pack, 20 packs/case

RN 1000µL Pipette Tips




PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
8600401	1000	Bulk,Filter	Clear	1000 tips/pack, 5 packs/case
8600403	1000	Rack Packed, Sterile	Clear	96 tips/rack, 40 racks/case
8600404	1000	Low Retention, Bulk	Clear	1000 tips/pack, 5 packs/case
8600406	1000	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 40 racks/case

RN 1000µL Aerosol Filter Tips



PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
8600407	1000	Filtered, Bulk	Clear	1000 tips/pack, 5 packs/case
8600408	1000	Rack Packed,Filtered, Sterile	Clear	96 tips/rack,40 racks/case
8600409	1000	Low Retention, Rack Packed, Filtered,Sterile	Clear	96 tips/rack, 50 racks/case
8600419	1000	Low Retention, Bulk, Filtered	Clear	1000 tips/pack, 5 packs/case




RN 1200µL Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
8600501	1200	Bulk,Filter	Clear	1000 tips/pack, 5 packs/case
8600503	1200	Rack Packed, Sterile	Clear	96 tips/rack, 40 racks/case
8600504	1200	Low Retention, Bulk	Clear	1000 tips/pack, 5 packs/case
8600506	1200	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 40 racks/case

RN 1000µL Aerosol Filter Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
8600507	1200	Filtered, Bulk	Clear	1000 tips/pack, 5 packs/case
8600508	1200	Rack Packed,Filtered, Sterile	Clear	96 tips/rack,40 racks/case
8600509	1200	Low Retention, Rack Packed, Filtered,Sterile	Clear	96 tips/rack, 40 racks/case
8600519	1200	Low Retention, Bulk, Filtered	Clear	1000 tips/pack, 5 packs/case



Available in a variety of tip volumes, with or without filters. Made of medical grade conductive polypropylene (PP) to allow capacitive liquid level detection.


Carefully designed, produced and validated to ensure reliable performance using Liquid Handling Arms and Flexible Channel Arms on Tecan platforms.

Available in three purity levels (Tecan Standard, Tecan Pure and Tecan Sterile) tailored towards specific applications.




Features

- Solid performance you can rely on
- Dispensing liquids
- We fully automate our liquid handling tip manufacturing within a controlled environment, using state of the art production processes and integrated quality control procedures. For instance, during production each and every disposable tip undergoes inspection, checking all functional parts, so you can rely on consistent pipetting accuracy and precision.
- Compatible with **Tecan Freedom EVO, Cavro workstation**



10µL Tecan Automation Conductive Pipette Tips




50µL Tecan Automation Conductive Pipette Tips




10µL Tecan Automation Conductive Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
900136	10	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900139	10	Blister Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900123	10	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
900128	10	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case



50µL Tecan Automation Conductive Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
900336	50	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900339	50	Blister Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900323	50	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
900328	50	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case






200µL Tecan Automation Conductive Pipette Tips



200µL Tecan Automation Pipette Tips



200µL Tecan Automation Conductive Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
900236	200	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900239	175	Blister Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900223	200	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
900228	175	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case

200µL Tecan Automation Pipette Tips


PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
900203	200	Rack packed, Sterile	Clear	96 tips/rack, 50 racks/case
900206	200	Rack packed, Low Retention, Sterile	Clear	96 tips/rack, 50 racks/case
900208	175	Rack packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
900209	175	Rack packed, Filtered, Low Retention, Sterile	Clear	96 tips/rack, 50 racks/case
900216	200	Blister Rack packed, Sterile	Clear	96 tips/rack, 24 racks/case
900218	200	Blister Rack packed, Low Retention, Sterile	Clear	96 tips/rack, 24 racks/case
900219	175	Blister Rack packed, Filtered, Sterile	Clear	96 tips/rack, 24 racks/case
900220	175	Blister Rack packed, Filtered, Low Retention, Sterile	Clear	96 tips/rack, 24 racks/case



1000µL Tecan Automation Conductive Pipette Tips



1000µL Tecan Automation Pipette Tips



1000µL Tecan Automation Conductive Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
900436	1000	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900439	1000	Blister Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900423	1000	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
900428	1000	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case

1000µL Tecan Automation Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
900403	1000	Rack packed, Sterile	Clear	96 tips/rack, 50 racks/case
900406	1000	Rack packed, Low Retention, Sterile	Clear	96 tips/rack, 50 racks/case
900408	1000	Rack packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
900409	1000	Rack packed, Filtered, Low Retention, Sterile	Clear	96 tips/rack, 50 racks/case
900416	1000	Blister Rack packed, Sterile	Clear	96 tips/rack, 24 racks/case
900418	1000	Blister Rack packed, Low Retention, Sterile	Clear	96 tips/rack, 24 racks/case
900419	1000	Blister Rack packed, Filtered, Sterile	Clear	96 tips/rack, 24 racks/case
900420	1000	Blister Rack packed, Filtered, Low Retention, Sterile	Clear	96 tips/rack, 24 racks/case



Available in a variety of tip volumes, with or without filters. Made of medical grade conductive polypropylene (PP) to allow capacitive liquid level detection.

Carefully designed, produced and validated to ensure reliable performance using Liquid Handling Arms and Flexible Channel Arms on PE platforms.

Available in three purity levels tailored towards specific applications.

Features

- Solid performance you can rely on
- We fully automate our liquid handling tip manufacturing within a controlled environment, using state of the art production processes and integrated quality control procedures. For instance, during production each and every disposable tip undergoes inspection, checking all functional parts, so you can rely on consistent pipetting accuracy and precision.

• Compatible apparatus:

Adapted brand series: **JANUS**

Adapted models: **JANUS G3, JANUS G3 NGS Express, JANUS G3 BioTx Pro and Pro Plus**

Compatible Robotic arm: **Varispan**



50µL PE Automation Conductive Pipette Tips




200µL PE Automation Conductive Pipette Tips



1000µL PE Automation Conductive Pipette Tips


50µL PE Automation Conductive Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
APE50BK23	50	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
APE50BK28	50	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case




200µL PE Automation Conductive Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
APE200BK23	200	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
APE200BK28	178	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case



1000µL PE Automation Conductive Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
APE1000BK23	1000	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
APE1000BK28	1000	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case





50µL



300µL



1000µL

Available in a variety of tip volumes, with or without filters. Made of medical grade conductive polypropylene (PP) to allow capacitive liquid level detection.

Carefully designed, produced and validated to ensure reliable performance using Liquid Handling Arms and Flexible Channel Arms on Hamilton platforms.


Available in three purity levels tailored towards specific applications.

Features


- Solid performance you can rely on
- We fully automate our liquid handling tip manufacturing within a controlled environment, using state of the art production processes and integrated quality control procedures. For instance, during production each and every disposable tip undergoes inspection, checking all functional parts, so you can rely on consistent pipetting accuracy and precision.
- Free, RNase-free, Pyrogen/Endotoxin-free, PCR inhibitor-free
- Adapted models: **Microlab VANTAGE, Microlab STAR, Microlab NIMBUS, Microlab Prep**
- Adapted pipettes: **1000ul channel, 96 ultiprobe Head**



50µL Hamilton Automation Pipette Tips




P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
AHT50BK36	50	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 60 racks/case
AHT50BK39	50	Blister Rack Packed, Filter, Conductive, Sterile	Black	96 tips/rack, 60 racks/case
AHT50C16	50	Blister Rack Packed, Sterile	Clear	96 tips/rack, 60 racks/case
AHT50C19	50	Blister Rack Packed, Filter, Sterile	Clear	96 tips/rack, 60 racks/case




300µL Hamilton Automation Pipette Tips

P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
AHT300BK36	300	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 60 racks/case
AHT300BK39	300	Blister Rack Packed, Filter, Conductive, Sterile	Black	96 tips/rack, 60 racks/case
AHT300C16	300	Blister Rack Packed, Sterile	Clear	96 tips/rack, 60 racks/case
AHT300C19	300	Blister Rack Packed, Filter, Sterile	Clear	96 tips/rack, 60 racks/case



1000µL Hamilton Automation Pipette Tips

P N	Max Capacity/µL	Tip Format	Tip Color	Packaging
AHT1000BK36	1000	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 40 racks/case
AHT1000BK39	1000	Blister Rack Packed, Filter, Conductive, Sterile	Black	96 tips/rack, 40 racks/case
AHT1000C16	1000	Blister Rack Packed, Sterile	Clear	96 tips/rack, 40 racks/case
AHT1000C19	1000	Blister Rack Packed, Filter, Sterile	Clear	96 tips/rack, 40 racks/case



Available in a variety of tip volumes, with or without filters. Made of medical grade conductive polypropylene (PP) to allow capacitive liquid level detection.

Carefully designed, produced and validated to ensure reliable performance using Liquid Handling Arms and Flexible Channel Arms on Beckman platforms.


Available in three purity levels tailored towards specific applications.

Features

- Solid performance you can rely on
- We fully automate our liquid handling tip manufacturing within a controlled environment, using state of the art production processes and integrated quality control procedures. For instance, during production each and every disposable tip undergoes inspection, checking all functional parts, so you can rely on consistent pipetting accuracy and precision.
- Adapted models: **Beckman Biomek FX/NX, Biomek 4000, NAYO N96**


20µL Beckman Automation Pipette Tips

PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
ABK20C03	20	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
ABK20C08	20	Rack Packed, Filter, Sterile	Clear	96 tips/rack, 50 racks/case




50µL Beckman Automation Pipette Tips


PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
ABK50C03	50	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
ABK50C06	50	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
ABK50C08	50	Rack Packed, Filter, Sterile	Clear	96 tips/rack, 50 racks/case
ABK50C09	50	Low Retention, Rack Packed, Filter, Sterile	Clear	96 tips/rack, 50 racks/case



250µL Beckman Automation Pipette Tips


PN	Max Capacity/µL	Tip Format	Tip Color	Packaging
ABK250C03	200	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
ABK250C06	200	Low Retention, Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
ABK250C08	200	Blister Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
ABK250C09	200	Blister Rack Packed, Filter, Sterile	Clear	96 tips/rack, 50 racks/case





Features


- Made of medical grade imported polypropylene (PP) technology
- Qualified injection molding technology and independent mold design
- Thin wall and uniform in thickness
- ISO Class 8 clean room, DNA-free, DMase-free, RNase-free, Pyrogen/Endotoxin-free



PCR 8-Strips Tubes and Caps

8-Strips Tubes are optimally designed for precise PCR, these tubes & caps have a design that allows the caps to seal securely

with the least possible pressure. These polypropylene tubes are autoclave-safe. Use with all instruments that feature heated sample covers to eliminate condensation and the need for a mineral oil overlay. Proprietary tubes are essential for high performance PCR. They ensure the greatest temperature and amplification uniformity for your samples. These one-piece strips are composed of eight 0.2 mL Reaction Tubes joined near the tube opening.




PCR 8-Strips Tubes and Caps



For Research Use Only. Not for use in diagnostic procedures.

Type	PN	Capacity/μL	Description	Tube Color	Cap Color	Packaging
Type A	802002-00	200	8-strip, Flat Cap	Clear	Clear	125 strips/pack, 10 packs/case
	802005-00	100	8-strip, Flat Cap	Clear	Clear	125 strips/pack, 10 packs/case
	802006-00	100	8-strip, Flat Cap	White	Clear	125 strips/pack, 10 packs/case
Type B	802022-00	200	8-strip, Flat Cap	Clear	Clear	125 strips/pack, 10 packs/case
	802024-00	100	8-strip, Flat Cap	Clear	Clear	125 strips/pack, 10 packs/case
	802025-00	100	8-strip, Flat Cap	White	Clear	125 strips/pack, 10 packs/case

Type A



Type B



96-Well PCR plates


96-well, flat top PCR microplate is designed to fit standard 96 well blocks. Ultra-thin and consistent wall thickness allows precise thermal transfer for optimum results. Can be sealed with 8/12 strip caps, or sealing film.

Features

- Suitable for 0.1 mL/0.2mL thermal cycler blocks
- Application: PCR, qPCR/Real-Time PCR


96-well PCR plates

PN	Capacity/μL	Cut corner	Color	Skirt Style	Packaging
802019	100	A12/H12	Clear	Non Skirt, Black Lettering	10 plates/pack, 5 packs/case
802020	100	A12/H12	White	Non Skirt, Black Lettering	10 plates/pack, 5 packs/case
802016	200	A12	Clear	Semi Skirt, Black Lettering	10 plates/pack, 5 packs/case
802017	200	H1	Clear	Non Skirt, Black Lettering	10 plates/pack, 5 packs/case
802018	200	H1	White	Non Skirt, Black Lettering	10 plates/pack, 5 packs/case





96-Well PCR Microplate Compatible with Roche Light Cycler 480 without Sealing Films, White, Nonsterile

PN	Capacity/μL	Cut corner	Color	Skirt Style	Packaging
802034	100	H12	Clear	Semi Skirt	10 plates/pack, 5 packs/case
802035	100	H12	White	Semi Skirt	10 plates/pack, 5 packs/case



96-Well Polypropylene PCR Microplate, Compatible with ABI, Semi-Skirted, Clear, Nonsterile

PN	Capacity/μL	Cut corner	Color	Skirt Style	Packaging
802040	100	A1	Clear	Semi Skirt	10 plates/pack, 5 packs/case
802041	200	A12	Clear	Semi Skirt	10 plates/pack, 5 packs/case



96-well Polypropylene PCR Microplate, Full Skirt, Clear, Nonsterile

PN	Capacity/μL	Cut corner	Tube Color	Shell Color	Skirt Style	Packaging
802045	100	H1	Clear	Blue	Skirted	10 plates/pack, 5 packs/case
802046	100	H1	White	Blue	Skirted	10 plates/pack, 5 packs/case
802047	100	H1	Clear	White	Skirted	10 plates/pack, 5 packs/case
802048	100	H1	White	White	Skirted	10 plates/pack, 5 packs/case



PP PCR Tubes with Attached Flat Cap

Made of virgin polypropylene and designed for precise fit in heat blocks to optimize heat transfer. The tubes are cleanroom produced, ensuring that they are free from contaminants that could affect experimental results.

PP PCR Tubes with Attached Flat Cap

PN	Capacity/μL	Closure Type	Color	Packaging
802001	200	Flat	Clear	1000 tubes/box, 10 boxes/case
802051	500	Flat	Clear	500 tubes/box, 10 boxes/case

Features

- Pressure-sensitive adhesive provides a tight seal over every well
- Will not interfere with sample reading
- Press-N-Seal: Align properly to the plate, then press to seal
- Easy to apply-will not stick to your glove
- For Research Use Only. Not for use in diagnostic procedures.



PCR Sealing Film

PCR Sealing Film reduces the chance of well-to-well contamination and sample evaporation when applied to a microplate.

Prevent Loss of Precious Samples

Use this optically-clear adhesive film to seal the samples into the wells of a microplate. This will reduce the possibility of cross-contamination between sample wells and help ensure consistent Real-Time PCR data.

For Research Use Only. Not for use in diagnostic procedures.

Easy to Use

Simply peel the backing away from the adhesive film and apply firmly across the top of your microplate. Stack microplates and read samples as you would normally except with less chance of sample contamination. Designed to fit on 96-well and 384-well plates.

Features

- Pressure-sensitive adhesive provides a tight seal over every well
- Will not interfere with sample reading
- Press-N-Seal: Align properly to the plate, then press to seal
- Easy to apply-will not stick to your glove
- For Research Use Only. Not for use in diagnostic procedures.

PCR Sealing Film

PN	Color	Adhesive	Packaging
802021B02	Optical	Pressure Sensitive	100 pcs/Box
802021B03	Optical	Pressure Sensitive	100 pcs/Box



Conical Sterile Polypropylene Centrifuge Tubes are premium, high-quality conical tubes that are environmentally friendly, allow for increased traceability with the largest writing area on the market.

Centrifuge tubes are made from high-purity resins and molded using our state-of-the-art processes. Centrifuge tubes is a safer alternative to glass without sacrificing accuracy.

Centrifuge tubes feature black printed graduations and a large white marking spot.

Available with your choice of cap styles: the advanced cap or the original plug seal cap.

Sterile, RNase-/DNase-free, Nonpyrogenic.

15mL&50mL Centrifuge Tubes

- Black printed graduations and a large white marking spot
- Maximum RCF is 12,000xg.
- Sterile, nonpyrogenic and DNase-/RNase-free
- Convenient and safe cell culture applications
- Sample preparation in microbiology and molecular biology labs
- Storage of samples and solution with larger volumes
- Preparation of master mixes and buffers

PN	Capacity	Packaging	Unit Size
801151	15mL	Bulk, Sterile	25 tubes/bag, 20 bags/case
801152	15mL	Rack Packed, Sterile	50 tubes/bag, 10 bags/case
801501	50mL	Bulk, Sterile	25 tubes/bag, 20 bags/case
801502	50mL	Rack Packed, Sterile	25 tubes/bag, 20 bags/case



SnapLock Micro Centrifuge Tube

- Snaplock Microtubes have frosted cap surfaces for labeling, frosted panels on the side for writing.
- Will withstand up to 14,000xg RCF
- Snaplock cap assures efficient seal
- Thin membrane in cap center allows easy access to sample by syringe needle
- RNase-/DNase-free Nonpyrogenic



PN	Capacity	Configuration	Color	Packaging
801141	0.6mL	Bulk	Clear	1000 tubes/pack, 10 packs/case
801161	1.5mL	Bulk	Clear	500 tubes/pack, 10 packs/case
801181	2.0mL	Bulk	Clear	500 tubes/pack, 10 packs/case
801142	0.6mL	Sterile, Bulk	Clear	1000 tubes/pack, 10 packs/case
801162	1.5mL	Sterile, Bulk	Clear	500 tubes/pack, 10 packs/case
801182	2.0mL	Sterile, Bulk	Clear	500 tubes/pack, 10 packs/case
801143	0.6mL	Low Retention, Bulk	Clear	1000 tubes/pack, 10 packs/case
801163	1.5mL	Low Retention, Bulk	Clear	500 tubes/pack, 10 packs/case
801183	2.0mL	Low Retention, Bulk	Clear	500 tubes/pack, 10 packs/case






- Screw cap tubes are available in a variety of colors with a conical or self-standing bottom.
- Colored-cap versions are also available
- Manufactured from high-clarity, ultra-pure polypropylene.
- Suitable for a wide range of temperatures—from -80°C to +120°C. Note: not suitable for immersion in liquid nitrogen.
- Ideal for boiling applications.
- Skirted or conical bases.
- Certified free of detectable RNase, DNase, DNA, PCR inhibitors, and tested pyrogen-free

PN	Capacity	Tube Color	Cap Color	Packaging
801205	0.5mL	Clear	Clear	100 tube/bag, 10 bags/case
801207	1.5mL	Clear	Clear	100 tube/bag, 10 bags/case
801209	2.0mL	Clear	Clear	100 tube/bag, 10 bags/case
801275	0.5mL	Amber	Amber	100 tube/bag, 10 bags/case
801285	1.5mL	Amber	Amber	100 tube/bag, 10 bags/case
801295	2.0mL	Amber	Amber	100 tube/bag, 10 bags/case

Optional Colors for Screw Caps



Cell culture consumables are a regular tool in cell culture laboratories. Saipu Biological has plasma surface treatment technology, more conducive to cell adherent growth. It is widely used in basic research of life science, cancer research, virus detection and diagnosis, genetic engineering, vaccine development and production and other fields

Cell Culture Plates


Clear Multiwell Plate is comprised of clear TC-treated polystyrene. Flat bottom, with low evaporation lid, sterile. Standard Tissue Culture. Convenient, peel-open medical-style packaging for individual product presentation.

Features

- Standard tissue culture (TC)-treated
- Crystal-grade virgin polystyrene
- Flat well bottom and stackable
- Raised well rims to lower the risk of cross contamination
- Sterilized by gamma irradiation and non-pyrogenic
- Excellent optical quality
- Alphanumerical codes for well identification
- Round Well Styles Feature vented lids for gas exchange
- Recessed areas around wells act as a water reservoir to reduce evaporation from wells
- Lids with notched corners for easy orientation



PN	Capacity/Well	Well Count	Culture Area	Packaging
803006	2.9mL	6	9.5cm ²	1/pack, 50 packs/case
803012	1.14mL	12	3.8cm ²	1/pack, 50 packs/case
803024	0.57mL	24	1.9cm ²	1/pack, 50 packs/case
803048	0.285mL	48	0.8cm ²	1/pack, 50 packs/case
803096P01	0.2mL	96	0.32cm ²	1/pack, 50 packs/case



Cell Culture Flasks

Flasks are the preferred vessel for long term cultivation or large-scale expansion of cells, providing the best protection against contamination.

The ergonomic design with angled neck and wide opening allows easy access to the growth surface by pipettes or cell scrapers.


Workflow safety is combined with facilitated and ergonomic access to your cells in the Cell Culture Flasks. They are available in three sizes: T25, T75 and T175 with TC treated.

Vented caps with innovative air filter technology or plug-seal caps with arrested position to prevent undesired closing are the two closing options.

Features

- Direct surface identification on flask and cap
- Ergonomic design with a 1/3 turn to open and close the cap
- Low profile to maximize incubator space
- Volume graduations printed and molded on both sides
- Slightly angled side walls for complete viewing under a microscope
- Sterilized by gamma irradiation and nonpyrogenic
- Expansion and culture of adherent and suspension cells on TC treated or on non-treated polystyrene
- Performance of cell-based assays and microscopic analysis

PN	Culture Area	Cap Style	Capacity	Packaging
803025	25cm ²	Vented	50mL	12 pcs/bag, 25 bags/case
803026	25cm ²	Sealed	50mL	12 pcs/bag, 25 bags/case
803075	75cm ²	Vented	175mL	5 pcs/bag, 18 bags/case
803076	75cm ²	Sealed	175mL	5 pcs/bag, 18 bags/case
803175	175cm ²	Vented	550mL	5 pcs/bag, 10 bags/case
803176	175cm ²	Sealed	550mL	5 pcs/bag, 10 bags/case






Cell Culture Dishes

Cell Culture dishes are available in 35 mm to 100 mm formats with TC treated surfaces.

Features

- CellPro cell culture dishes were designed with a focus on improved handling and stacking performance to ensure a new level of safe and carefree usage.
- Combined with the outstanding, sturdy stacking, our cell culture dishes are unparalleled in their ease of transport and handling, safety, and convenience.
- Expansion and culture of adherent and suspension cells on TC treated
- Performance of cell-based assays and microscopic analysis



PN	Culture Area	Surface Treatment	Packaging
803035	8cm ²	TC Treated	20 pcs/pack, 25 packs/case
803060	21cm ²	TC Treated	20 pcs/pack, 25 packs/case
803100	55cm ²	TC Treated	10 pcs/pack, 30 packs/case
803100B	55cm ²	TC Treated	10 pcs/pack, 30 packs/case
803150B	145cm ²	TC Treated	10 pcs/pack, 8 packs/case



Serological Pipettes

Serological Pipettes is a great choice for daily lab work.


Serological Pipets may be used to aspirate and dispense liquids within a volume range of 0.1 mL to 50 mL. Bold, clear bi-directional graduations make it easy-to-read fluid volumes and dispensing amounts. Color-coding for easy identification of pipet sizes

Serological Pipets are single-use serological pipettes made of ultraclear plastic. With precise and easy-to-read graduations, they are designed to quickly aspirate and dispense liquids using mechanical or electronic pipette controllers.

Features

- Material: Ultra clear, 100% virgin polystyrene for maximum clarity
- Contaminant Free: RNase/DNase free, Human DNA free, Non-Cytotoxic, Non-Pyrogenic
- Sterility: E-Beam irradiation
- Individually wrapped pipets for reliable sterility
- Transfer of liquids
- Mixing suspensions
- Combining reagents and chemical solutions
- Transferring cells for empirical analysis or expansion
- Layering reagents for creating higher density gradients

PN	Capacity	Code Color	Packaging
C804001	1mL	Yellow	50 pcs/pack, 20 packs/case
C804002	2mL	Green	50 pcs/pack, 20 packs/case
C804005	5mL	Blue	50 pcs/pack, 4 packs/case
C804010	10mL	Orange	50 pcs/pack, 4 packs/case
C804025	25mL	Red	50 pcs/pack, 4 packs/case
C804050	50mL	Violet	25 pcs/pack, 4 packs/case






Elisa MicroPlates

All ELISA microplates are made out of high-quality virgin polystyrene. The resin is highly transparent and therefore ideally suited for optical measurements. The quality of our immunological products is constantly controlled in our quality assurance laboratory by means of ELISA.

PN	Max Volume/ μ L	Suggest Volume/ μ L	Type	Packaging
805001	360	75-200	Clear, Undetachable	5 pcs/box, 32 boxes/case
805002	360	75-200	Clear, detachable	5 pcs/box, 32 boxes/case
805004	360	75-200	Clear, detachable	5 pcs/box, 20 boxes/case



805001

805002

805004



Erlenmeyer Flasks

Single-Use PETG Erlenmeyer Flasks with Plain Bottom, ideal for suspension of cell culture, media preparation, mixing and storage. Crystal clear PETG or PC is robust and break resistant, increasing personal safety.



Features

- Sterile and single use: Reduce contamination risk
- Graduated for quick volume assessment

PN	Capacity	Material	Cap Type	Packaging
803125B	125mL	PC	Vented	1 pc/bag, 50 bags/case
803250B	250mL	PC	Vented	1 pc/bag, 50 bags/case
803500B	500mL	PC	Vented	1 pc/bag, 25 bags/case
803200B	1000mL	PC	Vented	1 pc/bag, 25 bags/case
803125	125mL	PETG	Vented	1 pc/bag, 50 bags/case
803250	250mL	PETG	Vented	1 pc/bag, 50 bags/case
803500	500mL	PETG	Vented	1 pc/bag, 25 bags/case
803200	1000mL	PETG	Vented	1 pc/bag, 25 bags/case



250mL




500mL

Centrifuge Bottles

polypropylene (PP) centrifuge Bottles are ideal for applications requiring large volume centrifugation.

Features

- High Density Polyethylene plug seal caps
- Maximum RCF of 6,000xg.
- Bottles are sterile and nonpyrogenic



PN	Capacity	Type	Packaging
806001	500mL	Conical, Plug seal Cap	2 pcs/bag, 20 bags/case
806002	250mL	Conical, Plug seal Cap	4 pcs/bag, 25 bags/case




96-Well Deep Well Plates

Deep well a plates are used for sample collection, in vitro growth chambers and long-term storage. Made of polypropylene, they offer excellent chemical resistance and will withstand temperatures down to -80°C. One set of pierceable sealing films, aluminum-based, self-adhesive.

Features

- Nonpyrogenic and DNase-/RNase-free
- For Research Use Only. Not for use in diagnostic procedures.



PN	Capacity	Type	Packaging
802123	2.2mL	96-well, V-bottom, square well	5 pcs/bag, 10 bags/case
802124	2.2mL	96-well, U-bottom, square well	5 pcs/bag, 10 bags/case
802125	2.2mL	96-well, U-bottom, square well, skirted	5 pcs/bag, 10 bags/case



96-Well Deep Well Tip Combs

Tip combs are made of polypropylene and are ideal for magnetic particle processing because of their low binding affinity for biomolecules. Their special design enables excellent recovery of magnetic beads.

For Research Use Only. Not for use in diagnostic procedures.




PN	Capacity	Packaging
802121	2.2mL	10 pcs/bag, 10 bags/case
802121P01	2.2mL	2 pcs/bag, 50 bags/case

Transport Tubes

Volume range from 5mL to 10mL, available in sterile and non sterile options. Transport tubes offer advanced seal and extended deep cap to prevent leaking when shipping samples.. Screw Cap with skirted self standing tube with round bottom for easy sample extraction. Rnase/Dnase, DNA, pyrogen and endotoxin free.

PN	Capacity	Type	Packaging
8100105	5mL	Orange Cap	2400 tubes/case
8100112	12mL	Orange Cap	1200 tubes/case
8100130	30mL	Orange Cap	1000 tubes/case



Nasal/Throat Sampling Collectors

CellProBio Nasal/Throat Sampling Collectors are flocked swabs that consists of a molded plastic applicator stick with a variable size and shape tip. The swabs also feature a molded breakpoint that allows you to safely and easily break off the swab stick. Soft brush-like texture of the swabs facilitates efficient dislodging of the target cells.

PN	Capacity	Packaging
8100601	Nasal, individually wrapper	200 pcs/box, 10 boxes/case
8100602	Throat, individually wrapper	200 pcs/box, 10 boxes/case
8100604	Children, individually wrapper	200 pcs/box, 10 boxes/case



Sampling Collection Kits

Designed for the collection, transportation, maintenance and long-term storage of viral specimens at room temperature.

5mL Kit

- 5mL transport tube with 2mL solution ×1
- Throat Sampling Collector ×1
- Biohazard bag ×1

12mL Kit

- 12mL transport tube with 3mL solution ×1
- Nasal Sampling Collector ×1
- Biohazard bag ×1

PN	Capacity	Packaging
8100805	5mL Sampling Collection Kits	50 kits/box, 10 boxes/case
8100812	12mL Sampling Collection Kits	50 kits/box, 10 boxes/case



Saliva Sampling Collectors

Simple, Reliable, Cost-effective.

Isolation of nucleic acids from saliva has become a cost-effective and non-invasive alternative to blood or tissue for genotyping and other genetic analyses.

For best results, saliva donors should be instructed to refrain from eating, drinking, using tobacco products, or chewing gum for at least 30 minutes for best results.

Ambient temperature storage and transport.

The saliva collector is a non-invasive, painless saliva sample collection device, Contains saliva preservation fluid, which can ensure the stability of the nucleic acid in the saliva during transportation and storage at room temperature.

The saved saliva samples can be used for nucleic acid extraction and genetic testing.

The saliva collector is composed of a collection funnel, a collection tube, a saliva preservation liquid and a collection tube cover.

The collection of samples of this product is simple and convenient, the user does not need relevant professional skills, and can be easily used without complicated training.

Product Composition

Plastic parts are injection molded with medical grade PP material

The main components of saliva preservation fluid are sodium chloride, tris hydrochloride, disodium edetate, and it does not contain toxic components such as organic solvents.

Product Features

Flexible usage scenarios: It can be used in various places such as laboratories, hospitals, airports, entry and exit ports, homes, etc.

Safe and painless: non-invasive sample collection, completely painless, highly acceptable, one-time use, reducing the risk of infection.

Convenient transportation: transportation at room temperature without cold chain.

Efficient sample processing: the collection tube is suitable for automated batch processing to improve work efficiency



Instructions

- Do not eat, drink, smoke or chew gum within 30 minutes before collecting saliva samples;
- Unscrew the cover of the collection tube and install the collection funnel to the mouth of the tube. During this process, keep tube upright and do not tilt or invert it to prevent the preservation liquid from flowing out of the tube;
- Before spitting saliva, relax your cheeks and gently rub your cheeks for 30 seconds to produce saliva; keep the tube upright and spit saliva into the collection funnel. The amount of saliva collected together with the preservation liquid in the tube must reach 4mL (non-bubbles);
- After the collection is completed, unscrew the collection funnel and cover the collection tube cover. Put a label on the tube and put it in a biosafety bag.

PN	Capacity	Packaging
8100860	Individually Plastic Shell	1 kit/box, 100 kits/case
8100861	Individually Hard Shell	1 kit/box, 100 kits/case

Single-Channel Adjustable Volume Pipette




Features

- Light weight, ergonomic, low force design
- Digital display clearly reads volume setting
- The pipettes cover volume range of 0.1 µL to 10mL
- Easy to calibrate and maintain with tool supplied
- Design helps avoid repetitive strain injuries
- Calibrated in accordance with ISO8655. Each pipette supplied with individual test certificate
- The lower section can be autoclaved

P N	Capacity	Type	Packaging
812001	0.5-10	PremPette, Single-Channel Adjustable Volume Pipette, 0.5-10µL	PC
812002	20-200	PremPette, Single-Channel Adjustable Volume Pipette, 20-200µL	PC
812003	100-1000	PremPette, Single-Channel Adjustable Volume Pipette, 100-1000µL	PC
812004	0.5-10	PremPette, 8-Channel Adjustable Volume Pipette, 0.5-10µL	PC
812005	5-50	PremPette, 8-Channel Adjustable Volume Pipette, 5-50µL	PC
812006	50-300	PremPette, 8-Channel Adjustable Volume Pipette, 50-300µL	PC

Qualification Certificates





Suzhou CellPro Biotechnology Co., Ltd.

Specialized in high-end Biomedical consumables

Working for global life science



Tel

+86-512-8066 7650

E-mail

info@cellprobio.net

Website

www.cellprobio.net

Address

Building 1, No. 18, Dongchang Road, Suzhou Industrial Park, Jiangsu Province