



UAB Meditecha &lt;uab.meditecha@gmail.com&gt;

**BM-100C / accuracy question**

金雪英 &lt;clara.jin@nbdavid.com&gt;

Кому: info &lt;info@meditecha.lt&gt;

Копия: juliejn &lt;juliejn@nbdavid.com&gt;, "artur.meditecha" &lt;artur.meditecha@gmail.com&gt;

Dear Andzej,

**Matavimo paklaida: 1. Pacientams virš 35 savaičių gestacinio amžiaus  $\pm 25.5 \mu\text{mol/L}$ . Pacientams virš 24 savaičių gestacinio amžiaus  $\pm 25.5 \mu\text{mol/L}$ .**

Yes, you're correct,

for BM-100C, measurement accuracy is the same for patients over 35 week gestational age and for patients over 24 week gestation age =  $\pm 25.5 \mu\text{mol/L}$ 
**1.1.3**

Best regards

**Clara Jin**
**Country Manager**
**Ningbo David Medical Device Co., Ltd**
**New Factory Add: #2 KEYUAN ROAD, SHIPU SCIENCE AND TECHNOLOGY PARK, NINGBO, ZHEJIANG PROVINCE, CHINA**

P.C.: 315040 (地址: 浙江省宁波市象山县石浦科技园区科苑路2号)

**New Marketing Centre Add: Bld.5 Smart Park, #98 Chuangyuan Road, Yinzhou District, Ningbo, China**

P.C.: 315048 (地址: 浙江省宁波市鄞州区创苑路98号智慧园5号楼)

Phone : +86 178 1596 0915

 Email: [clara.jin@nbdavid.com](mailto:clara.jin@nbdavid.com)

 Website: [www.nbdavid.com](http://www.nbdavid.com)

**Ningbo David Medical Device Co., Ltd**

 Add: Bldg No. 5 Ningbo Smart Park, #98  
 Chunaguyan Rd, Hi-tech Zone, Ningbo, China

 One of the world leading manufacturer in the field of:  
 Infant Incubator / Infant Radiant Warmer  
 Transport Incubator / Infant T-piece Resuscitator  
 Neonate Bilirubin Phototherapy Unit and others.

CE 0123 ISO13485



From: UAB Meditecha

Date: 2023-06-24 18:13

To: 金雪英

CC: 金晶; Artur Dubinovic

Subject: BM-100C / accuracy question

Dear Clara,

Question about BM-100C accuracy:

In our BM-100C user manual i see accuracy is  $\pm 25.5 \mu\text{mol/L}$ 

How about this TS:

Measurement accuracy: 1. For patients over 35 weeks gestational age  $\leq \pm 25.5 \mu\text{mol/L}$ .2. For patients over 24 weeks gestational age  $\leq \pm 28.00 \mu\text{mol/L}$ 
 Did I understand correctly that the accuracy in the BM-100C is the same for patients over 35 week gestational age and for patients over 24 week gestation age?? =  $\pm 25.5 \mu\text{mol/L}$ 

Thank you.

Best regards,

Andžej Likša

UAB "Meditecha"

CEO

mob. +370 601 71304

el. paštas: [info@meditecha.lt](mailto:info@meditecha.lt)[www.meditecha.lt](http://www.meditecha.lt)