

KONFIDENCIALU



| | |
|--------------------|-----------------------------|
| Test Report | Web Site: v Anti fake co |
| No.: [REDACTED] | Page 1 Of 6 |

| OVERALL RATING | |
|----------------|------|
| √ | PASS |
| | FAIL |
| | DATA |

| | | | |
|--|------------|-----------------------------|------------|
| The following sample(s) was/were submitted and identified by the client as | | | |
| APPLICANT | [REDACTED] | | |
| ADDRESS | [REDACTED] | | |
| SAMPLE DESCRIPTION | [REDACTED] | | |
| END USE | / | | |
| COLOR | Black | CATEGORY# | / |
| STYLE No | / | PO No | / |
| COUNTRY OF DISTRIBUTION | / | COUNTRY OF ORIGIN | / |
| FIBRE CONTENT | / | WEIGHT | / |
| FABRIC CONSTRUCTION | / | COUNT | 1 |
| RETEST | / | PREVIOUS REPORT No | / |
| SAMPLE RECEIVING DATE | 2024-05-20 | TEST COMPLETION DATE | 2024-05-27 |
| Vendor Proposed Care Instruction: | | | |

Remark

- Test Items : For further details, please refer to the following page(s)
- Test Methods : For further details, please refer to the following page(s)

Conclusion: For further details, please refer to the following page(s)





| | |
|--------------------|---|
| Test Report | Web Site: [Redacted] Anti fake co [Redacted] |
| No.: [Redacted] | Page 2 Of 6 |

| TEST ITEM | RESULT | REMARKS |
|----------------------------------|------------|---------|
| Color Fastness to Rubbing | [Redacted] | |
| Fabric Weight Per unit Area | [Redacted] | |
| Pilling Resistance | [Redacted] | |
| Dimensional Stability to Washing | [Redacted] | |
| AP+APEO | [Redacted] | |
| Formaldehyde Content | [Redacted] | |
| Azo | [Redacted] | |
| Fiber Content | [Redacted] | |
| P=PASS. F=FAIL. D=DATA. | | |

Signed for and on behalf of

[Redacted signature line]

[Redacted signature block]

[Redacted signature block]

[Redacted signature block]

[Redacted footer area]



| | | |
|--------------------|---|--|
| Test Report | | Web Site:  |
| No.: |  | Page 3 Of 6 |

Tests Conducted(As Requested By The Applicant)

| Test Result | Requirements | Judgment |
|---|--------------|----------|
| 1. Color Fastness to Rubbing <u>ISO 105 X12:2016</u> | | |
| Unit: <Grade> | | |
| Dry  | ≥ 4 | Pass |
| Wet  | ≥ 4 | |
| 2. Fabric Weight Per unit Area <u>EN 12127:1997</u> | | |
| Unit: <g/m²> | | |
| Result  | 100 ± 10 | Pass |
| 3. Pilling Resistance <u>ISO 12945-2:2020 ISO 12945-4:2020</u>  | | |
| Unit: <Grade> | | |
| After 125 movements test | | Pass |
| Fuzzing  | ≥ 4 | |
| Pilling  | ≥ 4 | |
| After 500 movements test | | Pass |
| Fuzzing  | ≥ 4 | |
| Pilling  | ≥ 4 | |
| After 1000 movements test | | Pass |
| Fuzzing  | ≥ 4 | |
| Pilling  | ≥ 4 | |
| After 2000 movements test | | Pass |
| Fuzzing  | ≥ 4 | |
| Pilling  | ≥ 4 | |
| After 5000 movements test | | Pass |
| Fuzzing  | ≥ 4 | |
| Pilling  | ≥ 4 | |
| Matting  | | |





| | |
|--------------------|--|
| Test Report | Web Site: [Redacted] Anti fake c [Redacted] |
| No.: [Redacted] | Page 4 Of 6 |



| Test Result | Requirements | Judgment |
|-------------|--------------|----------|
|-------------|--------------|----------|

4. Dimensional Stability to Washing ISO 3759:2011,ISO 5077:2007,ISO 6330:2021 washing program 4N

Line to dry

Unit: <%>

After 1st cycle washing

Lengthwise

-2~+2

Pass

Widthwise

-2~+2

Remark:(+) means extension and (-) means shrinkage.

5. AP+APEO ISO 18254-1-2016

Unit: <mg/kg>

NPEO

Pass

OPEO

NPEO+ OPEO

<100

NP

OP

NP+OP

<100

Remark: ND=Not detected

NPEO/OPEO Detection Limit=30mg/kg

NP/OP Detection Limit=10mg/kg

AP+APEO ISO 18254-2-2018

Unit: <mg/kg>

NPEO

Pass

OPEO

NPEO+ OPEO

<100

NP

OP

NP+OP

<100

Remark: ND=Not detected

NPEO/OPEO Detection Limit=30mg/kg

NP/OP Detection Limit=10mg/kg





| | |
|--------------------|-----------------------------|
| Test Report | Web Site: w Anti fake co |
| No.: [Redacted] | Page 5 Of 6 |

| Test Result | Requirements | Judgment |
|--|--------------|----------|
| 6. Formaldehyde Content <i>EN ISO 14184.1:2011 Bath temperature:40 °C,wavelength:412nm.</i> | | |
| Unit: <mg/kg> | | |
| Result [Redacted] | ≤75 | Pass |
| Remark: ND=Not detected | | |
| Detection Limit=16mg/kg | | |

7.AZO-Dyes Test

Client's specification, adoption of the azo dye test methods in accordance with ISO 14362-1:2017(for textile) or ISO 17234-1:2020(for leather).The presence of 4-aminoazobenzene is determined by ISO 14362-3:2017or ISO 17234-2:2020

| No. | CAS No. | Forbidden Arylamine | Result Without extraction [mg/kg] | Result With extraction [mg/kg] |
|-----|----------|---|-----------------------------------|--------------------------------|
| 1 | 92-67-1 | 4-aminobiphenyl | [Redacted] | [Redacted] |
| 2 | 92-87-5 | benzidine | [Redacted] | [Redacted] |
| 3 | 95-69-2 | 4-chloro-o-toluidine | [Redacted] | [Redacted] |
| 4 | 91-59-8 | 2-naphthylamine | [Redacted] | [Redacted] |
| 5 | 97-56-3 | o-aminoazotoluene | [Redacted] | [Redacted] |
| 6 | 99-55-8 | 5-nitro-o-toluidine | [Redacted] | [Redacted] |
| 7 | 106-47-8 | 4-chloroaniline | [Redacted] | [Redacted] |
| 8 | 615-05-4 | 2,4-diaminoanisole | [Redacted] | [Redacted] |
| 9 | 101-77-9 | 4,4-diaminodiphenylmethane | [Redacted] | [Redacted] |
| 10 | 91-94-1 | 3,3-dichlorobenzidine | [Redacted] | [Redacted] |
| 11 | 119-90-4 | 3,3-dimethoxybenzidine | [Redacted] | [Redacted] |
| 12 | 119-93-7 | 3,3-dimethylbenzidine | [Redacted] | [Redacted] |
| 13 | 838-88-0 | 3,3-dimethyl-4,4-diaminodiphenylmethane | [Redacted] | [Redacted] |
| 14 | 120-71-8 | p-cresidine | [Redacted] | [Redacted] |
| 15 | 101-14-4 | 4,4-methylene-bis-(2-chloro-aniline) | [Redacted] | [Redacted] |
| 16 | 101-80-4 | 4,4-oxydianiline | [Redacted] | [Redacted] |
| 17 | 139-65-1 | 4,4-thiodianiline | [Redacted] | [Redacted] |
| 18 | 95-53-4 | o-toluidine | [Redacted] | [Redacted] |
| 19 | 95-80-7 | 2,4-toluylendiamine | [Redacted] | [Redacted] |





| | |
|---------------------------|---|
| Test Report | Web Site:  Anti fake cc  |
| No.: IST24298001-1 | Page 6 Of 6 |

| | | | | |
|--------------|----------|------------------------|---|---|
| 20 | 137-17-7 | 2,4,5-trimethylaniline |  |  |
| 21 | 90-04-0 | o-anisidine | | |
| 22 | 95-68-1 | 2,4-dimethylaniline | | |
| 23 | 87-62-7 | 2,6-dimethylaniline | | |
| 24 | 60-09-3 | 4-aminoazobenzene | | |
| Requirements | | | | |
| Judgment | | | | |

Remark: ND=Not detected
 Detection Limit=5mg/kg

8. Fiber Content *ISO 1833.24-2010*


Unit: <%>

Polyester 

100

Pass 

Original Sample



===== End of Report =====

