

FFR 250 Filter cassette

Item number: 1776

Variant: Filter M5

Filter cassette for circular ducts

The FFR filter cassette is designed for bag filters of the G3, M5 or F7 standard filter types. The cassette is manufactured from galvanised sheet steel with rubber-sealed circular connections and locks with toggle fasteners.

The cassette is fitted with connections for connecting to a pressure sensor. The filters for FFR are BFR bag filters. Available in the G3, M5 or F7 filter classes and are ordered separately and supplied individually. The recommended final pressure drop is 170 Pa for the G3 filter, 200 Pa for the M5 filter and 250 Pa for the F7 filter.



Technical parameters




Dimensions and weights

Duct dimension; Circular, inlet	250	mm
Duct dimension; Circular, outlet	250	mm
Weight	5.8	kg


Others

Duct connection type	Circular
----------------------	----------

Performances



Dimension



$\varnothing A$	B	C	D	E
250	295	298	584	500

Accessories

- DTV500A (96807)
- BFR 250 Coarse 50% Filter (5248)
- BFR 250 Filter Coarse 70% (5241)
- MFRO Manometer (6688)
- BFR 250 ePM1 60% Filter (5224)

Documents

- FFR_FGR_FFK_FFS_Operating_maintenance.pdf
- BVD FILTERKASSETT FFK FFR FGR ID7 .PDF