PRODUCT DATA SHEET
PERIFIX 451 FILTER-SET WITH LOR+PINPAD (4514513)

Attribute Name	Attribute Value
Brand name	Perifix®
Product name (HC)	Perifix®
Product type	Epidural set
Application	Epidural
Type of epidural needle	Epidural
Bevel epidural needle	Tuohy, the year of manufacture is indicated
Graduation	graduated in 1 cm
Outer-ø epidural needle	1.30 mm
Gauge epidural needle	18
Colour epidural needle	pink
Length epidural needle	80.00 mm

Attribute Name	Attribute Value
Length epidural needle (inch)	3 1/4"
Material of mandrin (epidural)	plastic
Application of catheter	Epidural
Type of catheter	Standard
Gauge (Catheter)	20
Outer-ø catheter (metr.)	0.85 mm
Inner-ø catheter (metr.)	0.45 mm
Length of catheter	1000.0 mm
Material of catheter	PA
Catheter eyes	closed tip/3 lateral eyes
X-ray contrastable marking	X-ray contrast thread
Priming volume filter housing	0.45 ml
Pore size (filter)	0.2 µm
max. pressure	7.0 bar
incl. Syringes	1 x Perifix LOR
incl. Needles	-
included catheter connector	Yes
included PinPad	Yes
with SafeConnect	No
Type of packaging	Blister
Product (unpack.) contains PVC	No
Product (unpack.) cont. Latex	No
Product (unpack.) cont. DEHP	No
Product contains PVC	No
Product contains Latex	No

B. Braun Melsungen AG
Carl-Braun-Straße 1
34212 Melsungen | Germany
Tel. +49 5661 710
www.bbraun.com

Date: Nov 27, 2024   Page 2

Attribute Name	Attribute Value
Product contains DEHP	No
Packaging contains PVC	No
Packaging contains Latex	No
Packaging contains DEHP	No
Product contains BPA	No
Product contains Nickel	Yes
Sterility	sterile
Type of Sterilization	EO
Disposable / Reusable	disposable

B. Braun Melsungen AG
Carl-Braun-Straße 1
34212 Melsungen | Germany
Tel. +49 5661 710
www.bbraun.com

Date: Nov 27, 2023   Page 3