

inspiring innovation

# balt product catalogue



## about balt

Globally supporting healthcare professionals with integrity for over 45 years by designing cutting-edge technology and manufacturing reliable products.

In this catalogue, you will find information about our product ranges.

Availability and specifications of our products may change at any time and without notice. Please note that some of our product ranges may not be available in your country.

For additional information or for product pricing, please contact BALT's representative in your country.

O.D. = Outer Diameter

I.D. = Internal Diameter

Ø = Diameter

L = Length

## contents

### access treatment

Introducer sheaths (long) ballast & IVA	6
Guiding catheters fargomini, fargo & fargomax	7
Microcatheters vasco+ & gama	8
Guidewire hybrid	9

### aneurysm treatment

Embolization coil systems barricade, optima & optiMAX	12
Occlusion catheters with balloon copernic, eclipse, baltacci & magic	17
Temporary occlusion catheters copernic 2L & eclipse 2L	18
Intracranial self-expandable stents leo+ baby & leo+	19
Intracranial self-expandable flow diverters silk vista, silk vista baby, silk+ & tapered silk+	20

### avm\* treatment

Progressive supleness microcatheters magic & baltacci	24
Detachable tip microcatheter sonic	25
Venous remodelling balloon copernic RC	26
Detachable balloon goldballoon	27
Catheters for detachable balloons magic & baltacci	27
Liquid embolic agents magic glue & squid	28
Free spiral flow coils	29
Opacifying powder tantalum	29

### stroke treatment

Catheter system titan	32
Stent retriever systems catchview & catch+	33


### cardiovascular and peripheral vascular treatment

<b>Access devices:</b>	
Angiographic catheters pigtail, gensini, nih, femoral renal, usage multiple, cerebral & weinberg	36
<b>AVM treatment:</b>	
Embolization coil prestige plus	37
Free coils FIB & SPI	38
Liquid embolic agents squid peri & magic glue	39
<b>Others:</b>	
Valvuloplasty catheter cristal balloon	41
Angioplasty catheter cristal balloon	41
Opacifying powder tungsten	41

### others

Accessory stopcocks	43
---------------------	----

\*Arterio Venous Malformations



## access treatment

---

Introducer sheaths (long) ballast & IVA	6
Guiding catheters fargomini, fargo & fargomax	7
Microcatheters vasco+ & gama	8
Guidewire hybrid	9

# introducer sheaths (long)

## ballast

Reference	Usable length (cm)	Proximal O.D.	Distal O.D.	I.D.	Hydrophilic coating (cm)	Pack contains
BALLAST80	80	0.106"	0.100"	0.088"	20	Long dilator Introducer sheath 9F Hemostasis valve 8F Hemostasis valve adapter
BALLAST90	90					
BALLAST100	100					
BALLAST105	105					

## IVA

Reference	Usable length (cm)	I.D.	Unit per box
IVA3F	7	3F	10
IVA3F50	50	3F	3
IVA5F45	45	5F	
IVA6F80	80	6F	
IVA6F80ST	80	6F	
IVA6F80ST-MP	Supple Tip = 50 mm	6F	



# guiding catheters

## fargomini


Reference	Proximal O.D. - Distal O.D.	I.D.	Total length (cm)	Super-supple distal tip length (cm)	Curve	Unit per box
FRGMIN4.2F120	4.2 F to 3.9 F	1.02 mm (.040")	120	2.5	Straight (D)/ Multipurpose (MP)	1
FRGMIN4.2F120MP			135	15		
FRGMIN4.2F135						
FRGMIN4.2F135MP						

## fargo

Reference	Proximal O.D. - Distal O.D.	I.D.	Total length (cm)	Super-supple distal tip length (cm)	Curve	Unit per box
FRG6F105_8	6.0 F to 4.9 F	1.46 mm (.058")	105	8	Straight (D)/ Multipurpose (MP)	5
FRG6F105_8MP			115			
FRG6F115_8						
FRG6F115_8MP						
FRG6F125_8			125			
FRG6F125_8MP			135	15		
FRG6F135_15						
FRG6F135_15MP						

## fargomax

Reference	Proximal O.D. - Distal O.D.	I.D.	Total length (cm)	Super-supple distal tip length (cm)	Curve	Unit per box
FRGMAX6F95_8	6.0F to 6.0F	1.78 mm (.070")	95	8	Straight (D)/ Multipurpose (MP)	5
FRGMAX6F95_8MP			105			
FRGMAX6F105_8						
FRGMAX6F105_8MP						
FRGMAX6F115_8			115			
FRGMAX6F115_8MP			125			
FRGMAX6F125_8						
FRGMAX6F125_8MP						



# microcatheters



VASCO+

37 P.D

Reference	Proximal O.D. - Distal O.D.	I.D.	Total length (cm)	Recommended max guidewire	Curve	No. of ORX markers
VASCO+10 D	2.2F to 1.9F	.017"	155	.014"	Straight (D)	2
VASCO+10 MP					Multipurpose (MP)	
VASCO+10 MH D	2.7F to 2.1F	.017"	155	.014"	Straight (D)	3
VASCO+10 MH MP					Multipurpose (MP)	
VASCO+18 D	3.3F to 3.0F	.021"	155	.018"	Straight (D)	2
VASCO+18 MP					Multipurpose (MP)	
VASCO+21 D	4.0F to 3.8F	.024"	155	.021"	Straight (D)	1
VASCO+ 21 MP					Multipurpose (MP)	
VASCO+25 D	4.0F to 3.8F	.029"	155	.025"	Straight (D)	1
VASCO+25 MP					Multipurpose (MP)	
VASCO+28 D	4.0F to 3.8F	.032"	155	.028"	Straight (D)	1
VASCO+ 28 MP					Multipurpose (MP)	
VASCO+35 D	3.4F to 3.3F	.040"	135	.035"	Straight (D)	1
VASCO+ 35 MP					Multipurpose (MP)	
VASCO+35ASPI D	5.1F to 5.1F	.040"	140	.035"	Straight (D)	1
VASCO+35ASPI MP					Multipurpose (MP)	

gama

Reference	Proximal O.D. - Distal O.D.	I.D.	Total length (cm)	Recommended max guidewire	Curve	No. of ORX markers	Extra supple part length (mm)
GAMA17D	2.5F to 2.2F	.017"	160	.014"	Straight (D)	2	50
GAMA17DS							100



# guidewire

hybrid

Reference	Distal O.D.	Length (cm)	Compatible with	Curve
HYBRID007D	.007" (0.18 mm)	220	sonic 1.2F magic 1.2F *others compatible with .007" guidewire	Straight (D)
HYBRID007J	.007" (0.18 mm)	220		Double Angle (J)
HYBRID008D	.008" (0.20 mm)	220	sonic 1.5F magic 1.5F *others compatible with .008" guidewire	Straight (D)
HYBRID008J	.008" (0.20 mm)	220		Double Angle (J)
HYBRID007D.120	.007" (0.18 mm)	120	Shorter length for use with baltacci 1.2 FP	Straight (D)
HYBRID1214D	.012" (0.30 mm)	200	vasco+10 vasco +18 vasco+21 eclipse copernic	Straight (D)
HYBRID1214DA	.012" (0.30 mm)	200	*others compatible with .012" guidewire	Double Angle (J)
HYBRID014D	.014" (0.35 mm)	200	vasco+10 vasco +18 vasco+21 copernic RC *others compatible with .014" guidewire	Straight (D)
HYBRID10D300	.010" (0.25 mm)	310	Exchange eclipse or copernic for coiling and PTA catheters	Straight (D)
HYBRID12D300	.012" (0.30 mm)	310		Straight (D)





## aneurysm treatment

---

Embolization coil systems barricade, optima & optiMAX	12
Occlusion catheters with balloon copernic, eclipse, baltacci & magic	17
Temporary occlusion catheters copernic 2L & eclipse 2L	18
Intracranial self-expandable stents leo+ baby & leo+	19
Intracranial self-expandable flow diverters silk vista, silk vista baby, silk+ & tapered silk+	20

# embolization coil systems

## barricade

### 10 Complex Framing Coil

Reference	Large loop diameter	Length
9000000203FR10	2mm	3cm
9000010255FR10	2.5mm	5cm
9000020306FR10	3mm	6cm
9000030407FR10	4mm	7cm
9000680413FR10	4mm	13cm
9000050509FR10	5mm	9cm
9000690517FR10	5mm	17cm
9000070611FR10	6mm	11cm
9000700620FR10	6mm	20cm
9000090713FR10	7mm	13cm
9000710724FR10	7mm	24cm
9000110816FR10	8mm	16cm
9000720827FR10	8mm	27cm
9000140923FR10	9mm	23cm
9000730930FR10	9mm	30cm
9000161027FR10	10mm	27cm
9000741034FR10	10mm	34cm

### 18 Complex Framing Coil

Reference	Large loop diameter	Length
9000170616FR18	6mm	16cm
9000180719FR18	7mm	19cm
9000770827FR18	8mm	27cm
9000780930FR18	9mm	30cm
9000791034FR18	10mm	34cm
9000801137FR18	11mm	37cm
9000811240FR18	12mm	40cm
9000821343FR18	13mm	43cm
9000831447FR18	14mm	47cm
9000841550FR18	15mm	50cm

### 10 Complex Finishing Coil

Reference	Large loop diameter	Length
9001300101CF10	1mm	1cm
9001010102CF10	1mm	2cm
9001310103CF10	1mm	3cm
9001020152CF10	1.5mm	2cm
9001030153CF10	1.5mm	3cm
9001040154CF10	1.5mm	4cm
9001050202CF10	2mm	2cm
9001060203CF10	2mm	3cm
9001070204CF10	2mm	4cm
9001080206CF10	2mm	6cm
9001100253CF10	2.5mm	3cm
9001110254CF10	2.5mm	4cm
9001130304CF10	3mm	4cm
9001140306CF10	3mm	6cm
9001150308CF10	3mm	8cm
9001160310CF10	3mm	10cm
9001330354CF10	3.5mm	4cm
9001340356CF10	3.5mm	6cm
9001350358CF10	3.5mm	8cm
9001180406CF10	4mm	6cm
9001190408CF10	4mm	8cm
9001200410CF10	4mm	10cm
9001230508CF10	5mm	8cm
9001240510CF10	5mm	10cm
9001250513CF10	5mm	13cm

### 10 Helical Finishing Coil

Reference	Large loop diameter	Length
9001260101FN10	1mm	1cm
9001270102FN10	1mm	2cm
9001280103FN10	1mm	3cm
9001290104FN10	1mm	4cm
9000460151FN10	1.5mm	1cm
9000470152FN10	1.5mm	2cm
9000480153FN10	1.5mm	3cm
9000930154FN10	1.5mm	4cm
9000490201FN10	2mm	1cm
9000500202FN10	2mm	2cm
9000510203FN10	2mm	3cm
9000520204FN10	2mm	4cm
9000950206FN10	2mm	6cm
9000960208FN10	2mm	8cm
9000530253FN10	2.5mm	3cm
9000540254FN10	2.5mm	4cm
9000550256FN10	2.5mm	6cm
9000560304FN10	3mm	4cm
9000570306FN10	3mm	6cm
9000980308FN10	3mm	8cm
9000990310FN10	3mm	10cm
9000580406FN10	4mm	6cm
9000590408FN10	4mm	8cm
9001000410FN10	4mm	10cm
9000600506FN10	5mm	6cm
9000610508FN10	5mm	8cm
9000620510FN10	5mm	10cm
9000630606FN10	6mm	6cm
9000640608FN10	6mm	8cm
9000650610FN10	6mm	10cm

### 10 Helical Filling Coil

Reference	Large loop diameter	Length
9000270304FL10	3mm	4cm
9000280306FL10	3mm	6cm
9000290308FL10	3mm	8cm
9000300310FL10	3mm	10cm
9000310404FL10	4mm	4cm
9000320406FL10	4mm	6cm
9000330408FL10	4mm	8cm
9000340410FL10	4mm	10cm
9000850415FL10	4mm	15cm
9000860420FL10	4mm	20cm
9000350510FL10	5mm	10cm
9000360515FL10	5mm	15cm
9000870520FL10	5mm	20cm
9000370610FL10	6mm	10cm
9000380615FL10	6mm	15cm
9000390620FL10	6mm	20cm
9000400715FL10	7mm	15cm
9000410720FL10	7mm	20cm
9000910730FL10	7mm	30cm
9000420820FL10	8mm	20cm
9000430830FL10	8mm	30cm
9000440930FL10	9mm	30cm
9000451030FL10	10mm	30cm

### Handheld Detachment

Reference
CBL002

### Cable Detachment Box

Reference
ED2-BL



# embolization coil systems

## optima

### Complex 10 Standard

Reference	Implant size
OPTI0306CST10	3mm x 6cm
OPTI0308CST10	3mm x 8cm
OPTI0407CST10	4mm x 7cm
OPTI0413CST10	4mm x 13cm
OPTI0509CST10	5mm x 9cm
OPTI0517CST10	5mm x 17cm
OPTI0611CST10	6mm x 11cm
OPTI0620CST10	6mm x 20cm
OPTI0713CST10	7mm x 13cm
OPTI0724CST10	7mm x 24cm
OPTI0816CST10	8mm x 16cm
OPTI0827CST10	8mm x 27cm
OPTI0923CST10	9mm x 23cm
OPTI0930CST10	9mm x 30cm
OPTI1027CST10	10mm x 27cm
OPTI1034CST10	10mm x 34cm

### Complex 10 Soft

Reference	Implant size
OPTI0203CSF10	2mm x 3cm
OPTI0204CSF10	2mm x 4cm
OPTI0206CSF10	2mm x 6cm
OPTI0208CSF10	2mm x 8cm
OPTI0255CSF10	2.5mm x 5cm
OPTI0306CSF10	3mm x 6cm
OPTI0356CSF10	3.5mm x 6cm
OPTI0308CSF10	3mm x 8cm
OPTI0310CSF10	3mm x 10cm
OPTI0407CSF10	4mm x 7cm
OPTI0410CSF10	4mm x 10cm
OPTI0413CSF10	4mm x 13cm
OPTI0417CSF10	4mm x 17cm
OPTI4510CSF10	4.5mm x 10cm
OPTI0509CSF10	5mm x 9cm
OPTI0517CSF10	5mm x 17cm
OPTI0520CSF10	5mm x 20cm
OPTI0611CSF10	6mm x 11cm
OPTI0615CSF10	6mm x 15cm
OPTI0620CSF10	6mm x 20cm
OPTI0713CSF10	7mm x 13cm
OPTI0724CSF10	7mm x 24cm
OPTI0816CSF10	8mm x 16cm
OPTI0827CSF10	8mm x 27cm

### Complex 10 Super Soft

Reference	Implant size
OPTI0101CSS10	1mm x 1cm
OPTI0102CSS10	1mm x 2cm
OPTI0103CSS10	1mm x 3cm
OPTI0104CSS10	1mm x 4cm
OPTI0152CSS10	1.5mm x 2cm
OPTI0153CSS10	1.5mm x 3cm
OPTI0154CSS10	1.5mm x 4cm
OPTI0202CSS10	2mm x 2cm
OPTI0203CSS10	2mm x 3cm
OPTI0204CSS10	2mm x 4cm
OPTI0206CSS10	2mm x 6cm
OPTI0208CSS10	2mm x 8cm
OPTI0210CSS10	2mm x 10cm
OPTI0253CSS10	2.5mm x 3cm
OPTI0254CSS10	2.5mm x 4cm
OPTI0256CSS10	2.5mm x 6cm
OPTI0258CSS10	2.5mm x 8cm
OPTI0304CSS10	3mm x 4cm
OPTI0306CSS10	3mm x 6cm
OPTI0308CSS10	3mm x 8cm
OPTI0310CSS10	3mm x 10cm
OPTI0356CSS10	3.5mm x 6cm
OPTI0358CSS10	3.5mm x 8cm
OPTI0406CSS10	4mm x 6cm
OPTI0408CSS10	4mm x 8cm
OPTI0410CSS10	4mm x 10cm
OPTI0412CSS10	4mm x 12cm
OPTI0508CSS10	5mm x 8cm
OPTI0510CSS10	5mm x 10cm
OPTI0513CSS10	5mm x 13cm

### Complex 18

Reference	Implant size
OPTI0510COM18	5mm x 10cm
OPTI0620COM18	6mm x 20cm
OPTI0724COM18	7mm x 24cm
OPTI0827COM18	8mm x 27cm
OPTI0930COM18	9mm x 30cm
OPTI1034COM18	10mm x 34cm
OPTI1137COM18	11mm x 37cm
OPTI1240COM18	12mm x 40cm
OPTI1343COM18	13mm x 43cm
OPTI1447COM18	14mm x 47cm
OPTI1550COM18	15mm x 50cm
OPTI1655COM18	16mm x 55cm
OPTI1860COM18	18mm x 60cm
OPTI2065COM18	20mm x 65cm
OPTI2265COM18	22mm x 65cm
OPTI2465COM18	24mm x 65cm

### Helical 10 Soft

Reference	Implant size
OPTI0304HSF10	3mm x 4cm
OPTI0306HSF10	3mm x 6cm
OPTI0308HSF10	3mm x 8cm
OPTI0310HSF10	3mm x 10cm
OPTI0315HSF10	3mm x 15cm
OPTI0406HSF10	4mm x 6cm
OPTI0408HSF10	4mm x 8cm
OPTI0410HSF10	4mm x 10cm
OPTI0420HSF10	4mm x 20cm
OPTI0506HSF10	5mm x 6cm
OPTI0508HSF10	5mm x 8cm
OPTI0510HSF10	5mm x 10cm
OPTI0520HSF10	5mm x 20cm
OPTI0606HSF10	6mm x 6cm
OPTI0608HSF10	6mm x 8cm
OPTI0610HSF10	6mm x 10cm
OPTI0620HSF10	6mm x 20cm

### Helical 10 Standard

Reference	Implant size
OPTI0615HST10	6mm x 15cm
OPTI0620HST10	6mm x 20cm
OPTI0720HST10	7mm x 20cm
OPTI0730HST10	7mm x 30cm
OPTI0820HST10	8mm x 20cm
OPTI0830HST10	8mm x 30cm
OPTI0930HST10	9mm x 30cm
OPTI1030HST10	10mm x 30cm

### Helical 10 Super Soft

Reference	Implant size
OPTI0101HSS10	1mm x 1cm
OPTI0102HSS10	1mm x 2cm
OPTI0103HSS10	1mm x 3cm
OPTI0104HSS10	1mm x 4cm
OPTI0151HSS10	1.5mm x 1cm
OPTI0152HSS10	1.5mm x 2cm
OPTI0153HSS10	1.5mm x 3cm
OPTI0154HSS10	1.5mm x 4cm
OPTI0201HSS10	2mm x 1cm
OPTI0202HSS10	2mm x 2cm
OPTI0203HSS10	2mm x 3cm
OPTI0204HSS10	2mm x 4cm
OPTI0206HSS10	2mm x 6cm
OPTI0208HSS10	2mm x 8cm
OPTI0253HSS10	2.5mm x 3cm
OPTI0254HSS10	2.5mm x 4cm
OPTI0256HSS10	2.5mm x 6cm
OPTI0304HSS10	3mm x 4cm
OPTI0306HSS10	3mm x 6cm
OPTI0308HSS10	3mm x 8cm
OPTI0310HSS10	3mm x 10cm
OPTI0406HSS10	4mm x 6cm
OPTI0408HSS10	4mm x 8cm
OPTI0410HSS10	4mm x 10cm
OPTI0506HSS10	5mm x 6cm
OPTI0508HSS10	5mm x 8cm
OPTI0510HSS10	5mm x 10cm

# embolization coil systems

## optima

### OptiMAX Complex Super Soft

Reference	Implant size
OPTI0101CSSMX	1mm x 1cm
OPTI0102CSSMX	1mm x 2cm
OPTI0103CSSMX	1mm x 3cm
OPTI0152CSSMX	1.5mm x 2cm
OPTI0153CSSMX	1.5mm x 3cm
OPTI0202CSSMX	2mm x 2cm
OPTI0203CSSMX	2mm x 3cm
OPTI0204CSSMX	2mm x 4cm
OPTI0206CSSMX	2mm x 6cm
OPTI2525CSSMX	2.5mm x 2.5cm
OPTI0255CSSMX	2.5mm x 5cm
OPTI0303CSSMX	3mm x 3cm
OPTI0307CSSMX	3mm x 7cm
OPTI0310CSSMX	3mm x 10cm
OPTI3535CSSMX	3.5mm x 3.5cm
OPTI0355CSSMX	3.5mm x 5cm
OPTI0358CSSMX	3.5mm x 8cm

### OptiMAX Helical Super Soft

Reference	Implant size
OPTI0101HSSMX	1mm x 1cm
OPTI0102HSSMX	1mm x 2cm
OPTI0103HSSMX	1mm x 3cm
OPTI1515HSSMX	1.5mm x 1.5cm
OPTI0153HSSMX	1.5mm x 3cm
OPTI0202HSSMX	2mm x 2cm
OPTI0204HSSMX	2mm x 4cm
OPTI0206HSSMX	2mm x 6cm
OPTI0208HSSMX	2mm x 8cm
OPTI2525HSSMX	2.5mm x 2.5cm
OPTI2535HSSMX	2.5mm x 3.5cm
OPTI0255HSSMX	2.5mm x 5cm
OPTI0305HSSMX	3mm x 5cm
OPTI0310HSSMX	3mm x 10cm
OPTI0315HSSMX	3mm x 15cm

### XCEL Detachment Controller

Reference	Pack contents
XCEL	1 detachment controller

### OptiMAX Complex Soft


Reference	Implant size
OPTI0404CSFMX	4mm x 4cm
OPTI0407CSFMX	4mm x 7cm
OPTI0410CSFMX	4mm x 10cm
OPTI0413CSFMX	4mm x 13cm
OPTI4545CSFMX	4.5mm x 4.5cm
OPTI4510CSFMX	4.5mm x 10cm
OPTI0507CSFMX	5mm x 7cm
OPTI0510CSFMX	5mm x 10cm
OPTI0515CSFMX	5mm x 15cm
OPTI0517CSFMX	5mm x 17cm
OPTI0611CSFMX	6mm x 11cm
OPTI0615CSFMX	6mm x 15cm
OPTI0620CSFMX	6mm x 20cm
OPTI0715CSFMX	7mm x 15cm
OPTI0720CSFMX	7mm x 20cm
OPTI0820CSFMX	8mm x 20cm
OPTI0830CSFMX	8mm x 30cm
OPTI0930CSFMX	9mm x 30cm
OPTI1030CSFMX	10mm x 30cm
OPTI1040CSFMX	10mm x 40cm
OPTI1140CSFMX	11mm x 40cm
OPTI1245CSFMX	12mm x 45cm
OPTI1345CSFMX	13mm x 45cm
OPTI1445CSFMX	14mm x 45cm
OPTI1550CSFMX	15mm x 50cm
OPTI1650CSFMX	16mm x 50cm
OPTI1850CSFMX	18mm x 50cm
OPTI2050CSFMX	20mm x 50cm

### OptiMAX Helical Soft

Reference	Implant size
OPTI0410HSFMX	4mm x 10cm
OPTI0412HSFMX	4mm x 12cm
OPTI0420HSFMX	4mm x 20cm
OPTI0515HSFMX	5mm x 15cm
OPTI0520HSFMX	5mm x 20cm
OPTI0615HSFMX	6mm x 15cm
OPTI0620HSFMX	6mm x 20cm
OPTI0720HSFMX	7mm x 20cm
OPTI0830HSFMX	8mm x 30cm
OPTI0930HSFMX	9mm x 30cm
OPTI1040HSFMX	10mm x 40cm

# occlusion catheters with balloon

## copernic



Reference	Total length (cm)	Balloon length (mm)	Balloon diameter (mm)	Maximum volume (mL)	Guidewire recommended
SCOPERNIC10	160	10	3 to 5	0.25	Compatible with .012" guidewire (packaging includes a HYBRID1214D)
SCOPERNIC15		15		0.35	
SCOPERNIC20		20		0.4	
SCOPERNIC30		30		0.5	
COPERNIC10	160	10	3 to 5	0.25	Compatible with .012" guidewire (not included in the package)
COPERNIC15		15		0.35	
COPERNIC20		20		0.4	
COPERNIC30		30		0.5	

## eclipse



Reference	Total length (cm)	Balloon length (mm)	Balloon diameter (mm)	Maximum volume (mL)	Guidewire recommended
SECLIPSE7	160	7	4 to 6	0.2	Compatible with .012" guidewire (packaging includes a HYBRID1214D)
SECLIPSE9		9		0.25	
SECLIPSE12		12		0.3	
SECLIPSE15		15		0.4	
SECLIPSE20		20		0.5	
ECLIPSE7	160	7	4 to 6	0.2	Compatible with .012" guidewire (not included in the package)
ECLIPSE9		9		0.25	
ECLIPSE12		12		0.3	
ECLIPSE15		15		0.4	
ECLIPSE20		20		0.5	

## baltacci



Reference	Total length (cm)	Balloon length (mm)	Balloon diameter (mm)	Maximum volume (mL)	Guidewire recommended
BALTACCIB1	163	6 to 9	4 to 6	0.2	/

## magic

Reference	Total length (cm)	Balloon length (mm)	Balloon diameter (mm)	Maximum volume (mL)	Guidewire recommended
MAGICB1	155	9	6	0.2	/
MAGICB2	155	18	6	0.5	/


# temporary occlusion catheters

## copernic 2L

Reference	Balloon (mm)		Distal tip O.D. x length	I.D.	Double lumen outer dimensions	
	Ø	L		(main lumen)	Thickness	Width
COP2L 6X20	6	20	2.5F x 12mm	Ø 0.60mm (.024") (equivalent to vasco+21)	Ø 0.9mm (equivalent to 2.7F)	1.26mm

## eclipse 2L

Reference	Balloon (mm)		Distal tip O.D. x length	I.D.	Double lumen outer dimensions		Number of ORX markers
	Ø	L		(main lumen)	Thickness	Width	
ECL2L 6X7 SN	6	7	2.0F x 3mm	Ø 0.41mm (.017") (equivalent to vasco+10)	Ø 0.9mm (equivalent to 2.7F)	1.10mm	4
ECL2L 6X9	6	9	2.0F x 7mm				3
ECL2L 6X12	6	12					3
ECL2L 6X15	6	15					3
ECL2L 6X20	6	20					3



# intracranial self-expandable stents

## 8 P.D

### leo+ baby (2.0 to 3.0)

Reference	Vessel Ø (mm)	Stent's length at nominal Ø (mm)	Stent's mesh size	Unconstrained stent		Compatible delivery catheters
				Ø (mm)	length (mm)	
LEO.2.0x8	1.5 to 2.5	8	1.8F	2.8	8	vasco+10
LEO.2.0x10		10			12	
LEO.2.0x12		12			12	
LEO.2.0x15		15			15	
LEO.2.0x18		18			12	
LEO.2.0x25*		25			16	
LEO.2.5x12	2.0 to 3.1	12	1.9F	3.2	8	vasco+10
LEO.2.5x18		18			12	
LEO.2.5x25		25			16	
LEO.2.5x30*		29			19	
LEO.2.5x35*		35		23		
LEO.3.0x12	2.5 to 3.6	12	1.9F	3.8	9	vasco+10
LEO.3.0x18		18			13	
LEO.3.0x25		25			16	
LEO.3.0x35		35			24	

### leo+ (3.5 to 5.5)

packaging includes a vasco+

Reference	Vessel Ø (mm)	Stent's length at nominal Ø (mm)	Stent's mesh size	Unconstrained stent		Compatible delivery catheters
				Ø (mm)	length (mm)	
LEO.3.5x12	3.10 to 4.25	12	2.1F	4.4	9	vasco+21
LEO.3.5x18		18			12	
LEO.3.5x25		25			17	
LEO.3.5x30		30			19	
LEO.3.5x35		35			24	
LEO.3.5x50		50			36	
LEO.4.0X15	3.75 to 4.75	17	2.1F	4.9	12	vasco+21
LEO.4.0X20		21			15	
LEO.4.0X25		26			18	
LEO.4.0X30		30			21	
LEO.4.0X35		36			25	
LEO.4.0X40		41			29	
LEO.4.0X50	52	37				
LEO.4.5x15	4.25 to 5.30	15	2.4F	5.4	12	vasco+25
LEO.4.5x20		21			15	
LEO.4.5x25		26			18	
LEO.4.5x30		30			21	
LEO.4.5x40		40			28	
LEO.4.5x50		51			37	
LEO.4.5x75	75	55				
LEO.5.5x25	5.30 to 6.50	26	2.4F	6.7	18	vasco+28
LEO.5.5x30		31			21	
LEO.5.5x35		36			26	
LEO.5.5x50		52			35	
LEO.5.5x60		60			42	
LEO.5.5x75		75			51	

\*manufactured on demand

# intracranial self-expandable flow diverters

## silk vista baby

Reference	Nominal stent Ø (mm)	Stent's length at nominal Ø (mm)	Unconstrained stent		Delivery catheters ID
			Ø (mm)	length (mm)	
SILK_V_2.25X10	2.25	10.5	2.5	8	.017"
SILK_V_2.25X15		16		12	
SILK_V_2.25X20		22		15.5	
SILK_V_2.50X10	2.50	10	2.75	8	.017"
SILK_V_2.50X15		15		13	
SILK_V_2.50X20		20		15	
SILK_V_2.75X10	2.75	12.5	3	9	.017"
SILK_V_2.75X15		17		12	
SILK_V_2.75X20		22		15	
SILK_V_2.75X25		26.5		18.5	
SILK_V_3.00X10	3.00	10	3.25	7	.017"
SILK_V_3.00X15		15		10.5	
SILK_V_3.00X20		20		13.5	
SILK_V_3.00X25		25		17	
SILK_V_3.25X10	3.25	11	3.5	8.5	.017"
SILK_V_3.25X15		16.5		12.5	
SILK_V_3.25X20		21		15	
SILK_V_3.25X25		26		18	

## silk vista

Reference	Nominal stent Ø (mm)	Stent's length at nominal Ø (mm)	Unconstrained stent		Delivery catheters ID
			Ø (mm)	length (mm)	
SILK_V_3.50X15	3.50	15	3.75	11.50	.021"
SILK_V_3.50X20		20		15.50	
SILK_V_3.50X25		25		19.50	
SILK_V_3.50X30		30		22.50	
SILK_V_3.50X35		35		26.50	
SILK_V_3.50X40		40		30	
SILK_V_3.75X15	3.75	15	4.00	12	.021"
SILK_V_3.75X20		20		15	
SILK_V_3.75X25		25		19	
SILK_V_3.75X30		30		22	
SILK_V_4.00X15	4.00	15	4.25	11.50	.021"
SILK_V_4.00X20		20		15	
SILK_V_4.00X25		25		18.50	
SILK_V_4.00X30		30		22	
SILK_V_4.25X15	4.25	15	4.50	11.50	.021"
SILK_V_4.25X20		20		15	
SILK_V_4.25X25		25		18	
SILK_V_4.25X30		30		22.50	
SILK_V_4.50X15	4.50	15	4.75	11.50	.021"
SILK_V_4.50X20		20		15.50	
SILK_V_4.50X25		25		19	
SILK_V_4.50X30		30		22.50	
SILK_V_4.75X15	4.75	15	5.00	11.50	.021"
SILK_V_4.75X20		20		15	
SILK_V_4.75X25		25		18	
SILK_V_4.75X30		30		21	

## silk+

packaging includes a vasco+

Reference	Vessel Ø (mm)	Stent's length at nominal Ø (mm)	Unconstrained stent		Delivery catheters
			Ø (mm)	length (mm)	
SILK2.0x10*	1.50 to 2.25	10	2.5	6	vasco+21
SILK2.0x15		15		10	
SILK2.0x20		20		11	
SILK2.5x10*	2.00 to 2.75	10	3	7	vasco+21
SILK2.5x15		15		10	
SILK2.5x20		20		13	
SILK2.5x25		25		25	
SILK3.0x10*	2.50 to 3.25	10	3.5	7	vasco+21
SILK3.0x15		15		10	
SILK3.0x20		20		13	
SILK3.0x25		25		16	
SILK3.0x30		30		19	
SILK3.5x10*	3.00 to 3.75	10	4	9	vasco+21
SILK3.5x15		15		11	
SILK3.5x20		20		12	
SILK3.5x25		25		14	
SILK3.5x30		30		15	
SILK3.5x35		35		17	
SILK4.0x15	3.50 to 4.25	15	4.5	10	vasco+21
SILK4.0x20		20		12	
SILK4.0x25		25		14	
SILK4.0x30		30		16	
SILK4.0x35		35		18	
SILK4.0x40		40		20	
SILK4.5x15	4.00 to 4.75	15	5	8	vasco+21
SILK4.5x20		20		10	
SILK4.5x25		25		12	
SILK4.5x30		30		15	
SILK4.5x35		35		17	
SILK4.5x40		40		19	
SILK5.0x20*	4.50 to 5.25	20	5.5	9	vasco+25
SILK5.0x25		25		11	
SILK5.0x30		30		13	
SILK5.0x40		40		17	
SILK5.5x25	5.00 to 5.75	25	6	11	
SILK5.5x30		30		13	
SILK5.5x40		40		17	
SILK5.5x50*		50		23	

## tapered silk+

packaging includes a vasco+

Reference	Vessel Ø (mm)	Vessel Ø distal (mm)	Stent's length at nominal Ø proximal (mm)	Stent length at nominal Ø distal (mm)	Unconstrained stent		Delivery catheters
					Ø (mm)	length (mm)	
SILKP4.0D3.0x30	3.50 to 4.25	2.50 to 3.25	12	10	4.5/3.5	15	vasco+21
SILKP4.5D3.0x25	4.00 to 4.75	2.50 to 3.25	12	10	5.0/3.5	20	
SILKP4.5D3.5x30	4.00 to 4.75	3.00 to 3.75	11	15	5.0/4.0	16	

\*manufactured on demand



## avm treatment

---

Progressive suppleness microcatheters magic & baltacci	24
Detachable tip microcatheter sonic	25
Venous remodelling balloon copernic RC	26
Detachable balloon goldballoon	27
Catheters for detachable balloons magic & baltacci	27
Liquid Embolic agents magic glue & squid	28
Free spiral flow coils	29
Opacifying powder tantalum	29

# progressive suppleness microcatheters


**11 P.D**

## magic

Reference	Total length (cm)	Guidewire max	Distal tip O.D.	Turquoise pursil O.D. (F) x L (cm)	White pursil O.D. (F) x L (cm)	Pink pursil O.D. (F) x L (cm)	Torver O.D. (F) x L (cm)	Dead space (ml)
MAGIC1.2F	165	.008"	1.2F	1.2 x 12	1.8 x 3	2.4 x 30	2.7 x 114	0.38
MAGIC1.2FM	165		1.2F	1.2 x 3	1.8 x 12	2.4 x 30		0.38
MAGIC1.2FM180	180		1.2F	1.2 x 3	1.8 x 17	2.4 x 40		0.40
MA1.2FOLIVE	165		1.2F	1.2 x 12	1.8 x 3	2.4 x 30		0.38
MAGIC1.5F	160	.009"	1.5F	/	1.5 x 15	2.4 x 25	2.7 x 114	0.37
MA1.5FMP	165		1.5F	/	1.5 x 20			0.38
MA1.5FOLIVEMP	165		1.5F	/	1.5 x 20			0.38
MAGICSTD	155	.010"	1.8F	/	1.8 x 10	2.4 x 25	2.7 x 114	0.37
MAGICMP	165		1.8F	/	1.8 x 20			0.38

## baltacci

Reference	Total length (cm)	Guidewire max	Super supple part O.D. (F) x L (cm)	Supple part length (cm)	Torver O.D. (F) x L (cm)
BALTACCI1.2F	165	.007"	1.2 x 8	22	2.7 x 129
BALTACCI1.2FP	100				2.7 x 64
BALTACCI1.5F	165	.009"	1.5 x 10	20	2.7 x 129
BALTACCI1.8F	165	.009"	1.8 x 10	20	2.7 x 129
BALTACCI1.8FP	100				2.7 x 70





# detachable tip microcatheters

## sonic

packaging contains a hybrid

Reference	Total length (cm)	Distal tip O.D.	Distal tip I.D. (mm)	Fusecath length (cm)	Dead space		Max reflux (cm)	Compatible guidewire included / not included
					with adapter (ml)	without adapter (ml)		
SONIC1.2F15	167	1.2F	0.23	1.5	0.24	0.28	2	.007"
SONIC1.2F15SG	167	1.2F	0.23	1.5	0.24		2	.007" <b>Guidewire not included</b>
SONIC1.2F25	167	1.2F	0.23	2.5	0.25	0.29	3	.007"
SONIC1.2F25SG	167	1.2F	0.23	2.5	0.29		3	.007" <b>Guidewire not included</b>
SONIC1.2F35	167	1.2F	0.23	3.5	0.25	0.29	4	.007"
SONIC1.2F25.190	190	1.2F	0.23	2.5	0.28	0.32	3	.007"
SONIC1.5F15	167	1.5F	0.3	1.5	0.26	0.3	2	.008"
SONIC1.5F25	167	1.5F	0.3	2.5	0.26	0.3	3	
SONIC1.5F35	167	1.5F	0.3	3.5	0.25	0.29	4	
SONIC1.5F45	167	1.5F	0.3	4.5	0.26	0.3	5	



# venous remodelling balloon

## copernic RC

Reference	Total length (cm)	Balloon length (mm)	Balloon diameter (mm)	Catheter outer maximum diameter	Guidewire recommended	Compatible guiding catheter
COPERNIC8X80RC	160	80	8	4.35F (1.45mm)	compatible with .014" guidewire	Fargomax 6F (I.D.: 1.78 mm/.070")
COPERNIC10X80RC			10	5F (1.6mm)		



# detachable balloon

## goldballoon

Reference	Volume (mL)	Inflated DxL (mm)	Collar Ø (mm)	Minimum guiding catheter internal Ø (mm)
GOLDBAL1	0.25	7x10	0.9	1.75
GOLDBAL2	0.6	7x20		1.75
GOLDBAL3	0.5	9x11		2.2
GOLDBAL4	0.75	9x16		2.2
GOLDBAL5	2.5	12x28		2.8
GOLDBAL6	3	15x25	1.05	3
GOLDBAL12X13SP	0.9	12x13		3.10

# catheters for detachable balloons

## magic

Reference	Ø Proximal / distal (F)	Length (cm)
MABDTE	2.7 / 1.8	165

## baltacci

Reference	Ø Proximal / distal (F)	Length (cm)
BALTACCIBDPE	2.7 / 2.4	163
BALTACCIBDPE100	2.7 / 2.5	100



# liquid embolic agents

## magic glue

Reference	Description	Packaging	Recommended used	Compatibility
MG121	1 mL vial	6 vials per box 2 boxes per reference	1 mL of magic glue for 2 mL of Lipiodol	magic sonic baltacci

## squid

Reference	Viscosity	Density	Description	Vial	Compatibility
SQUID34	34cP	/	High viscosity & standard radiopacity	1.5 mL	gama sonic eclipse 2l
SQUID34LD	34cP	30% less than SQUID34	High viscosity & less radiopacity		
SQUID18	18cP	/	Standard viscosity & standard radiopacity		
SQUID18LD	18cP	30% less than SQUID18	Standard viscosity & less radiopacity		
SQUID12	12cP	/	Low viscosity & standard radiopacity		
SQUID12LD	12cP	30% less than SQUID12	Low viscosity & less radiopacity		
SQUID34_3	34cP	/	High viscosity & standard radiopacity	3 mL	gama sonic eclipse 2l
SQUID34LD_3	34cP	30% less than SQUID34	High viscosity & less radiopacity		
SQUID18_3	18cP	/	Standard viscosity & standard radiopacity		
SQUID18LD_3	18cP	30% less than SQUID18	Standard viscosity & less radiopacity		
SQUID12_3	12cP	/	Low viscosity & standard radiopacity		
SQUID12LD_3	12cP	30% less than SQUID12	Low viscosity & less radiopacity		



# free spiral

## flow coils

Reference	Diameter (mm)	Length (cm)	Compatible with	Unit per box
SPIF 2.5x5P10	2.5	5	magic & sonic	5
SPIF 2.5x10P10	2.5	10		
SPIF 2.5x20P10	2.5	18.5		

# opacifying powder

## tantalum

Reference	N° of vials in 1 box	Grams/vial (g)
TANTALE 0.5	8	0.5





## stroke treatment

---

Catheter system titan 32

Stent retriever systems catchview & catch+ 33

# catheter system

## titan 036

Reference	Working length (cm)	Proximal O.D.	Distal O.D.	Distal I.D.	Hydrophilic coating (cm)
TC036-2	160	.056"	.049"	.036"	90

## titan 070

Reference	Working length (cm)	Proximal O.D.	Distal O.D.	Distal I.D.	Hydrophilic coating (cm)
TC070-2	128	.083"	.0805"	.070"	90

## titan kit

packaging includes a titan 036 and a titan 070

Reference	Working length (cm)	Proximal O.D.	Distal O.D.	Distal I.D.	Hydrophilic coating (cm)
TC070-036_2	128 / 160	.083" / .056"	.0805" / .049"	.070" / .036"	90



# stent retriever systems



82 P.D


## catchview

Reference	Stent length at Ø nom (mm)	Unconstrained stent Ø (mm)	Working length (mm)	Pusher length (cm)	N° of markers RX			Compatible delivery catheter I.D.
					Distal.	Corps	Proximal.	
CATCHMINI10	19	4	10	200	3	0	1	.017"
CATCHMINI15	24		15		3	0	1	
CATCHMINI20	29		20		3	0	1	
CATCHV20	33	5	20	200	3	3	2	.021"
CATCHV35	48		35		3	8	2	
CATCHVMAXI30	45	6	30	200	3	9	2	.021"
CATCHVMAXI40	56		40		3	15	2	
CATCHVMAXI50	67		50		3	12	2	

## catch+

Reference	Stent Ø (mm)	Length (mm)	Characteristics	Unconstrained stent Ø (mm)	Pusher length (cm)	Compatible delivery catheter I.D.
CATCHMINI3x15	3	15	for vessels up to Ø 3mm	4	200	.017"
CATCH	4	20	for vessels up to Ø 4mm	5		.021"
CATCHMAXI6x30	6	30	for vessels up to Ø 6mm	6.5		.024"





## peripheral vascular treatment

### Access device:

**Angiographic catheters** pigtail, gensini, nih, femoral renal, usage multiple, cerebral & weinberg 36

### AVM treatment:

**Embolization coil** prestige plus 37

**Free coils** FIB & SPI 38

**Liquid embolic agents** squid peri & magic glue 39

### Others:

**Valvuloplasty catheter** cristal balloon 41

**Angioplasty catheter** cristal balloon 41

**Opacifying powder** tungsten 41

access device:  
angiographic catheters

pigtail

Reference	Outer diameter	Length (cm)	CEillet	Max pressure	Unit per box
C3F70P	3F	70	4	58 bars/850 PSI	5
C4F70P	4F	70	4	58 bars/850 PSI	
C5F110P	5F	110	8	79 bars/1140 PSI	

gensini

Reference	Outer diameter	Length (cm)	CEillet	Max pressure	Unit per box
C4F70GE	4F	70	4	58 bars/850 PSI	5

nih

Reference	Outer diameter	Length (cm)	CEillet	Max pressure	Unit per box
C4F70NI	4F	70	4	58 bars/850 PSI	5

femoral renal

Reference	Outer diameter	Length (cm)	CEillet	Max pressure	Unit per box
C5F80FR	5F	80	2	79 bars/1140 PSI	5

usage multiple

Reference	Outer diameter	Length (cm)	CEillet	Max pressure	Unit per box
C6F110UM.0	6F	110	0	79 bars/1140 PSI	5

cerebral

Reference	Outer diameter	Length (cm)	CEillet	Max pressure	Unit per box
C3F70CE10	3F	70	0	58 bars/850 PSI	5
C6F40CE6	6F	40	0	79 bars/1140 PSI	

weinberg

Reference	Outer diameter	Length (cm)	CEillet	Max pressure	Unit per box
C6F110WEIN	6F	110	0	79 bars/1140 PSI	5

detachable coils:  
prestige

40 P.D

Complex Xtra Pack

Reference	Implant size
PRES0202CXPPPL	2mm x 2cm
PRES0204CXPPPL	2mm x 4cm
PRES0206CXPPPL	2mm x 6cm
PRES0307CXPPPL	3mm x 7cm
PRES0310CXPPPL	3mm x 10cm

Helical Xtra Pack

Reference	Implant size
PRES0204HXPPL	2mm x 4cm
PRES0206HXPPL	2mm x 6cm
PRES0208HXPPL	2mm x 8cm
PRES0310HXPPL	3mm x 10cm
PRES0315HXPPL	3mm x 15cm

Complex 18

Reference	Implant size
PRES1240COM18	12mm x 40cm
PRES1447COM18	14mm x 47cm
PRES1655COM18	16mm x 55cm
PRES1860COM18	18mm x 60cm
PRES2065COM18	20mm x 65cm
PRES2465COM18	24mm x 65cm

Complex Pack

Reference	Implant size
PRES0407CPKPL	4mm x 7cm
PRES0410CPKPL	4mm x 10cm
PRES0413CPKPL	4mm x 13cm
PRES0510CPKPL	5mm x 10cm
PRES0517CPKPL	5mm x 17cm
PRES0620CPKPL	6mm x 20cm
PRES0720CPKPL	7mm x 20cm
PRES0830CPKPL	8mm x 30cm
PRES0930CPKPL	9mm x 30cm
PRES1030CPKPL	10mm x 30cm
PRES01040CPKPL	10mm x 40cm

Helical Pack

Reference	Implant size
PRES0410HPKPL	4mm x 10cm
PRES0420HPKPL	4mm x 20cm
PRES0515HPKPL	5mm x 15cm
PRES0520HPKPL	5mm x 20cm
PRES0620HPKPL	6mm x 20cm
PRES0720HPKPL	7mm x 20cm
PRES0830HPKPL	8mm x 30cm
PRES0930HPKPL	9mm x 30cm
PRES1040HPKPL	10mm x 40cm

ULTRA Detachment Controller

Reference	Pack contents
ULTRA	1 detachment controller



## free coils made of platinum: spirals

### FIB P32

Reference	Ø (mm)	Length (mm)	Units per box
FIB 4x50P32	4	50	5
FIB 5x60P32	5	60	5
FIB 6x60P32	6	60	5
FIB 8x60P32	8	60	5
FIB 8x100P32	8	100	5
FIB 8x200P32	8	200	5
FIB 10x100P32	10	100	5
FIB 12x200P32	12	200	5
FIB 15x250P32	15	250	5

FIB – Free spirals made of platinum with fibers

Compatible guidewire	Compatible microcatheter
0.038"	Angiography catheter 5F with ID between 1.1mm and 1.25mm

### FIB P15

Reference	Ø (mm)	Length (mm)	Units per box
FIB 2x25P15	2	25	5
FIB 3x25P15	3	25	5
FIB 3x50P15	3	50	5
FIB 4x30P15	4	30	5
FIB 4x50P15	4	50	5
FIB 5x60P15	5	60	5
FIB 7x60P15	7	60	5

Compatible guidewire	Compatible microcatheter
0.021"	Angiography catheter 3F with I.D. between 0.6mm and 0.7mm



### SPI P37

Reference	Ø (mm)	Length (mm)	Units per box
SPI 5x300P37	5	300	5
SPI 6x30P37	6	30	5
SPI 6x60P37	6	60	5
SPI 6x120P37	6	120	5
SPI 6x300P37	6	300	5
SPI 8x60P37	8	60	5
SPI 8x120P37	8	120	5
SPI 8x300P37	8	300	5
SPI 10x60P37	10	60	5
SPI 10x120P37	10	120	5
SPI 10x300P37	10	300	5
SPI 10x400P37	10	400	5
SPI 16x60P37	16	60	5
SPI 16x300P37	16	300	5
SPI 16x450P37	16	450	5

SPI – Free spirals made of platinum without fibers

Compatible guidewire	Compatible microcatheter
0.038"	Angiography catheter 5F with I.D. between 1.1mm and 1.25mm

### SPI P18

Reference	Ø (mm)	Length (mm)	Units per box
SPI 2x25P18	2	25	5
SPI 2x50P18	2	50	5
SPI 3x50P18	3	50	5
SPI 3x80P18	3	80	5
SPI 4x120P18	4	120	5
SPI 5x150P18	5	150	5
SPI 7x150P18	7	150	5
SPI 9x150P18	9	150	5
SPI 11x150P18	11	150	5

Compatible guidewire	Compatible microcatheter
HYBRID1214 Ou 0.014" max	vasco+18

## liquid embolic agent

### magic glue

Reference	Description	Packaging	Recommended used	Compatibility
MG121	1 mL vial	6 vials per box 2 boxes per reference	1 mL of magic glue for 2 mL of Lipiodol	sonic gama

### squid peri

Reference	Viscosity	Density	Description	Vial	Compatibility
SQUIDPERI34	34cP	/	High viscosity & standard radiopacity	1.5 mL	sonic gama eclipse 2L
SQUIDPERI34LD	34cP	30% less than squid 34	High viscosity & less radiopacity		
SQUIDPERI18	18cP	/	Standard viscosity & standard radiopacity		
SQUIDPERI18LD	18cP	30% less than squid 18	Standard viscosity & less radiopacity		
SQUIDPERI12	12cP	/	Low viscosity & standard radiopacity	3 mL	
SQUIDPERI12LD	12cP	30% less than squid 12	Low viscosity & less radiopacity		
SQUID34PERI_3	34cP	/	High viscosity & standard radiopacity		
SQUID34LDPERI_3	34cP	30% less than SQUID 34	High viscosity & less radiopacity		
SQUID18PERI_3	18cP	/	Standard viscosity & standard radiopacity		
SQUID18LDPERI_3	18cP	30% less than SQUID18	Standard viscosity & less radiopacity		
SQUID12PERI_3	12cP	/	Low viscosity & standard radiopacity		
SQUID12LDPERI_3	12cP	30% less than SQUID12	Low viscosity & less radiopacity		


Squid peri – EVOH-based liquid embolic agent

## opacifying powder

### tungsten

Reference	N° of vials in 1 box	Grams/vial (g)	Units per box
TUNGSTENE 0,5	8	0.5	8
TUNGSTENE 2	2	2	2





## valvuloplasty & angiography catheters: cristal balloon

### ✓ valvuloplasty catheters

30 P.D

Reference	Balloon Ø x L (mm)	Lc (cm)	Long sheath	Guidewire	Units per box
CBV12x30/110	12 x 30	110	7F	.038"	2
CBV15x30/110	15 x 30		8F		
CBV15x40/110	15 x 40				
CBV16x40/110	16 x 40		8F		
CBV18x30/110	18 x 30				
CBV18x40/110	18 x 40				
CBV18x45/110	18 x 45				
CBV20x30/110	20 x 30		10F		
CBV20x40/110	20 x 40				
CBV20x45/110	20 x 45		12F		
CBV23x45/110	23 x 45				
CBV25x40/110	25 x 40				
CBV25x50/110	25 x 50		15F		
CBV28x50/110	28 x 50				
CBV30x60/110	30 x 60	70	6F	.035"	
CBVP8x20/70	8 x 20		6F		
CBVP10x20/70	10 x 20		7F		
CBVP12x20/70	12 x 20		8F		
CBVP15x25/70	15 x 25				

### angioplasty catheters

Reference	Balloon Ø x L (mm)	Lc (cm)	Long sheath	Guidewire	Units per box
CBP8x3035/110	8 x 30	110	6F	.035"	2
CBP10x30/110	10 x 30				
CBP12x40/110	12 x 40		7F		

## others

accessory stopcocks

43

## accessory

### stopcocks

Reference	Max pressure resistance	Kit per box
ANRYV	20 bars	20
RYVA	20 bars	25
RYVA.LUER	20 bars	25

Ballast, Barricade, Optima Coil System, Prestige, Titan are manufactured by Balt USA LLC, 29 Parker, Irvine, CA 92618, USA. ED2BL is manufactured by Standard Instruments GmbH, Werftstrasse 12, 76189 Karlsruhe, Germany. SQUID/SQUIDPERI is manufactured by EMBO-FLUSSIGKEITEN AG, Route des Avouillons 30, CH-1196 GLAND, Switzerland. Magic Glue is manufactured by Peters Surgical SAS, 42 rue Benoît Frachon 93013 Bobigny Cedex, France. Other products are manufactured by BALT Extrusion SAS. ULTRA detachment controller is manufactured by STANDARD INSTRUMENTS.

The content of this document, in particular data, information, trademarks and logos is BALT SAS and affiliates's sole property. © 2022 BALT SAS and affiliates, all rights reserved. All representation and/or reproduction, whether in part or in full, is forbidden and would be considered a violation of BALT SAS and affiliates' copyrights and other intellectual proprietary rights. This document with associated pictures is non-contractual and is solely dedicated to healthcare professionals and BALT's distributors (BALT's supplier's distributors). It cannot be distributed or given to patients. The products commercialized by BALT shall exclusively be used in accordance with the instructions for use included in the boxes. DC030GB (08/2022)



Balt

10, rue de la Croix Vigneron,  
95160 Montmorency, France

Tél. : +33 (0)1 39 89 46 41  
Fax : +33 (0)1 34 17 03 46

[www.baltgroup.com](http://www.baltgroup.com)

