

- *Steel ball bearing system for high load ability of the slides*
- *High-performance wheels on special axles for a long lasting life*
- *Large range of measures and wide choice of finishes and packing have made the Comfy range a star in the drawer slide market*



Affordable drawer slides

Ball bearing runner solutions

Roller slide updated technology

Ease of assembly

Excellent load ability

Comfy is driving drawers in hundred of millions of cabinets throughout the world for several decades. It is still the most competitive slide system for affordable furniture. It benefits from constant technological updates as well as of a range of state-of-the-art accessories.





Comfy 135 to screw-on

Benefits for the industry

- Fastened to drawer with chipboard screws
- Better sliding on steel ball bearings
- Greater side-to-side stability
- Unlocking device


Benefits for the consumer

- Lasting quality thanks to optimised materials
- Large range of depths from 300 to 600 mm
- Excellent load ability with 35kg dynamic standard capacity throughout the range

Code	Description	Packing
54.5135.07.300.00	Comfy 135 for 300mm deep drawer (1 pair)	20 pairs per box
54.5135.07.350.00	Comfy 135 for 350mm deep drawer (1 pair)	20 pairs per box
54.5135.07.400.00	Comfy 135 for 400mm deep drawer (1 pair)	20 pairs per box
54.5135.07.450.00	Comfy 135 for 450mm deep drawer (1 pair)	20 pairs per box
54.5135.07.500.00	Comfy 135 for 500mm deep drawer (1 pair)	20 pairs per box
54.5135.07.550.00	Comfy 135 for 550mm deep drawer (1 pair)	20 pairs per box
54.5135.07.600.00	Comfy 135 for 600mm deep drawer (1 pair)	20 pairs per box


Finish: zinc.

Single extension side mount ball bearing slide




Slides fixing dimensions



CABINET MEMBER



DRAWER MEMBER



Drawer mounting & dimensions



L	300	350	400	450	500	550	600
AV	92	94	96	98	118	128	143

L = COMFY SLIDE NOMINAL LENGTH
AV = EXTENSION LOSS



Comfy 135K for pull-out shelf solution

Benefits for the industry

- Top fixing with adjustable brackets
- Better sliding on steel ball bearings
- Stopping device
- Unlocking device

Benefits for the consumer

- Lasting quality thanks to optimised materials
- Large range of depths from 300 to 600 mm
- Excellent load ability with 35kg dynamic standard capacity throughout the range


Code	Description	Packing
54.5135.07.30K.00	Comfy 135K for 300mm deep shelf (1 kit)	10 kits per box
54.5135.07.35K.00	Comfy 135K for 350mm deep shelf (1 kit)	10 kits per box
54.5135.07.40K.00	Comfy 135K for 400mm deep shelf (1 kit)	10 kits per box
54.5135.07.45K.00	Comfy 135K for 450mm deep shelf (1 kit)	10 kits per box
54.5135.07.50K.00	Comfy 135K for 500mm deep shelf (1 kit)	10 kits per box
54.5135.07.55K.00	Comfy 135K for 550mm deep shelf (1 kit)	10 kits per box
54.5135.07.60K.00	Comfy 135K for 600mm deep shelf (1 kit)	10 kits per box

Finish: zinc.



Packing in kit composed by:

- 1 right slide
- 1 left slide
- 4 brackets
- 4 flat head screws M4
- 8 self tapping screws (Ø4x15 mm).

Pull-out shelf ball bearing slide



Slides fixing dimensions




L	300	350	400	450	500	550	600
A	224	288	320	384	416	480	480

H	59.9	71.1	82.3	93.5
----------	------	------	------	------

L = COMFY SLIDE NOMINAL LENGTH

Shelf fixing dimensions



L	300	350	400	450	500	550	600
B	296.5	346.5	396.5	446.5	496.5	546.5	596.5
C	192	256	288	352	384	448	512
D	35.5	21.5	39.5	25.5	43.5	29.5	15.5
AV	102.5	102.5	102.5	102.5	102.5	102.5	102.5

AV = EXTENSION LOSS



Comfy 145 full extension

Benefits for the industry

- Useful progressive full extension ball bearing runners
- Fastened to drawer with chipboard screws
- Better sliding on steel ball bearings
- Unlocking device


Benefits for the consumer

- Full extraction for improved accessibility and increased comfort
- Large range of depths from 250 to 700 mm
- Excellent load ability with 35kg dynamic standard capacity throughout the range

Code	Description	Packing
54.5145.07.250.00	Comfy 145 for 250mm deep drawer (1 pair)	10 pairs per box
54.5145.07.300.00	Comfy 145 for 300mm deep drawer (1 pair)	10 pairs per box
54.5145.07.350.00	Comfy 145 for 350mm deep drawer (1 pair)	10 pairs per box
54.5145.07.400.00	Comfy 145 for 400mm deep drawer (1 pair)	10 pairs per box
54.5145.07.450.00	Comfy 145 for 450mm deep drawer (1 pair)	10 pairs per box
54.5145.07.500.00	Comfy 145 for 500mm deep drawer (1 pair)	10 pairs per box
54.5145.07.550.00	Comfy 145 for 550mm deep drawer (1 pair)	10 pairs per box
54.5145.07.600.00	Comfy 145 for 600mm deep drawer (1 pair)	10 pairs per box
54.5145.07.650.00	Comfy 145 for 650mm deep drawer (1 pair)	10 pairs per box
54.5145.07.700.00	Comfy 145 for 700mm deep drawer (1 pair)	10 pairs per box


Finish: zinc.

Full extension side mount ball bearing slide




Slides fixing dimensions



CABINET MEMBER



DRAWER MEMBER



Drawer mounting & dimensions



Values given in mm

Comfy 145 SlowMotion



Comfy 145 SlowMotion solution

Benefits for the industry

- Damped solution with last generation technology
- Useful progressive full extension ball bearing runners
- Fastened to drawer with chipboard screws
- Better sliding on steel ball bearings
- Unlocking device


Benefits for the consumer

- Silent and controlled
- Large range of depths from 350 to 700 mm
- Excellent load ability with 35kg dynamic standard capacity throughout the range

Code	Description	Packing
54.5145.C7.35X.00	Comfy 145 SlowMotion for 350mm deep drawer (1 pair)	10 pairs per box
54.5145.C7.40X.00	Comfy 145 SlowMotion for 400mm deep drawer (1 pair)	10 pairs per box
54.5145.C7.45X.00	Comfy 145 SlowMotion for 450mm deep drawer (1 pair)	10 pairs per box
54.5145.C7.50X.00	Comfy 145 SlowMotion for 500mm deep drawer (1 pair)	10 pairs per box
54.5145.C7.55X.00	Comfy 145 SlowMotion for 550mm deep drawer (1 pair)	10 pairs per box
54.5145.C7.60X.00	Comfy 145 SlowMotion for 600mm deep drawer (1 pair)	10 pairs per box
54.5145.C7.65X.00	Comfy 145 SlowMotion for 650mm deep drawer (1 pair)	10 pairs per box
54.5145.C7.70X.00	Comfy 145 SlowMotion for 700mm deep drawer (1 pair)	10 pairs per box


Finish: zinc.

Full extension & SlowMotion ball bearing slide




Slides fixing dimensions


CABINET MEMBER




DRAWER MEMBER



Drawer mounting & dimensions





Comfy 082 screw-on

Benefits for the industry

- Large range of depths from 270 to 600 mm
- Choice of colours to match the furniture tone
- Tolerant, thanks to unilateral guiding constraint
- Ease of assembly on standard drawers
- Excellent load ability with 25kg dynamic standard capacity throughout the range
- Add-on SlowMotion^{FR} damping with stop-close feature and FinalRelease feature

Benefits for the consumer

- Lasting quality thanks to optimised materials
- Ease of extraction of drawer for cleaning
- Easy retrofit solution for DIY applications
- Adaptive SlowMotion^{FR} damping for noiseless closing optional

SCREW FIXING VERSION


Code	Description
54.5082.0*.27.000•.0	Comfy 082 for 270mm deep drawer (1 set)
54.5082.0*.30.000•.0	Comfy 082 for 300mm deep drawer (1 set)
54.5082.0*.35.000•.0	Comfy 082 for 350mm deep drawer (1 set)
54.5082.0*.40.000•.0	Comfy 082 for 400mm deep drawer (1 set)
54.5082.0*.45.000•.0	Comfy 082 for 450mm deep drawer (1 set)
54.5082.0*.50.000•.0	Comfy 082 for 500mm deep drawer (1 set)
54.5082.0*.55.000•.0	Comfy 082 for 550mm deep drawer (1 set)
54.5082.0*.60.000•.0	Comfy 082 for 600mm deep drawer (1 set)

* colour finishes: 1 = White Ral 9010 / 2 = Brown Ral 8014 / 3 = Black Ral 9005 / 8 = Silver Ral 9006.

• packing: 0 = 4 boxes with 100 profiles each / 2 = 1 box with 25 sets taped.

DOWEL FIXING VERSION

Standard position for the dowels




Code	Description	Packing
54.5084.-*.27.0000.0	Comfy 082 for 270mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5084.-*.30.0000.0	Comfy 082 for 300mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5084.-*.35.0000.0	Comfy 082 for 350mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5084.-*.40.0000.0	Comfy 082 for 400mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5084.-*.45.0000.0	Comfy 082 for 450mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5084.-*.50.0000.0	Comfy 082 for 500mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5084.-*.55.0000.0	Comfy 082 for 550mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5084.-*.60.0000.0	Comfy 082 for 600mm deep drawer (1 set)	4 boxes with 100 profiles each




- dowel: A = 8x11 / D = 8x8 / O = 10x10.

* colour finishes: 1 = White Ral 9010 / 2 = Brown Ral 8014 / 3 = Black Ral 9005 / 8 = Silver Ral 9006.

Single extension bottom mount roller slide




Slides fixing dimensions



☒ = ON DEMAND

Products could have pilot holes not shown in the drawings which are not contractual

Drawer mounting & dimensions



L	270	300	350	400	450	500	550	600
AV	90	90	90	100	100	100	118	118

L = COMFY SLIDE NOMINAL LENGTH
AV = EXTENSION LOSS

Values given in mm



Comfy R82 crimp fixing

Benefits for the industry

- Large range of depths from 270 to 550 mm
- Choice of colours to match the furniture tone
- Tolerant, thanks to unilateral guiding constraint
- Ease of assembly thanks to crimp-on feature
- Excellent load ability with 25kg dynamic standard capacity throughout the range
- Add-on SlowMotion^{FR} damping with stop-close feature and FinalRelease feature

Benefits for the consumer

- Lasting quality thanks to optimised materials
- Ease of extraction of drawer for cleaning
- Easy retrofit solution for DIY applications
- Adaptive SlowMotion^{FR} damping for noiseless closing optional


SCREW FIXING VERSION

Code	Description	Packing
54.5R82.0*.27.N000.0	Comfy R82 for 270mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R82.0*.30.N000.0	Comfy R82 for 300mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R82.0*.35.N000.0	Comfy R82 for 350mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R82.0*.40.N000.0	Comfy R82 for 400mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R82.0*.45.N000.0	Comfy R82 for 450mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R82.0*.50.N000.0	Comfy R82 for 500mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R82.0*.55.N000.0	Comfy R82 for 550mm deep drawer (1 set)	4 boxes with 100 profiles each

* colour finishes: 1 = White Ral 9010 / 2 = Brown Ral 8014 / 3 = Black Ral 9005 / 8 = Silver Ral 9006.

DOWEL FIXING VERSION

Standard position for the dowels




Code	Description	Packing
54.5R84.-*.27.N000.0	Comfy R82 for 270mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R84.-*.30.N000.0	Comfy R82 for 300mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R84.-*.35.N000.0	Comfy R82 for 350mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R84.-*.40.N000.0	Comfy R82 for 400mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R84.-*.45.N000.0	Comfy R82 for 450mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R84.-*.50.N000.0	Comfy R82 for 500mm deep drawer (1 set)	4 boxes with 100 profiles each
54.5R84.-*.55.N000.0	Comfy R82 for 550mm deep drawer (1 set)	4 boxes with 100 profiles each

- dowel: A = 8x11 / D = 8x8 / O = 10x10.


* colour finishes: 1 = White Ral 9010 / 2 = Brown Ral 8014 / 3 = Black Ral 9005 / 8 = Silver Ral 9006.

Single extension bottom mount roller slide




Slides fixing dimensions (For cabinet members, see page 323 / Comfy 082)


DRAWER MEMBER LEFT



DRAWER MEMBER RIGHT





Drawer mounting & dimensions



L	270	300	350	400	450	500	550
AV	90	90	90	100	100	100	118

L = COMFY SLIDE NOMINAL LENGTH
AV = EXTENSION LOSS



SLIDES

SlowMotion Zeta ANYWAY



Technical specifications:

- Solution for drawers equipped with Comfy 082/R82 roller slides
- Fully integrated dampened self-closing mechanism
- Silent closing movement and guaranteed pull close of the drawer
- Retrofit solution for all heights and depth of drawers
- Easy to use for drawers made in wood, chipboard or MDF
- Simple screw-on assembly on cabinet and drawer
- Damping effect to provide high-end feel to entry level drawers

PACK IN KIT



SLOWMOTION ZETA DAMPER



SLOWMOTION ZETA BRACKETS



Code

59.072S.**.Z0X._0C1

59.0720.01.Z0X._020

59.072S.**.Z00.0020

****Colour of plastic brackets:**

01 = White RAL 9010

02 = Brown RAL 8014

06 = Grey RAL 7042.

_ Damper Fixing:

0 = selftapping screws fixing 2x (Ø4x20 mm)

E = euro screws fixing 2x (Ø6.3x20 mm)

Description

Kit SlowMotion Zeta ANYWAY for Comfy 082 slides

SlowMotion Zeta ANYWAY Damper – White RAL 9010

Comfy 082 slide fixing bracket

Packing

100 kits per box

200 pieces per box

200 pieces per box

Kit composed by:

1 Damper

1 Fixing bracket



1 Drilling template

Fixing screws.

Application:

Number of SlowMotion Zeta ANYWAY recommended




Drawer	WIDTH					
	300 350	400 450	500	600	700	800 900
270	1	1	1	1	2	2
300	1	1	1	1	2	2
350	1	1	1	1	2	2
400	1	1	1	1	2	2
450	1	1	1	2	2	2
500	1	1	2	2	2	2
550	1	1	2	2	2	2
600	1	1	2	2	2	2







Assembly:

SlowMotion Zeta damper on the cabinet




SlowMotion Zeta brackets on the drawer



Fittings

Euro screw



Code

1A.0751.01280CF

1A.0751.01180CF

Description

Euro screw L=12


Euro screw L=10

Packing

5.000 pieces per box

5.000 pieces per box

Selftapping screw



Code

1A.0350.34.150CF

1A.0350.34.250CF

Description

Selftapping screw L=12


Selftapping screw L=15

Packing

20.000 pieces per box

15.000 pieces per box

Dowel



Code

2H011070230CF

2H011070340CF

2H011070440CF

Description

Dowel Ø8 x L11 - black plastic

Dowel Ø10 x L10 - white plastic

Dowel Ø10 x L7.5 - white plastic


Packing

10.000 pieces per box

10.000 pieces per box

10.000 pieces per box

Dowel with spacer



Code

2H019212810CF

2H019213060CF

2H019212860CF

2H019213460CF

2H019212760CF

Description

Spacer H4 with dowel Ø10 x L10 - brown plastic

Spacer H5 with dowel Ø10 x L10 - brown plastic

Spacer H4 with dowel Ø10 x L10 - grey plastic


Spacer H4.5 with dowel Ø10 x L10 - grey plastic

Spacer H9 with dowel Ø8 x L8 - grey plastic

Packing

10.000 pieces per box

Spacer



<u>Code</u>	<u>Description</u>	<u>Packing</u>
2H41774460CF	Spacer H2 - grey plastic	10.000 pieces per box
2H41774160CF	Spacer H4 - grey plastic	10.000 pieces per box
2H41774260CF	Spacer H8 - grey plastic	10.000 pieces per box
2H41774360CF	Spacer H12 - grey plastic	10.000 pieces per box