

MonoLoc Locking Plates System

Limbs

Straight Locking Plates

Metaphyseal Locking Compression Plates 3.5/4.5

4.15



Specification	
Thickness (mm)	4.2
Width (mm)	13
Material	PT

Code	Model No.	Size	Length (mm)
22520003	SDDG41	5+3H	118
22520004	SDDG41	5+4H	136
22520005	SDDG41	5+5H	154
22520006	SDDG41	5+6H	172
22520007	SDDG41	5+7H	190
22520008	SDDG41	5+8H	208
22520009	SDDG41	5+9H	226
22520011	SDDG41	5+11H	262
22520013	SDDG41	5+13H	298
22520015	SDDG41	5+15H	334

Reconstruction Locking Plates 3.5



Specification	
Thickness (mm)	3
Width (mm)	10
Material	PT

Code	Model No.	Size	Length (mm)
22551005	SDDZ36	5H	64
22551006	SDDZ36	6H	77
22551007	SDDZ36	7H	90
22551008	SDDZ36	8H	103
22551009	SDDZ36	9H	116
22551010	SDDZ36	10H	129
22551011	SDDZ36	11H	142
22551012	SDDZ36	12H	155
22551013	SDDZ36	13H	168
22551014	SDDZ36	14H	181
22551015	SDDZ36	15H	194
22551016	SDDZ36	16H	207
22551018	SDDZ36	18H	233

Locking compression Plates 4.5/5.0, narrow

4.12



Specification	
Thickness (mm)	4.8
Width (mm)	13.5
Material	PT

Code	Model No.	Size	Length (mm)
22521004	SDDZ38	4H	89
22521005	SDDG38	5H	107
22521006	SDDG38	6H	125
22521007	SDDG38	7H	143
22521008	SDDG38	8H	161
22521009	SDDG38	9H	179
22521010	SDDG38	10H	197
22521011	SDDG38	11H	215
22521012	SDDG38	12H	233
22521013	SDDG38	13H	251
22521014	SDDG38	14H	269
22521016	SDDG38	16H	287

Locking compression Plates 4.5/5.0, broad

4.11



Specification	
Thickness (mm)	6
Width (mm)	17.5
Material	PT

Code	Model No.	Size	Length (mm)
22587006	SDDG39	6H	107
22587007	SDDG39	7H	125
22587008	SDDG39	8H	143
22587009	SDDG39	9H	161
22587010	SDDG39	10H	179
22587011	SDDG39	11H	197
22587012	SDDG39	12H	215
22587013	SDDG39	13H	233
22587014	SDDG39	14H	251
22587015	SDDG39	15H	269
22587016	SDDG39	16H	287
22587017	SDDG39	17H	305
22587018	SDDG39	18H	323

MonoLoc Locking Plates System

Limbs

Straight Locking Plates 4.13

Reconstruction Locking Plates 5.0



Specification	
Thickness (mm)	3.3
Width (mm)	12
Material	PT

Code	Model No.	Size	Length (mm)
22552003	SDDZ36	3H	48
22552004	SDDZ36	4H	64
22552005	SDDZ36	5H	80
22552006	SDDZ36	6H	96
22552007	SDDZ36	7H	112
22552008	SDDZ36	8H	128
22552009	SDDZ36	9H	144
22552010	SDDZ36	10H	160
22552011	SDDZ36	11H	176
22552012	SDDZ36	12H	192
22552013	SDDZ36	13H	208
22552014	SDDZ36	14H	224
22552015	SDDZ36	15H	240
22552016	SDDZ36	16H	256

Shoulder

Clavicular Locking S-Plates 3.5



Specification	
Thickness (mm)	2.5
Width (mm)	10
Material	PT

Code	Model No.	Size	Direction	Length (mm)
22554206	SDXZ28	6H	Left	61.8
22554207	SDXZ28	7H	Left	77.1
22554208	SDXZ28	8H	Left	91.3
22554209	SDXZ28	9H	Left	92
22554210	SDXZ28	10H	Left	103.9
22554212	SDXZ28	12H	Left	127.7
22554106	SDXZ27	6H	Right	61.8
22554107	SDXZ27	7H	Right	77.1
22554108	SDXZ27	8H	Right	91.3
22554109	SDXZ27	9H	Right	92
22554110	SDXZ27	10H	Right	103.9
22554112	SDXZ27	12H	Right	127.7

Anterolateral Clavicular Locking Compression Plate, 2.7/3.5



Specification	
Thickness (mm)	3.1
Width (mm)	10.5
Material	PT

Code	Model No.	Size	Direction	Length (mm)
22578210	SDXZ08	10H	Left	68
22578211	SDXZ08	11H	Left	80
22578212	SDXG08	12H	Left	92
22578213	SDXG08	13H	Left	104
22578214	SDXG08	14H	Left	116
22578215	SDXG08	15H	Left	128
22578110	SDXZ07	10H	Right	68
22578111	SDXZ07	11H	Right	80
22578112	SDXG07	12H	Right	92
22578113	SDXG07	13H	Right	104
22578114	SDXG07	14H	Right	116
22578115	SDXG07	15H	Right	128

MonoLoc Locking Plates System

Limbs

Foot & Ankle

Locking Lateral Distal Fibula Plates, 2.7/3.5



Thickness (mm)	2.5
Width (mm)	10.5
Material	PT

Code	Model No.	Size	Direction	Length (mm)
22550203	SDDG20	5+3H	Left	86
22550204	SDDG20	5+4H	Left	99
22550205	SDDG20	5+5H	Left	112
22550206	SDDG20	5+6H	Left	125
22550207	SDDG20	5+7H	Left	138
22550209	SDDG20	5+9H	Left	164
22550211	SDDG20	5+11H	Left	190
22550213	SDDG20	5+13H	Left	216
22550215	SDDG20	5+15H	Left	242
22550103	SDDG19	5+3H	Right	86
22550104	SDDG19	5+4H	Right	99
22550105	SDDG19	5+5H	Right	112
22550106	SDDG19	5+6H	Right	125
22550107	SDDG19	5+7H	Right	138
22550109	SDDG19	5+9H	Right	164
22550111	SDDG19	5+11H	Right	190
22550113	SDDG19	5+13H	Right	216
22550115	SDDG19	5+15H	Right	242

Calcaneus Locking Plate III 3.5



Thickness (mm)	1.7
Width (mm)	37.3
Material	PT

Code	Model No.	Size	Length (mm)
22599060	SDXZ67	12H	60
22599068	SDXZ67	12H	68

Calcaneal Locking Plates



Thickness (mm)	2
Material	PT

Code	Model No.	Direction	Length (mm)
22553215	SDXZ71	Left	68
22553115	SDXZ71	Right	68

MonoLoc Locking Plates System

Limbs

Hip 4.2

Proximal Lateral Femoral Locking Compression Plates 4.5/5.0



Thickness (mm)	5.2
Width (mm)	18
Material	PT

Code	Model No.	Size	Direction	Length (mm)
22531205	SDDG47	5+5H	Left	165
22531207	SDDG47	5+7H	Left	205
22531209	SDDG47	5+9H	Left	245
22531211	SDDG47	5+11H	Left	285
22531213	SDDG47	5+13H	Left	325
22531105	SDDG46	5+5H	Right	165
22531107	SDDG46	5+7H	Right	205
22531109	SDDG46	5+9H	Right	245
22531111	SDDG46	5+11H	Right	285
22531113	SDDG46	5+13H	Right	325

Proximal Lateral Femoral Locking Compression Plate

4.5



Thickness (mm)	5.2
Width (mm)	18
Material	PT

Code	Model No.	Size	Direction	Length (mm)
22575204	SDDG47	5+4H	Left	145
22575206	SDDG47	5+6H	Left	185
22575208	SDDG47	5+8H	Left	225
22575210	SDDG47	5+10H	Left	265
22575212	SDDG47	5+12H	Left	305
22575104	SDDG46	5+4H	Right	145
22575106	SDDG46	5+6H	Right	185
22575108	SDDG46	5+8H	Right	225
22575110	SDDG46	5+10H	Right	265
22575112	SDDG46	5+12H	Right	305

Pelvic Locking Reconstruction Plate 3.5



Thickness (mm)	3
Width (mm)	10
Material	PT

Code	Model No.	Size	Length (mm)
22595008	SDDZ37	8H	94
22595010	SDDZ37	10H	118
22595012	SDDZ37	12H	142
22595014	SDDZ37	14H	166
22595016	SDDZ37	16H	190

MonoLoc Locking Plates System

Limbs

Knee **4.4**

Locking Medial Proximal Tibial plate



Specification	
Thickness (mm)	3.8
Width (mm)	14
Material	PT

Code	Model No.	Size	Direction	Length (mm)
22589204	SDDZ21	3+4H	Left	84
22589205	SDDG21	3+5H	Left	100
22589206	SDDG21	3+6H	Left	116
22589207	SDDG21	3+7H	Left	132
22589208	SDDG21	3+8H	Left	148
22589209	SDDG21	3+9H	Left	164
22589210	SDDG21	3+10H	Left	180
22589211	SDDG21	3+11H	Left	196
22589212	SDDG21	3+12H	Left	212
22589213	SDDG21	3+13H	Left	228
22589104	SDDZ22	3+4H	Right	84
22589105	SDDG22	3+5H	Right	100
22589106	SDDG22	3+6H	Right	116
22589107	SDDG22	3+7H	Right	132
22589108	SDDG22	3+8H	Right	148
22589109	SDDG22	3+9H	Right	164
22589110	SDDG22	3+10H	Right	180
22589111	SDDG22	3+11H	Right	196
22589112	SDDG22	3+12H	Right	212
22589113	SDDG22	3+13H	Right	228

Locking Proximal Tibial Plate

4.3



Specification	
Thickness (mm)	3.8
Width (mm)	14
Material	PT

Code	Model No.	Size	Direction	Length (mm)
22591204	SDDG14	3+4H	Left	83.2
22591205	SDDG14	3+5H	Left	99.2
22591206	SDDG14	3+6H	Left	115.2
22591207	SDDG14	3+7H	Left	131.2
22591208	SDDG14	3+8H	Left	147.2
22591209	SDDG14	3+9H	Left	163.2
22591210	SDDG14	3+10H	Left	179.2
22591104	SDDG13	3+4H	Right	83.2
22591105	SDDG13	3+5H	Right	99.2
22591106	SDDG13	3+6H	Right	115.2
22591107	SDDG13	3+7H	Right	131.2
22591108	SDDG13	3+8H	Right	147.2
22591109	SDDG13	3+9H	Right	163.2
22591110	SDDG13	3+10H	Right	179.2

MonoLoc Locking Plates System

Limbs

Knee **4.1**

Proximal Lateral Tibia Locking
Compression Plates 4.5/5.0



Specification	
Thickness (mm)	4.2
Width (mm)	16
Material	PT

Code	Model No.	Size	Direction	Length (mm)
22526205	SDDG49	5H	Left	140
22526207	SDDG49	7H	Left	180
22526209	SDDG49	9H	Left	220
22526211	SDDG49	11H	Left	260
22526213	SDDG49	13H	Left	300
22526105	SDDG48	5H	Right	140
22526107	SDDG48	7H	Right	180
22526109	SDDG48	9H	Right	220
22526111	SDDG48	11H	Right	260
22526113	SDDG48	13H	Right	300

4.9

Distal Femoral Locking Compression
Plates 4.5/5.0



Specification	
Thickness (mm)	6
Width (mm)	16
Material	PT

Code	Model No.	Size	Direction	Length (mm)
22527205	SDDG52	5H	Left	156
22527207	SDDG52	7H	Left	196
22527209	SDDG52	9H	Left	236
22527211	SDDG52	11H	Left	276
22527213	SDDG52	13H	Left	316
22527105	SDDG53	5H	Right	156
22527107	SDDG53	7H	Right	196
22527109	SDDG53	9H	Right	236
22527111	SDDG53	11H	Right	276
22527113	SDDG53	13H	Right	316

MonoLoc Locking Plates System

Limbs

Screws

Locking Head Screws, self-tapping



Specification		
Core (mm)		2.7
Material		TA

Code	Model No.	Size
31451010	SDLD01	3.5×10mm
31451012	SDLD01	3.5×12mm
31451014	SDLD01	3.5×14mm
31451016	SDLD01	3.5×16mm
31451018	SDLD01	3.5×18mm
31451020	SDLD01	3.5×20mm
31451022	SDLD01	3.5×22mm
31451024	SDLD01	3.5×24mm
31451026	SDLD01	3.5×26mm
31451028	SDLD01	3.5×28mm
31451030	SDLD01	3.5×30mm
31451032	SDLD01	3.5×32mm
31451034	SDLD01	3.5×34mm
31451036	SDLD01	3.5×36mm
31451038	SDLD01	3.5×38mm
31451040	SDLD01	3.5×40mm
31451042	SDLD01	3.5×42mm
31451044	SDLD01	3.5×44mm
31451045	SDLD01	3.5×45mm
31451046	SDLD01	3.5×46mm
31451048	SDLD01	3.5×48mm
31451050	SDLD01	3.5×50mm
31451055	SDLD01	3.5×55mm
31451060	SDLD01	3.5×60mm
31451065	SDLD01	3.5×65mm
31451070	SDLD01	3.5×70mm
31451075	SDLD01	3.5×75mm
31451080	SDLD01	3.5×80mm

Locking Head Screws, self-tapping, self-drilling



Specification		
Core (mm)		2.7
Material		TA

Code	Model No.	Size
39782012	SDLD02	3.5×12mm
39782014	SDLD02	3.5×14mm
39782016	SDLD02	3.5×16mm
39782018	SDLD02	3.5×18mm
39782020	SDLD02	3.5×20mm
39782022	SDLD02	3.5×22mm
39782024	SDLD02	3.5×24mm
39782026	SDLD02	3.5×26mm
39782028	SDLD02	3.5×28mm
39782030	SDLD02	3.5×30mm
39782032	SDLD02	3.5×32mm
39782034	SDLD02	3.5×34mm
39782036	SDLD02	3.5×36mm
39782038	SDLD02	3.5×38mm
39782040	SDLD02	3.5×40mm
39782045	SDLD02	3.5×45mm
39782050	SDLD02	3.5×50mm
39782055	SDLD02	3.5×55mm
39782060	SDLD02	3.5×60mm
39782065	SDLD02	3.5×65mm
39782070	SDLD02	3.5×70mm

Spacer, 2mm Length



Specification		
Material		TA

Code	Model No.	Size
31453005	SDLD04	3.5mm

MonoLoc Locking Plates System

Limbs

Screws

Locking Head Screws, self-tapping, self-drilling



Specification		
Core (mm)		4.2
Material		TA

Code	Model No.	Size
32582014	SDLD02	5.0×14mm
32582016	SDLD02	5.0×16mm
32582018	SDLD02	5.0×18mm
32582020	SDLD02	5.0×20mm
32582022	SDLD02	5.0×22mm
32582024	SDLD02	5.0×24mm
32582026	SDLD02	5.0×26mm
32582028	SDLD02	5.0×28mm
32582030	SDLD02	5.0×30mm
32582032	SDLD02	5.0×32mm
32582034	SDLD02	5.0×34mm
32582036	SDLD02	5.0×36mm
32582038	SDLD02	5.0×38mm
32582040	SDLD02	5.0×40mm
32582042	SDLD02	5.0×42mm
32582044	SDLD02	5.0×44mm
32582046	SDLD02	5.0×46mm
32582048	SDLD02	5.0×48mm
32582050	SDLD02	5.0×50mm
32582055	SDLD02	5.0×55mm
32582060	SDLD02	5.0×60mm
32582065	SDLD02	5.0×65mm
32582070	SDLD02	5.0×70mm
32582075	SDLD02	5.0×75mm
32582080	SDLD02	5.0×80mm
32582085	SDLD02	5.0×85mm

Spacer, 2mm Length



Specification		
Material		TA

Code	Model No.	Size
31454007	SDLD04	5.0mm

MonoLoc Locking Plates System

Limbs

Monoloc 3.5mm Instrument






MonoLoc Locking Plates System

Limbs

Monoloc 5.0mm Instruments Set

4.34.2
4.34.1

Code	Product Description	Qty.
227900	MonoLoc 5.0mm Locking Plate System Instruments Set	
898146	5.0mm Screw Case -PPSU	1
898348	MonoLoc 5.0mm Locking Plate System Instruments Set (Empty)-PPSU	1
226100	Drill Guide 4.1	3
226110	Drill Bit with Stop, 4.1mm	1
227110	Drill Bit with straightg shank, 4.1mm	2
226120	Guide Sleeve for K-Wire, 2.0mm	1
226151	Torque-limiting Screwdriver, T25	1
226140	Screw Holding Sleeve for StarDrive Screw	1
226160	Screwdriver, self-retaining	1
226200	Torx Screwdriver, with Quick Coupling	1
226170	Extraction Screw, 5.0mm	1
221180	Allen Key	1
226190	Drill Bit for Screw Head Removal	1
10737230	Kirschner Wire, 2.0mm	3
206110	Double Drill Guide 6.5/3.2	1
206120	Double Drill Guide 4.5/3.2	1
206240	Trephine	1
010040	Drill Bit, 4.5mm	1
010020	Drill Bit, 3.2mm	1
206170	Depth Gauge, 90mm	1
030100	T-handle with Quick Coupling	1
020040	Tap, 6.5mm	1
020030	Tap, 4.5mm	1
206280	Hex Screwdriver	1
206300	Screw Holding Sleeve for Hex Screw	1
206150	Reduction Forceps, serrated jaws, large	1
206160	Reduction Forceps with Points, large	1
206290	Bone Holding Forceps, self-centering	2
206320	Bending Irons, left	1
206340	Bending Irons, right	1



Optional Instrument

Code	Product Description	Qty.
898144	Hex Screwdriver (silicon handle)	1
206330	Plates Bender	1

Implant Case

Code	Product Description
898369	5.0 LCP Implant Case (2 cases)

MonoLoc Locking Plates System

Limbs

Monoloc 5.0mm Instrument

<p>4.34.20</p>  <p>226100 Drill Guide 4.1</p>	<p>4.34.21</p>  <p>226110 Drill Bit with Stop, φ4.1mm</p>	<p>4.34.22</p>  <p>226120 Guide Sleeve for K-Wire, φ2.0mm</p>
<p>4.34.23</p>  <p>226151 Torque-limiting Screwdriver, T25</p>	<p>4.34.24</p>  <p>226140 Screw Holding Sleeve for StarDrive Screw</p>	<p>4.34.25</p>  <p>226160 Screwdriver, self-retaining</p>
<p>4.34.27</p>  <p>226200 Torx Screwdriver, with Quick Coupling</p>	<p>4.34.5</p>  <p>226170 Extraction Screw, φ5.0mm</p>	<p>4.34.26</p>  <p>221180 Allen Key</p>
<p>4.34.28</p>  <p>226190 Drill Bit for Screw Head Removal</p>	<p>4.34.40</p>  <p>10737230 Kirschner Wire, φ2.0mm</p>	<p>4.34.3</p>  <p>206110 Double Drill Guide 6.5/3.2</p>

MonoLoc Locking Plates System

Limbs

Monoloc 5.0mm Instrument

<p>4.34.4</p>  <p>206120 Double Drill Guide 4.5/3.2</p>	<p>4.34.12</p>  <p>206240 Trephine</p>	<p>4.34.6</p>  <p>010040 Drill Bit, φ4.5mm</p>
<p>4.34.7</p>  <p>010020 Drill Bit, φ3.2mm</p>	<p>4.34.10</p>  <p>206170 Depth Gauge, 90mm</p>	<p>4.34.11</p>  <p>030100 T-handle with Quick Coupling</p>
<p>4.34.13</p>  <p>020040 Tap, φ6.5mm</p>	<p>4.34.14</p>  <p>020030 Tap, φ4.5mm</p>	<p>4.34.17</p>  <p>206280 Hex Screwdriver</p>
<p>4.34.18</p>  <p>206300 Screw Holding Sleeve for Hex Screw</p>	<p>4.34.8</p>  <p>206150 Reduction Forceps, serrated jaws, large</p>	<p>4.34.9</p>  <p>206160 Reduction Forceps with Points, large</p>

MonoLoc Locking Plates System

Medial High Tibia Plate **4.8**



Thickness (mm)	3.2
Width (mm)	16.2
Material	PT

Code	Model No.	Size	Length (mm)
29401800	SDDG65	4H	115

Lateral High Tibia Plate **4.10**



Thickness (mm)	4.2
Width (mm)	16
Material	PT

Code	Model No.	Size	Direction	Length (mm)
29401900	SDDG67	3H	Left	102
29402000	SDDG66	3H	Right	102

Lateral Distal Femur Plate **4.14**





Thickness (mm)	6
Material	PT

Code	Model No.	Size	Direction	Length (mm)
29402100	SDDG69	4H	Left	141
29402200	SDDG68	4H	Right	141

MonoLoc Locking Plates System

Code	Product Description	Qty.
898165	TopFix Osteotomy Instruments set	1
829010	TopFix Osteotomy Instruments set (Empty)-PPSU	1
898193	TopFix Implant tray	1
829100	TopFix Guiding Block for Medial High Tibia	1
226230	TopFix Guiding Block for Lateral High Tibia, left	1
226240	TopFix Guiding Block for Lateral High Tibia, right	1
829130	TopFix Guiding Block for Lateral Distal Femur, left	1
829140	TopFix Guiding Block for Lateral Distal Femur, right	1
829150	TopFix Osteotomy Gap Measuring Device	1
829160	Bone Spreader with 8mm blade, medium handle, soft ratchet	1
829170	TopFix Osteotomy Chisel, width 10mm	1
829180	TopFix Osteotomy Chisel, width 15mm	1
829190	TopFix Osteotomy Chisel, width 20mm	1
829200	TopFix Osteotomy Chisel, width 25mm	1

Notice: The topfox set is used in addition to MonoLoc 5.0 instrument set



MonoLoc Locking Plates System

TopFix Osteotomy Instrument

4.34.29



829100
TopFix Guiding Block for
Medial High Tibia

4.34.30



226230
TopFix Guiding Block for Lateral
High Tibia, left

4.34.31



226240
TopFix Guiding Block for
Lateral High Tibia, right

4.34.32



829130
TopFix Guiding Block for
Lateral Distal Femur, left

4.34.33



829140
TopFix Guiding Block for
Lateral Distal Femur, right

4.34.35



829150
TopFix Osteotomy Gap
Measuring Device

4.34.34



829160
Bone Spreader with 8mm blade,
medium handle, soft ratchet

4.34.36



829170
TopFix Osteotomy Chisel,
width 10mm

4.34.37



829180
TopFix Osteotomy Chisel,
width 15mm

4.34.38



829190
TopFix Osteotomy Chisel,
width 20mm

4.34.39



829200
TopFix Osteotomy Chisel,
width 25mm

Synplate Conventional Plates System

- Synplate Modular Hand
- Synplate Small Fragment
- Synplate Large Fragment



DH/DC System

DH/DC System

DH Plates, 135°



Specification	
Thickness (mm)	6.3
Width (mm)	18.7
Material	PT

Code	Model No.	Size	Length (mm)
30170003	DHS IV	3H	65.3
30170004	DHS IV	4H	81.3
30170005	DHS IV	5H	97.3
30170006	DHS IV	6H	113.3
30170008	DHS IV	8H	145.3
30170010	DHS IV	10H	177.3
30170012	DHS IV	12H	209.3
30170014	DHS IV	14H	241.3

DC Plates, 95°



Specification	
Thickness (mm)	6
Width (mm)	16
Material	PT

Code	Model No.	Size	Length (mm)
30810004	DCS II	4H	73.5
30810005	DCS II	5H	89.5
30810006	DCS II	6H	105.5
30810008	DCS II	8H	137.5
30810010	DCS II	10H	169.5
30810011	DCS II	11H	185.5
30810012	DCS II	12H	201.5
30810014	DCS II	14H	233.5

Locking DH Plates, 135°

4.7



Specification	
Thickness (mm)	6.3
Width (mm)	18.7
Material	PT

Code	Model No.	Size	Length (mm)
39538003	SDDG26	3H	65.3
39538004	SDDG26	4H	81.3
39538006	SDDG26	6H	113.3
39538008	SDDG26	8H	145.3
39538010	SDDG26	10H	177.3
39538012	SDDG26	12H	209.3
39538014	SDDG26	14H	241.3

Locking DC Plates, 95°

4.6



Specification	
Thickness (mm)	6
Width (mm)	16
Material	PT

Code	Model No.	Size	Length (mm)
39537904	SDDG28	4H	73.5
39537905	SDDG28	5H	89.5
39537906	SDDG28	6H	105.5
39537908	SDDG28	8H	137.5
39537910	SDDG28	10H	169.5
39537912	SDDG28	12H	201.5
39537914	SDDG28	14H	233.5

DH/DC System

DH/DC System

DH/DC Lag Screws **4.26**



Thickness (mm)	12
Material	TA

Code	Model No.	Size
33010050	DHS/DCS	50mm
33010055	DHS/DCS	55mm
33010060	DHS/DCS	60mm
33010065	DHS/DCS	65mm
33010070	DHS/DCS	70mm
33010075	DHS/DCS	75mm
33010080	DHS/DCS	80mm
33010085	DHS/DCS	85mm
33010090	DHS/DCS	90mm
33010092	DHS/DCS	95mm
33010094	DHS/DCS	100mm
33010096	DHS/DCS	105mm
33010098	DHS/DCS	110mm
33010100	DHS/DCS	115mm
33010102	DHS/DCS	120mm

DH/DC Compression Screw **4.27**



Thickness (mm)	4
Material	TA





Code	Model No.	Size
33011036	DHS/DCS	36mm

DH/DC System

DH/DC System

DH/DC System Instruments Set

Code	Product Description	Qty.
899310	DH/DC System Instruments Set	
898355	DH/DC System Instruments Set (Empty)-PPSU	1
010020	Drill Bit, 3.2mm	2
010040	Drill Bit, 4.5mm	2
020030	Tap, 4.5mm	1
020040	Tap, 6.5mm	1
030100	T-Handle with Quick Coupling	1
030020	T-Handle with Quick Coupling (Large)	1
206170	Depth Gauge, 90mm	1
211120	Depth Gauge, 200mm	1
206280	Hex Screwdriver	1
206300	Screw Holding Sleeve for Hex Screw	1
211100	DC Angled Guide, 95°	1
211110	DH Angled Guide, 135°	1
211130	DC Triple Reamer	1
211140	DH Triple Reamer	1
211310	Centering Sleeve DH/DC System, short	1
206140	Easyout	1
211160	Tap for DH/DC Screws, length 220mm	1
211260	Double Drill Sleeve 3.2	1
211180	Coupling Shaft	1
211170	DH/DC Wrench, for Removal of DH/DC Screws	1
211340	DH/DC Impactor	1
211190	DH/DC Impactor	1
10727230	Threaded pin, 2.5×230mm	3
10737230	Kirschner Wire, 2.0mm	2
211150	DH/DC Centering Sleeve, removable	1
211330	Centering Sleeve DH/DC, long	1
206240	Trepine	1
211350	DH/DC Wrench, for DH/DC Screws in Titanium Alloy	1
20657	Drill Bit, 2.0mm, with Quick Coupling	2
206110	Double Drill Guide 6.5/3.2	1
206120	Double Drill Guide 4.5/3.2	1
211211	Cannulated Connecting Screw	1



Standard Screws & Washers

Standard Screws & Washers

Cortex screws, Fully threaded, self tapping

4.17



Specification	
Core (mm)	3
Material	TA

Code	Model No.	Size
39527914	HAQ03	4.5×14mm
39527916	HAQ03	4.5×16mm
39527918	HAQ03	4.5×18mm
39527920	HAQ03	4.5×20mm
39527922	HAQ03	4.5×22mm
39527924	HAQ03	4.5×24mm
39527926	HAQ03	4.5×26mm
39527928	HAQ03	4.5×28mm
39527930	HAQ03	4.5×30mm
39527932	HAQ03	4.5×32mm
39527934	HAQ03	4.5×34mm
39527936	HAQ03	4.5×36mm
39527938	HAQ03	4.5×38mm
39527940	HAQ03	4.5×40mm
39527942	HAQ03	4.5×42mm
39527944	HAQ03	4.5×44mm
39527946	HAQ03	4.5×46mm
39527948	HAQ03	4.5×48mm
39527950	HAQ03	4.5×50mm
39527952	HAQ03	4.5×52mm
39527954	HAQ03	4.5×54mm
39527956	HAQ03	4.5×56mm
39527958	HAQ03	4.5×58mm
39527960	HAQ03	4.5×60mm
39527965	HAQ03	4.5×65mm
39527970	HAQ03	4.5×70mm
39527975	HAQ03	4.5×75mm

Cortex Screws, partially threaded



Specification	
Core (mm)	2.4
Shaft (mm)	2.4
Material	TA

Code	Model No.	Size
30306212	HAQ03	3.5×12mm
30306214	HAQ03	3.5×14mm
30306216	HAQ03	3.5×16mm
30306218	HAQ03	3.5×18mm
30306220	HAQ03	3.5×20mm
30306222	HAQ03	3.5×22mm
30306224	HAQ03	3.5×24mm
30306226	HAQ03	3.5×26mm
30306228	HAQ03	3.5×28mm
30306230	HAQ03	3.5×30mm
30306232	HAQ03	3.5×32mm
30306234	HAQ03	3.5×34mm
30306236	HAQ03	3.5×36mm
30306238	HAQ03	3.5×38mm
30306240	HAQ03	3.5×40mm

Standard Screws & Washers

Standard Screws & Washers

Cortex Screws, fully threaded

4.16



Specification	
Core (mm)	3
Material	TA

Code	Model No.	Size
30308116	HAQ03	4.5×16mm
30308118	HAQ03	4.5×18mm
30308120	HAQ03	4.5×20mm
30308122	HAQ03	4.5×22mm
30308124	HAQ03	4.5×24mm
30308126	HAQ03	4.5×26mm
30308128	HAQ03	4.5×28mm
30308130	HAQ03	4.5×30mm
30308132	HAQ03	4.5×32mm
30308134	HAQ03	4.5×34mm
30308136	HAQ03	4.5×36mm
30308138	HAQ03	4.5×38mm
30308140	HAQ03	4.5×40mm
30308142	HAQ03	4.5×42mm
30308144	HAQ03	4.5×44mm
30308146	HAQ03	4.5×46mm
30308148	HAQ03	4.5×48mm
30308150	HAQ03	4.5×50mm
30308152	HAQ03	4.5×52mm
30308154	HAQ03	4.5×54mm
30308156	HAQ03	4.5×56mm
30308158	HAQ03	4.5×58mm
30308160	HAQ03	4.5×60mm

Cortex Screws, partially threaded



Specification	
Core (mm)	3
Shaft (mm)	3
Material	TA

Code	Model No.	Size
30308220	HAQ03	4.5×20mm
30308222	HAQ03	4.5×22mm
30308224	HAQ03	4.5×24mm
30308226	HAQ03	4.5×26mm
30308228	HAQ03	4.5×28mm
30308230	HAQ03	4.5×30mm
30308232	HAQ03	4.5×32mm
30308234	HAQ03	4.5×34mm
30308236	HAQ03	4.5×36mm
30308238	HAQ03	4.5×38mm
30308240	HAQ03	4.5×40mm
30308242	HAQ03	4.5×42mm
30308244	HAQ03	4.5×44mm
30308246	HAQ03	4.5×46mm
30308248	HAQ03	4.5×48mm
30308250	HAQ03	4.5×50mm
30308252	HAQ03	4.5×52mm
30308254	HAQ03	4.5×54mm
30308256	HAQ03	4.5×56mm
30308258	HAQ03	4.5×58mm
30308260	HAQ03	4.5×60mm

Standard Screws & Washers

Standard Screws & Washers

Cancellous Screws, fully threaded



Specification	
Core (mm)	2.2
Material	TA

Code	Model No.	Size
30403110	HBQ03	4.0×10mm
30403112	HBQ03	4.0×12mm
30403114	HBQ03	4.0×14mm
30403116	HBQ03	4.0×16mm
30403118	HBQ03	4.0×18mm
30403120	HBQ03	4.0×20mm
30403122	HBQ03	4.0×22mm
30403124	HBQ03	4.0×24mm
30403126	HBQ03	4.0×26mm
30403128	HBQ03	4.0×28mm
30403130	HBQ03	4.0×30mm
30403132	HBQ03	4.0×32mm
30403134	HBQ03	4.0×34mm
30403136	HBQ03	4.0×36mm
30403138	HBQ03	4.0×38mm
30403140	HBQ03	4.0×40mm
30403142	HBQ03	4.0×42mm
30403144	HBQ03	4.0×44mm
30403146	HBQ03	4.0×46mm
30403148	HBQ03	4.0×48mm
30403150	HBQ03	4.0×50mm
30403152	HBQ03	4.0×52mm
30403155	HBQ03	4.0×55mm
30403156	HBQ03	4.0×56mm
30403160	HBQ03	4.0×60mm
30403165	HBQ03	4.0×65mm
30403170	HBQ03	4.0×70mm

Cancellous Screws, partially threaded



Specification	
Core (mm)	1.9
Shaft (mm)	2.4
Material	TA

Code	Model No.	Size
30403210	HBQ03	4.0×10mm
30403212	HBQ03	4.0×12mm
30403214	HBQ03	4.0×14mm
30403216	HBQ03	4.0×16mm
30403218	HBQ03	4.0×18mm
30403220	HBQ03	4.0×20mm
30403222	HBQ03	4.0×22mm
30403224	HBQ03	4.0×24mm
30403226	HBQ03	4.0×26mm
30403228	HBQ03	4.0×28mm
30403230	HBQ03	4.0×30mm
30403232	HBQ03	4.0×32mm
30403234	HBQ03	4.0×34mm
30403236	HBQ03	4.0×36mm
30403238	HBQ03	4.0×38mm
30403240	HBQ03	4.0×40mm
30403242	HBQ03	4.0×42mm
30403244	HBQ03	4.0×44mm
30403246	HBQ03	4.0×46mm
30403248	HBQ03	4.0×48mm
30403250	HBQ03	4.0×50mm
30403252	HBQ03	4.0×52mm
30403254	HBQ03	4.0×54mm
30403255	HBQ03	4.0×55mm
30403256	HBQ03	4.0×56mm
30403260	HBQ03	4.0×60mm
30403265	HBQ03	4.0×65mm

Standard Screws & Washers

Standard Screws & Washers

Cancellous Screws, fully threaded

4.20



Specification	
Core (mm)	3
Material	TA

Code	Model No.	Size
30405125	HBQ03	6.5×25mm
30405130	HBQ03	6.5×30mm
30405135	HBQ03	6.5×35mm
30405140	HBQ03	6.5×40mm
30405145	HBQ03	6.5×45mm
30405150	HBQ03	6.5×50mm
30405155	HBQ03	6.5×55mm
30405160	HBQ03	6.5×60mm
30405165	HBQ03	6.5×65mm
30405170	HBQ03	6.5×70mm
30405175	HBQ03	6.5×75mm
30405180	HBQ03	6.5×80mm
30405185	HBQ03	6.5×85mm
30405190	HBQ03	6.5×90mm
30405191	HBQ03	6.5×95mm
30405192	HBQ03	6.5×100mm
30405193	HBQ03	6.5×105mm
30405194	HBQ03	6.5×110mm
30405195	HBQ03	6.5×115mm
30405196	HBQ03	6.5×120mm

Cancellous Screws, partially threaded, 16mm Thread

4.21




Specification	
Core (mm)	3
Shaft (mm)	4.5
Material	TA

Code	Model No.	Size
30406235	HBQ03	6.5×35mm
30406240	HBQ03	6.5×40mm
30406245	HBQ03	6.5×45mm
30406250	HBQ03	6.5×50mm
30406255	HBQ03	6.5×55mm
30406260	HBQ03	6.5×60mm
30406265	HBQ03	6.5×65mm
30406270	HBQ03	6.5×70mm
30406275	HBQ03	6.5×75mm
30406280	HBQ03	6.5×80mm
30406285	HBQ03	6.5×85mm
30406290	HBQ03	6.5×90mm
30406291	HBQ03	6.5×95mm
30406292	HBQ03	6.5×100mm
30406293	HBQ03	6.5×105mm
30406294	HBQ03	6.5×110mm
30406295	HBQ03	6.5×115mm
30406296	HBQ03	6.5×120mm

Standard Screws & Washers

Standard Screws & Washers



Core (mm)	3
Shaft (mm)	4.5
Material	TA

Material	TA
----------	----

Code	Model No.	Size
30407240	HBQ03	6.5×40mm
30407245	HBQ03	6.5×45mm
30407250	HBQ03	6.5×50mm
30407255	HBQ03	6.5×55mm
30407260	HBQ03	6.5×60mm
30407265	HBQ03	6.5×65mm
30407270	HBQ03	6.5×70mm
30407275	HBQ03	6.5×75mm
30407280	HBQ03	6.5×80mm
30407285	HBQ03	6.5×85mm
30407290	HBQ03	6.5×90mm
30407291	HBQ03	6.5×95mm
30407292	HBQ03	6.5×100mm
30407293	HBQ03	6.5×105mm
30407294	HBQ03	6.5×110mm

Code	Model
31409000	Washer for 4.0 Cancellous Screws DJY-II
31410000	Washer for 6.5 Cancellous Screws DJY-II
39781000	Washer for 6.5 Cancellous Screws, notched DJY-II -02
31406000	Washer for 4.5 Cannulated Screws DJY-II
31407000	Washer for 4.5 Cannulated Screws, notched DJY-II
31402000	Washer for 7.3 Cannulated Screws DJY-II
31403000	Washer for 7.3 Cannulated Screws, notched DJY-II

Cannulated Screws System

- KCS 4.0/4.5/7.0/7.3



Cannulated Screws

KCS Cannulated Screws System

Cannulated Screws



Specification	
Core (mm)	2.8
Shaft (mm)	2.8
Cannula (mm)	1.3
Material	TA

Code	Model No.	Size
31421025	DJY-II	4.0×25mm
31421030	DJY-II	4.0×30mm
31421035	DJY-II	4.0×35mm
31421040	DJY-II	4.0×40mm
31421045	DJY-II	4.0×45mm
31421050	DJY-II	4.0×50mm
31421055	DJY-II	4.0×55mm
31421060	DJY-II	4.0×60mm
31421065	DJY-II	4.0×65mm
31421070	DJY-II	4.0×70mm

Cannulated Screws



Specification	
Core (mm)	3.2
Shaft (mm)	3.1
Cannula (mm)	1.7
Material	TA

Code	Model No.	Size
31405020	DJY-II	4.5×20mm
31405025	DJY-II	4.5×25mm
31405030	DJY-II	4.5×30mm
31405035	DJY-II	4.5×35mm
31405040	DJY-II	4.5×40mm
31405045	DJY-II	4.5×45mm
31405050	DJY-II	4.5×50mm
31405055	DJY-II	4.5×55mm
31405060	DJY-II	4.5×60mm
31405065	DJY-II	4.5×65mm
31405070	DJY-II	4.5×70mm
31405075	DJY-II	4.5×75mm

Cannulated Screws 4.23



Specification	
Core (mm)	4.5
Shaft (mm)	4.5
Cannula (mm)	2.1
Material	TA

Code	Model No.	Size
31411040*	DJY-II	7.0×40mm
31411045*	DJY-II	7.0×45mm
31411050*	DJY-II	7.0×50mm
31411055*	DJY-II	7.0×55mm
31411060*	DJY-II	7.0×60mm
31411065*	DJY-II	7.0×65mm
31411070*	DJY-II	7.0×70mm
31411075*	DJY-II	7.0×75mm
31411080*	DJY-II	7.0×80mm
31411085*	DJY-II	7.0×85mm
31411090*	DJY-II	7.0×90mm
31411091*	DJY-II	7.0×95mm
31411092*	DJY-II	7.0×100mm
31411093*	DJY-II	7.0×105mm

*make to order

Cannulated Screws, 16mm thread

4.24



Specification	
Core (mm)	5
Shaft (mm)	5
Cannula (mm)	2.6
Material	TA

Code	Model No.	Size
31401040	DJY-II	7.3×40mm
31401045	DJY-II	7.3×45mm
31401050	DJY-II	7.3×50mm
31401055	DJY-II	7.3×55mm
31401060	DJY-II	7.3×60mm
31401065	DJY-II	7.3×65mm
31401070	DJY-II	7.3×70mm
31401075	DJY-II	7.3×75mm
31401080	DJY-II	7.3×80mm
31401085	DJY-II	7.3×85mm
31401090	DJY-II	7.3×90mm
31401091	DJY-II	7.3×95mm
31401092	DJY-II	7.3×100mm
31401093	DJY-II	7.3×105mm
31401094	DJY-II	7.3×110mm
31401095	DJY-II	7.3×115mm
31401096	DJY-II	7.3×120mm

Cannulated Screws

KCS Cannulated Screws System

Cannulated Screws, 32mm thread **4.25**



Core (mm)	5
Shaft (mm)	5
Cannula (mm)	2.6
Material	TA

Code	Model No.	Size
31404050	DJY-II	7.3×50mm
31404055	DJY-II	7.3×55mm
31404060	DJY-II	7.3×60mm
31404065	DJY-II	7.3×65mm
31404070	DJY-II	7.3×70mm
31404075	DJY-II	7.3×75mm
31404080	DJY-II	7.3×80mm
31404085	DJY-II	7.3×85mm
31404090	DJY-II	7.3×90mm
31404091	DJY-II	7.3×95mm
31404092	DJY-II	7.3×100mm
31404093	DJY-II	7.3×105mm
31404094	DJY-II	7.3×110mm
31404095	DJY-II	7.3×115mm
31404096	DJY-II	7.3×120mm

Cannulated Screws

KCS Cannulated Screws System

4.0mm KCS Cannulated Screws Instruments Set



Code	Product Description	Qty.
899900	4.0mm KCS Cannulated Screws Instruments Set	
898350	4.0mm KCS Cannulated Screws Instruments Set (Empty)-PPSU	1
246100	Cleaning Stylet, 1.2mm	1
246110	Guide Wire, 1.2mm	3
246120	Threaded Pin, 1.2mm	3
246130	Direct Measuring Device for Guide Wire 1.2mm	1
246140	Drill Guide for Guide Wire 1.2mm	1
246150	Drill Sleeve 3.0	1
246160	Allen Key, for Protector	1
246170	Protector	1
246180	Cannulated Drill Bit, 3.0mm	1
246190	Tap, 4.0mm	1
246200	Cannulated Screwdriver	1
246210	Hex Screwdriver	1
246220	Cannulated Countersink	1
246230	Easyout	1
246240	Screw Forceps, self-retaining	1



optional instrument

Code	Product Description	Qty.
898203	Cannulated Screwdriver (silicon handle)	1
898204	Hex Screwdriver (silicon handle)	1

4.0mm KCS Cannulated Screws Instrument



NeoGen Nails System

NeoGen Nails System

NeoGen Nails Caps (Tibia&Retrograde)



Material	TA
----------	----

Code	Model No.	Size
33110000	JGM V	
33144005	JGM V	11.5,+5
33144010	JGM V	11.5,+10
33144015	JGM V	11.5,+15

NeoGen GAMMA Nails Lag Screws



1.2

Cannula (mm)	3.5
Core (mm)	6.6
Shaft (mm)	10.5
Material	TA

Code	Model No.	Size
33123075	JSD IX	10.5X75mm
33123080	JSD IX	10.5X80mm
33123085	JSD IX	10.5X85mm
33123090	JSD IX	10.5X90mm
33123091	JSD IX	10.5X95mm
33123092	JSD IX	10.5X100mm
33123093	JSD IX	10.5X105mm
33123094	JSD IX	10.5X110mm
33123095	JSD IX	10.5X115mm
33123096	JSD IX	10.5X120mm

NeoGen GAMMA Nails

1.1



Prox (mm)	15.5
Cannula (mm)	5
Material	TA

Code	Model No.	Size
33120018	JGD III	11X180mm
33120024	JGD III	11X240mm

NeoGen Nails Caps (GAMMA)

1.4



Material	TA
----------	----

Code	Model No.	Size
33121000	JGM V	10.3
33122005	JGM V	15.5, +5
33122010	JGM V	15.5, +10
39570815	JGM V	15.5, +15

NeoGen Nails System




NeoGen Nails System

NeoGen Nail Instruments Set

Code	Product Description	Qty.
899460	Neogen Nail Instruments Set	
898357	Neogen Nail Basic Instruments Set (Empty)-PPSU	1
898358	NeoGen Nail Special Instruments Set (Empty)-PPSU	1
898196	NeoGen Nail Special Instruments Set Empty Tray	1
899461	Awl	1
899464	Tissue Protector	1
899467	L-Hex Wrench, SW3 for Stopper 7mm	1
899469	Reducer	1
899470	Ball Tip Guide Wire	1
251170	Guide Wire Holder	1
050013	Hex Reamer Shaft-Dual Direction	1
899472	Hex Reamer Shaft-Mono Direction	1
050085	Reamer, 8.5mm	1
050090	Reamer, 9mm	1
050095	Reamer, 9.5mm	1
050100	Reamer, 10mm	1
050105	Reamer, 10.5mm	1
050110	Reamer, 11mm	1
050115	Reamer, 11.5mm	1
050120	Reamer, 12mm	1
050125	Reamer, 12.5mm	1
050130	Reamer, 13mm	1
050135	Reamer, 13.5mm	1
899468	T-Handle with Quick Coupling	1
899497	Guide Bolt Wrench Shaft	1
899498	Extractor	1
899499	Insertion Handle	1
899500	Guide Bolt	2
899502	Impactor	1
899489	Guide Wire Sleeve 2.5	1
899490	Guide Wire, 2.5mm	3
899491	Guide Wire with Threaded Tip, 2.5mm	3
899492	Direct Measuring Device for Guide Wires	1
899484	Screw Depth Gauge	1
899485	Tap, 4.5mm	1
899486	Tap, 5.0mm	1
899496	Tap, 6.4mm	1
899493	Drill Sleeve 6.4	2
899494	Drill Bit, 6.4mm	1
899495	Stopper, 6.4mm	1
899487	Screwdriver for Locking Screw	1
899488	Screwdriver for Locking Screw, Long	1



Neogen Nail Basic Instruments Set



NeoGen AR Nails System

NeoGen AR Nails System

NeoGen AR Nail **2.1**



Code	Model No.	Size
32805017	JGD VI	9.3x170
32805020	JGD VI	9.3x200
32805024	JGD VI	9.3x240
32803017	JGD VI	10x170
32803020	JGD VI	10x200
32803024	JGD VI	10x240

Prox (mm)	16.5
Material	TA

Code	Model No.	Size
32804017	JGD VI	11x170
32804020	JGD VI	11x200
32804024	JGD VI	11x240
39591117	JGD VI	12x170
39591120	JGD VI	12x200
39591124	JGD VI	12x240

2.2



Code	Model No.	Direction	Size
32820232	JGD VI	Left	9.5x320mm
32820234	JGD VI	Left	9.5x340mm
32820236	JGD VI	Left	9.5x360mm
32820238	JGD VI	Left	9.5x380mm
32820240	JGD VI	Left	9.5x400mm
32820242	JGD VI	Left	9.5x420mm
32820244	JGD VI	Left	9.5x440mm
32821232	JGD VI	Left	10x320mm
32821234	JGD VI	Left	10x340mm
32821236	JGD VI	Left	10x360mm
32821238	JGD VI	Left	10x380mm
32821240	JGD VI	Left	10x400mm
32821242	JGD VI	Left	10x420mm
32821244	JGD VI	Left	10x440mm
32820132	JGD VI	Right	9.5x320mm
32820134	JGD VI	Right	9.5x340mm
32820136	JGD VI	Right	9.5x360mm
32820138	JGD VI	Right	9.5x380mm
32820140	JGD VI	Right	9.5x400mm
32820142	JGD VI	Right	9.5x420mm
32820144	JGD VI	Right	9.5x440mm
32821132	JGD VI	Right	10x320mm
32821134	JGD VI	Right	10x340mm
32821136	JGD VI	Right	10x360mm
32821138	JGD VI	Right	10x380mm
32821140	JGD VI	Right	10x400mm
32821142	JGD VI	Right	10x420mm
32821144	JGD VI	Right	10x440mm

Prox (mm)	16.5
Material	TA

Code	Model No.	Direction	Size
32822232	JGD VI	Left	11x320mm
32822234	JGD VI	Left	11x340mm
32822236	JGD VI	Left	11x360mm
32822238	JGD VI	Left	11x380mm
32822240	JGD VI	Left	11x400mm
32822242	JGD VI	Left	11x420mm
32822244	JGD VI	Left	11x440mm
32823232	JGD VI	Left	12x320mm
32823234	JGD VI	Left	12x340mm
32823236	JGD VI	Left	12x360mm
32823238	JGD VI	Left	12x380mm
32823240	JGD VI	Left	12x400mm
32823242	JGD VI	Left	12x420mm
32823244	JGD VI	Left	12x440mm
32822132	JGD VI	Right	11x320mm
32822134	JGD VI	Right	11x340mm
32822136	JGD VI	Right	11x360mm
32822138	JGD VI	Right	11x380mm
32822140	JGD VI	Right	11x400mm
32822142	JGD VI	Right	11x420mm
32822144	JGD VI	Right	11x440mm
32823132	JGD VI	Right	12x320mm
32823134	JGD VI	Right	12x340mm
32823136	JGD VI	Right	12x360mm
32823138	JGD VI	Right	12x380mm
32823140	JGD VI	Right	12x400mm
32823142	JGD VI	Right	12x420mm
32823144	JGD VI	Right	12x440mm

NeoGen AR Nails System

NeoGen AR Nails System

NeoGen AR Blade **2.3**



Cannula (mm)	3.5
Shaft (mm)	10.3
Material	TA

Code	Model No.	Size
32801070	JSD X	10.3x70mm
32801075	JSD X	10.3x75mm
32801080	JSD X	10.3x80mm
32801085	JSD X	10.3x85mm
32801090	JSD X	10.3x90mm
32801091	JSD X	10.3x95mm
32801092	JSD X	10.3x100mm
32801093	JSD X	10.3x105mm
32801094	JSD X	10.3x110mm
32801095	JSD X	10.3x115mm
32801096	JSD X	10.3x120mm

NeoGen Locking Screws

1.3
2.5



Core (mm)	4.3
Material	TA

Code	Model No.	Size
33112025	JSD VII	5.0x26mm
33112030	JSD VII	5.0x30mm
33112035	JSD VII	5.0x35mm
33112040	JSD VII	5.0x40mm
33112045	JSD VII	5.0x45mm
33112050	JSD VII	5.0x50mm
33112055	JSD VII	5.0x55mm
33112060	JSD VII	5.0x60mm
33112065	JSD VII	5.0x65mm
33112070	JSD VII	5.0x70mm
33112075	JSD VII	5.0x75mm
33112080	JSD VII	5.0x80mm
33112085	JSD VII	5.0x85mm
33112090	JSD VII	5.0x90mm
33112091	JSD VII	5.0x95mm
33112092	JSD VII	5.0x100mm
33112093	JSD VII	5.0x105mm
33112094	JSD VII	5.0x110mm

End Caps **2.6**



Material	TA
----------	----

Code	Model No.	Size
32806000	JGM V	0mm
32806005	JGM V	5mm
32806010	JGM V	10mm
32806015	JGM V	15mm

2.4



Core (mm)	4
Material	TA

Code	Model No.	Size
33111025	JSD VII	4.5X26mm
33111030	JSD VII	4.5X30mm
33111035	JSD VII	4.5X35mm
33111040	JSD VII	4.5X40mm
33111045	JSD VII	4.5X45mm
33111050	JSD VII	4.5X50mm
33111055	JSD VII	4.5X55mm
33111060	JSD VII	4.5X60mm
33111065	JSD VII	4.5X65mm
33111070	JSD VII	4.5X70mm
33111075	JSD VII	4.5X75mm
33111080	JSD VII	4.5X80mm
33111085	JSD VII	4.5X85mm
33111090	JSD VII	4.5X90mm