

Aesculap Surgical Instruments

ENT Catalog
HNO Katalog
LOR katalogas



Aesculap Surgical Technologies


Suction Instruments, Syringes – Sauginstrumente, Spritzen

Suction Cannulas

Saugkanülen

- Teardrop shaped thumb control for a very precise suction regulation
- Malleable material for individual forming of the suction hose
- Conical design of the tube prevents plugging
- Delivered with stylet

- Tropfenförmiger Saugunterbrecher für eine sehr feine Regulierung der Saugleistung
- Biegsames Material für individuelle Ausformung des Saugrohrs
- Konisches Design des Saugrohrs vermindert Verstopfung
- Saugkanüle wird mit Mandrin zur Reinigung geliefert



| | | | S | M | L | LL |
|---------------------------------------|---|--------|------------------|-------------------|------------------|------------------|
| Working length Arbeitslänge | | | 100 mm 4" | 115 mm, 4 1/2" | 140 mm 5 1/2" | 165 mm 6 1/2" |
| Total length Gesamtlänge | | | 165 mm 6 1/2" | 180 mm 7" | 205 mm 8" | 230 mm 9" |
| Outer diam. Außen-Ø | | | | | | |
| 3 FR | ◦ | 1.0 mm | GF401R | GF391R | GF411R | GF421R |
| 4 FR | ◦ | 1.4 mm | GF402R | GF392R | GF412R | GF422R |
| 5 FR | ◦ | 1.7 mm | GF403R | GF393R | GF413R | GF423R |
| 6 FR | ◉ | 2.0 mm | GF404R | GF394R | GF414R | GF424R |
| 7 FR | ◉ | 2.3 mm | GF405R | GF395R | GF415R | GF425R |
| 8 FR | ◉ | 2.7 mm | GF406R | GF396R | GF416R | GF427R |
| 9 FR | ◉ | 3.0 mm | GF407R | GF397R | GF417R | GF427R |
| 10 FR | ◉ | 3.3 mm | GF408R | GF398R | GF418R | GF428R |
| 12 FR | ◉ | 4.0 mm | GF409R | GF399R | GF419R | GF429R |

Suction
Sauger

MILLIMETERS

Suction Instruments, Syringes – Sauginstrumente, Spritzen

Suction Cannulas

Saugkanülen



PLESTER

OG970R


Suction set, complete, consisting of:

- OG971R Suction handle with finger cut-off, with LUER cone
- OG973R 2 Suction cannulas, diam. 0.7 mm, with LUER cone
- OG974R 2 Suction cannulas, diam. 1.0 mm, with LUER cone
- OG969R 2 Suction cannulas, diam. 1.3 mm, with LUER cone
- OG982R 2 Suction cannulas, diam. 1.5 mm, with LUER cone
- OG983R 2 Suction cannulas, diam. 2.0 mm, with LUER cone
- OG984R 2 Suction cannulas, diam. 2.5 mm, with LUER cone

2.

Saugset komplett, bestehend aus:

- OG971R Saughandgriff mit Unterbrecher, mit LUER-Konus
- OG973R 2 Saugkanülen, Ø 0,7 mm, mit LUER-Konus
- OG974R 2 Saugkanülen, Ø 1,0 mm, mit LUER-Konus
- OG969R 2 Saugkanülen, Ø 1,3 mm, mit LUER-Konus
- OG982R 2 Saugkanülen, Ø 1,5 mm, mit LUER-Konus
- OG983R 2 Saugkanülen, Ø 2,0 mm, mit LUER-Konus
- OG984R 2 Saugkanülen, Ø 2,5 mm, mit LUER-Konus



Suction
Sauger

BELLUCCI

OG950R

Suction set, complete, consisting of:

- OG951R Suction tube with finger cut-off and stylet, 155 mm, 6"
- GF772R Detachable end, 20 swg. diam., 1.0 mm diam.
- GF773R Detachable end, 22 swg. diam., 0.7 mm diam.
- GF774R Detachable end, 24 swg. diam., 0.5 mm diam.

Saugset komplett, bestehend aus:

- OG951R Saugrohr, allein, mit Saugunterbrecher und Mandrin, 155 mm, 6"
- GF772R Saugkanüle, Ø 20 swg., Ø 1,0 mm
- GF773R Saugkanüle, Ø 22 swg., Ø 0,7 mm
- GF774R Saugkanüle, Ø 24 swg., Ø 0,5 mm

Retractors, Hooks – Retraktoren, Wundhaken

Nerve- and Vessel Hooks

Nerv- und Gefäßhäkchen



$\frac{1}{2}$

BROM
BT075R
Vein hook
Venenhäkchen
170 mm, 6 $\frac{3}{4}$ "



$\frac{1}{2}$

CRILE
BT080R
200 mm, 7 $\frac{7}{8}$ "



$\frac{1}{2}$

BT082R **BT083R**

3.

CUSHING
BT082R–BT083R
190 mm, 7 $\frac{1}{2}$ "



$\frac{1}{2}$

OF277R **OF278R** **OF279R**

LUCAE
OF277R–OF279R
Ear hooks, probe ended
Ohrhebel, geknöpft
140 mm, 5 $\frac{1}{2}$ "



$\frac{1}{2}$

CAWTHORNE
OF276R
Cerumen hook
Zerumenhäkchen
140 mm, 5 $\frac{1}{2}$ "



Retractors
Retraktoren

Retractors, Hooks – Retraktoren, Wundhaken

Retractors with Treangle Handle

Wundhaken mit Treangle-Griff

MANNERFELT MODIF.
BT901R
sharp
scharf
135 mm, 5 1/4"

MANNERFELT MODIF.
BT902R
sharp
scharf
155 mm, 6 1/8"

MANNERFELT MODIF.
BT904R
hollow grooved
hohlgekehlt
155 mm, 6 1/8"

MANNERFELT MODIF.
BT906R
Forked hook, retrograded curved
Gabelhaken, retrograd gebogen
155 mm, 6 1/8"

MANNERFELT MODIF.
BT911R-BT913R
small curve, sharp
enge Biegung, scharf
155 mm, 6 1/8"

MANNERFELT MODIF.
BT916R-BT918R
small curve, blunt
enge Biegung, stumpf
155 mm, 6 1/8"

MANNERFELT MODIF.
BT921R-BT923R
large curve, sharp
weite Biegung, scharf
155 mm, 6 1/8"

MANNERFELT MODIF.
BT926R-BT928R
large curve, blunt
weite Biegung, stumpf
155 mm, 6 1/8"



Retractors, Hooks – Retraktoren, Wundhaken

Nerve- and Vessel Hooks




Nerv- und Gefäßhäkchen

Dimensions for blade size of retractors

1st number = depth Example: 25 x 38 mm
2nd number = width

Maßangaben für Blattgrößen der Wundhaken

1. Zahl = Tiefe Beispiel: 25 x 38 mm
2. Zahl = Breite



Retractors
Retraktoren



FD396R FD397R FD398R FD399R ^{1/1}

5.

^{1/2}
KRAYENBÜHL
FD396R-FD399R
185 mm, 7 1/4"



FD394R FD395R ^{1/1}

blunt sharp
stumpf scharf

^{1/2}
ADSON
FD394R-FD395R
190 mm, 7 1/2"