



## FSB 10 Mk II

SKU: S2073-0001

Sachtler FSB 10 Mk II Fluid Head with Sideload Camera Plate and Pan Bar – Payload range: 0-12 kg / 0-26.5 lb



# PRODUCT DESCRIPTION

## Fluid, Smooth, Balanced: Capture the moment precisely

Redesigned with features from the revolutionary Sachtler aktiv fluid head range, FSB delivers precision movement with finely calibrated levels of drag and counterbalance for the perfect shot. The streamlined profile is built to withstand the toughest conditions to deliver repeatable, reliable camera support shot after shot.

## Product Highlights

- **Smooth operation.**  
Create precision pans with smooth starts and soft stops.
- **Finely balanced.**  
Delivering smooth pan-tilt fluid actions to match any camera payload from 0kg.
- **Always on the level.**  
Innovative illuminated PrismBubble visible from any height – day or night.
- **Built for endurance.**  
Engineered to the highest standards with tough materials and precision components, FSB is built for endurance.

## TECHNICAL SPECIFICATIONS

<b>Range</b>	FSB
<b>Temperature Range</b>	-40°C to 60°C   -40 °F to 140 °F
<b>Camera Plate</b>	Sideload plate S
<b>Payload</b>	0 kg to 12 kg   0 lb to 26.46 lb
<b>Counterbalance</b>	15 + 0 steps
<b>Drag</b>	7 + 0 drag settings
<b>Weight</b>	2.7 kg   5.95 lb
<b>Bowl Size</b>	100 mm
<b>Pan Bar Count</b>	1
<b>Sliding Range</b>	12 cm   4.72 in
<b>Tilt Range</b>	90° to -70°
<b>Pan Bar Length</b>	43 cm to   16.93 in to
<b>Pan Bar Type</b>	Pan bar DV 75
<b>Pan Bar Attachment</b>	ø 16/-/28 mm
<b>Level Bubble</b>	Yes, illuminated
<b>Battery Type</b>	CR2032

## IN THE BOX

FSB 10 Mk II fluid head with pan bar DV and sideload plate S

- [Pan bar DV 75](#) (0992SP)
- [Sideload plate S / Ace plate](#) (0164)



# DIAGRAMS



## YOU MAY ALSO LIKE...



[System FSB 10 Mk II ENG AL GS](#)



[System FSB 10 Mk II ENG CF GS](#)



[System FSB 10 Mk II ENG CF MS](#)



[System aktiv10 flowtech100 MS](#)