



Visit product page



FOS SCORPIO SPOT

L005502

2.1.

Professional Spot moving head, 200 watt Led source 7500K, standard optics 16°, electronic focus 2.5-30m, 7 colors , 8 static gobos, 6 rotating indexable gobos, 3 facet prism , 55db low noise fans , powercon in/out,.

TECHNICAL DETAILS

Light Source / Optics

Light Source: 200 Watt White LED 7500 Kelvin. [2.2.](#)

50,000 hours life span. [2.3.](#)

Specific high precision glass optic system with 16° projection angle.

2.5m-15m electronic focus. [2.4.](#)

Low power consumption.

Effects

7 colors plus white. [2.5.](#)

8 Static gobos plus open. [2.5.](#)

6 Rotating gobos plus open. Internal diameter 17mm - external diameter 24mm. [2.5.](#)

electronic focus 2,5 to 30 meters.

3F rotating prism. [2.5.](#)

electronic dimmer 0 - 100%. [2.5.](#)

Strobe, random strobe and pulsing effects.

Control

Master / Slave, Sound active, Auto and DMX control.

14 or 16 DMX control channels. [2.6.](#)

Pan / Tilt with 8bit / 16 bit resolution.

360 / 540 / 630 Pan & 90 / 180 / 270 Tilt degrees movement range. [2.8.](#)
TFT LCD 2,4" display for accessing the options menu.

Installation / Dimension details

Power Supply: 90 / 260 Volt AC, 50 / 60 Hz.

Power Consumption: 235 Watt.

Power in/out with Powercon plugs. [2.7.](#)

DMX signal in/out with 3pin XLR plugs. [2.7.](#)

IP20, for indoor use only.

55dB at 3' dB rating noise level..

2 Omega clamps for truss installation.

Dimensions: 307 x 224 x 418 mm (D x W x H)

Packing Dimensions: 380 x 280 x 505 mm (D x W x H)

Net Weight: 10,4 Kg.

Gross Weight: 12,5 Kg.

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FC-PDC-3

Professional PowerCon /
DMX cable 3 meter,



FOS SUPER CLAMP 200

Professional clamp for
fixtures lifting weight 200



**FOS SUPER CLAMP 200
BLACK**

Professional clamp for
fixtures lifting weight 200



**FOS Double Case Scorpio
Spot/Beam**

Double case with wheels
for 2 pcs Scorpio Spot or



FOS Folded Clamp

Folded clamp for FOS
moving heads. Suitable for
Ti

