

Special Cell Cleaning Solution**Order information**

REF	CONTENT	Analyzer(s) on which cobas c pack(s) can be used
07224656 190	Special Cell Cleaning Solution (79 mL*)	System-ID 08 6973 8 cobas c 513

*The value encoded in the instrument settings is 72 mL to account for the dead volume of the bottles.

English**System information**

SCCS (D2): ACN 948

Intended use

Wash solution for reaction cells on the **cobas c 513** system.

Summary

Cell washes are required due to possible cuvette carry-over of HbA1c reagent.

Reagents - working solutions

NaOH 3 mol/L (approximately 12 %); sodium hypochlorite solution (< 2 % active chlorine); additive

The reagent is in position B and C.

Precautions and warnings

For in vitro diagnostic use.

Exercise the normal precautions required for handling all laboratory reagents.

Disposal of all waste material should be in accordance with local guidelines. Safety data sheet available for professional user on request.

For USA: For prescription use only.

This kit contains components classified as follows in accordance with the Regulation (EC) No. 1272/2008:



Danger

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P303 + P361 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
+ P353

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
+ P310 Immediately call a POISON CENTER or doctor/physician.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
+ P338 Continue rinsing.

Product safety labeling primarily follows EU GHS guidance.

Contact phone: all countries: +49-621-7590, USA: 1-800-428-2336

Reagent handling

Ready for use

Storage and stability

Shelf life at 2-8 °C: See expiration date on **cobas c** pack label.

On-board in use and refrigerated on the analyzer: 7 days

Materials provided

See "Reagents – working solutions" section for reagents.

Assay

The reaction cell carry-over evasion is pre-programmed on the **cobas c 513** analyzer. It is not necessary for the user to manually define and configure the wash cycles.

A special wash with the Special Cell Cleaning Solution (SCCS) is performed automatically after the fifth usage of each cuvette. For this purpose the **cobas c** pack SCCS must be present on the analyzer. If it is not present on the analyzer the instrument issues a "stop alarm" when attempting to start.

Symbols

Roche Diagnostics uses the following symbols and signs in addition to those listed in the ISO 15223-1 standard.

CONTENT

Contents of kit



Volume after reconstitution or mixing

GTIN

Global Trade Item Number

FOR US CUSTOMERS ONLY: LIMITED WARRANTY

Roche Diagnostics warrants that this product will meet the specifications stated in the labeling when used in accordance with such labeling and will be free from defects in material and workmanship until the expiration date printed on the label. THIS LIMITED WARRANTY IS IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. IN NO EVENT SHALL ROCHE DIAGNOSTICS BE LIABLE FOR INCIDENTAL, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES.

COBAS and COBAS C are trademarks of Roche.

All other product names and trademarks are the property of their respective owners.

Additions, deletions or changes are indicated by a change bar in the margin.

© 2015, Roche Diagnostics



Roche Diagnostics GmbH, Sandhofer Strasse 116, D-68305 Mannheim
www.roche.com

Distribution in USA by:
Roche Diagnostics, Indianapolis, IN
US Customer Technical Support 1-800-428-2336

