

RECORDING AND MONITORING

WorkMate Claris™ System

DESCRIPTION

The WorkMate Claris™ System is a highly sophisticated yet simple-to-use workstation that provides electrogram acquisition while serving as the technology platform for the seamless integration with other systems and products used in the EP lab.

PRODUCT HIGHLIGHTS

- ClearWave™ Software Signal Acquisition Technology provides 32-bit digital electrogram acquisition.
- The WorkMate Claris™ System puts everything you need to complete your study right at your fingertips. Hot keys are built in to all features of the WorkMate Claris™ System, making it even easier to use the features you need.
- The EP-4™ Cardiac Stimulator can be used in a standalone capacity or as a fully integrated component of the WorkMate Claris™ System, providing integrated annotations and the ability to output up to four pacing channels. Fully programmable protocols and accommodations for multiple users create a custom stimulation interface for each specific operator.
- Ablation window displays real-time measurements in both graph and numerical form for supported radiofrequency and cryoablation generators.
- The WorkMate Claris™ System features real-time analysis intervals that include R-R, A-A, V-V, V-A, stimulation and pressures waveforms.
- Connectivity with existing IT systems is easy, powerful and cost-effective. The WorkMate Claris™ System uses existing IT infrastructure to minimise the complexities and costs associated with a network solution.

ORDERING INFORMATION

WorkMate Claris™ Systems include: Advanced Electrophysiology Signal Processing Computer, Signal Conditioning Unit with ClearWave™ Software Signal Acquisition Technology, Integrated 4-Channel EP-4™ Cardiac Stimulator, High-Resolution LCD Monitors (Real Time, Review/Control and Slave), Laser Printer, Primary and Bedside Carts, All Associated Cables.

Reorder Number	Description
H700123	WorkMate Claris™ System 120-Channel System with EP-4™ Cardiac Stimulator
H700124	WorkMate Claris™ System 56-Channel System with EP-4™ Cardiac Stimulator



WorkMate Claris™ Service Parts and Cables

Reorder Number	Description
	WorkMate Claris System IBP to use with
H700151	IBP [†] Cable Transpac [‡] IV
H700153	IBP [†] Cable ArgoTrans [‡] Model 1
H700155	IBP [†] Cable TransStar [‡] MX950
H700152	IBP [†] Cable Truwave [‡]
H700154	IBP [†] Cable NovaTrans [‡] MX860
H700157	IBP [†] Cable Meritrans [‡]
H700158	IBP [†] Cable Namic [‡] Perceptors DT
H700159	IBP [†] Cable DTXPlus [‡]
H700161	IBP [†] Cable Deltran [‡] II
H700156	IBP [†] Cable LogiCal [‡] MX960
	ECG Cables
H700132	Claris 12 Lead ECG Cable Set, Radiopaque (EU)
H700134	Claris 12 Lead ECG Cable Set, Radiolucent (EU)

EP-4™ Cardiac Stimulator

DESCRIPTION

The EP-4™ Cardiac Stimulator features high-speed processing capabilities, an intuitive user interface and an array of time-saving key command shortcuts.

PRODUCT HIGHLIGHTS

- The EP-4™ Cardiac Stimulator functions as an integrated component with the WorkMate Claris™ System or as a standalone stimulation system
- With six separate users each having nine standard and 10 user-definable protocols, the EP-4™ Cardiac Stimulator provides maximum versatility
- Operators can control the stimulation protocol through a touch screen, keyboard, mouse or the WorkMate Claris™ System
- Direct AC power reduces the risk of a battery failure during operation

ORDERING INFORMATION

Contents: EP-4™ Cardiac Stimulators include: EP-4™ Cardiac Stimulator, Touch Screen Stimulator Control, All Associated Cables.

Reorder Number	Description
EP-4-04	EP-4™ Cardiac Stimulator System with EP-4 Cardiac Touch Screen
H403023	EP-4™ Cardiac Stimulator
H21911	EP-4™ Cardiac Stimulator Touch Screen



Cool Point™

Irrigation Pump

Product Highlights

- Peristaltic pump
- Two-way communication with the IBI-1500T11 Cardiac Ablation Generator
- 2 microliter bubble detectors
- In-line pressure sensor to detect downstream occlusion
- Compact, lightweight design
- Ergonomic carrying handle
- Includes: Irrigation Pump, Power Cord, Pole Clamp, 1779 Connecting Cable, Operator’s Manual

Ordering Information


REORDER NUMBER	DESCRIPTION
85784	Cool Point™ Irrigation Pump

Required Cool Point Tubing Set

REORDER NUMBER	DESCRIPTION	LENGTH (CM)
85785	Cool Point™ Tubing Set (sold individually)	329

Required Cool Point Accessories

REORDER NUMBER	DESCRIPTION	LENGTH (CM)
85786	Communications cable, 20-feet, between Cool Point™ Irrigation Pump and IBI-1500T11 Cardiac Ablation Generator	600



Ampere™ RF

Ablation Generator

Product Highlights

- Specifically designed to work alongside the EnSite™ Cardiac Mapping System, including an integrated GenConnect module
- Designed for compatibility with EP-WorkMate™ Recording System, WorkMate Claris™ Recording System and other major recording systems
- Choice of power or temperature control modes
- Large, colorful screen and buttons for easy reading and programming
- New programming options, including automatic irrigation flow adjustment and variable power ramp-up times
- Up to four presets for easy switching between settings
- Optional full-color screen remote control and footswitch available

Ordering Information

REORDER NUMBER	DESCRIPTION
H700495	Ampere™ Generator Kit (includes generator + footswitch, 2.5 m cable)
H700491	Ampere™ Remote Control (includes 15 m fiber cord)
H700498	Ampere™ Footswitch, 2.5 m
H700499	Ampere Footswitch, 5 m
H700500	Ampere Footswitch, 10 m
H700501	Ampere Footswitch, 15 m



Ampere™ RF Ablation Generator



Ampere™ Remote Control