



Our Mission

Certificates/Awards

Company History

Contact Info

# BIB®

## Stent Placement catheter for vessels over 8.0 mm in diameter



### All Catheters have:

An inner balloon 1/2 of the balloon diameter of the outer balloon. i.e. BB010 has an 8.0 mm inner balloon.

An inner balloon that is 1.0 cm shorter than the outer balloon. i.e. BB010 has an inner balloon that is 2.0 cm long.

An inner balloon with a rated burst pressure of 4.5 to 5.0 atmospheres. Four image bands that match the functional length of each balloon.

A length of 110 cm.

All Catheters are for use with a 0.035" wire.

**NEW sizes highlighted**

### BIB® Outer Balloon Specifications

Balloon Diameter (MM)	Balloon Length (CM)	Introducer Size (FR)	Shaft Size (FR)	Usable Length (CM)	Guide Wire (Inches)	Rated Burst (ATM)	Catalog No.
12.0	2.5	8	8	110	0.035	7	BB003
12.0	3.0	8	8	110	0.035	7	BB006
12.0	3.5	8	8	110	0.035	7	BB009
12.0	4.0	8	8	110	0.035	7	BB033
12.0	4.5	8	8	110	0.035	7	BB037
12.0	5.0	8	8	110	0.035	7	BB034
12.0	5.5	8	8	110	0.035	7	BB051
14.0	2.5	8	8	110	0.035	6	BB022
14.0	3.0	8	8	110	0.035	6	BB052
14.0	3.5	8	8	110	0.035	6	BB025
14.0	4.0	8	8	110	0.035	6	BB038
14.0	4.5	8	8	110	0.035	6	BB035
14.0	5.0	8	8	110	0.035	6	BB039
14.0	5.5	8	8	110	0.035	6	BB053
15.0	2.5	9	9	110	0.035	5	BB054
15.0	3.0	9	9	110	0.035	5	BB055
15.0	3.5	9	9	110	0.035	5	BB056
15.0	4.0	9	9	110	0.035	5	BB057
15.0	4.5	9	9	110	0.035	5	BB058
15.0	5.0	9	9	110	0.035	5	BB059
15.0	5.5	9	9	110	0.035	5	BB060
16.0	2.5	9	9	110	0.035	5	BB023
16.0	3.0	9	9	110	0.035	5	BB010
16.0	3.5	9	9	110	0.035	5	BB026
16.0	4.0	9	9	110	0.035	5	BB013
16.0	4.5	9	9	110	0.035	5	BB016
16.0	5.0	9	9	110	0.035	5	BB028
16.0	5.5	9	9	110	0.035	5	BB019
18.0	2.5	10	9	110	0.035	4	BB024
18.0	3.0	10	9	110	0.035	4	BB040
18.0	3.5	10	9	110	0.035	4	BB027
18.0	4.0	10	9	110	0.035	4	BB041
18.0	4.5	10	9	110	0.035	4	BB029
18.0	5.0	10	9	110	0.035	4	BB030
18.0	5.5	10	9	110	0.035	4	BB031
20.0	3.0	10	9	110	0.035	4	BB011
20.0	3.5	10	9	110	0.035	4	BB042
20.0	4.0	10	9	110	0.035	4	BB014
20.0	4.5	10	9	110	0.035	4	BB017
20.0	5.0	10	9	110	0.035	4	BB032
20.0	5.5	10	9	110	0.035	4	BB020
22.0	3.0	11	9	110	0.035	3	BB061
22.0	3.5	11	9	110	0.035	3	BB062
22.0	4.0	11	9	110	0.035	3	BB063
22.0	4.5	11	9	110	0.035	3	BB064
22.0	5.0	11	9	110	0.035	3	BB065
22.0	5.5	11	9	110	0.035	3	BB066
24.0	3.0	11	9	110	0.035	3	BB012
24.0	3.5	11	9	110	0.035	3	BB067
24.0	4.0	11	9	110	0.035	3	BB015
24.0	4.5	11	9	110	0.035	3	BB018
24.0	5.0	11	9	110	0.035	3	BB036
24.0	5.5	11	9	110	0.035	3	BB021
24.0	6.0	11	9	110	0.035	3	BB077
26.0	4.0	16	11	110	0.035	3	BB068
26.0	5.0	16	11	110	0.035	3	BB069
26.0	6.0	16	11	110	0.035	3	BB070
28.0	4.0	16	11	110	0.035	2	BB071
28.0	5.0	16	11	110	0.035	2	BB072
28.0	6.0	16	11	110	0.035	2	BB073

30.0	4.0	16	11	110	0.035	2	BB074
30.0	5.0	16	11	110	0.035	2	BB075
30.0	6.0	16	11	110	0.035	2	BB076

*The devices listed have CE mark approval. Any customer or distributor outside of the EU will be subject to their individual country's regulations in regards to the importation and sale of these products.*

This publication could include technical or other inaccuracies or typographical errors. Changes are periodically added to the information herein; these changes will be incorporated in the new editions of the publication. NuMED Incorporated may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time.