



MiniSpin® / MiniSpin® plus - Mini Centrifuge

Ekranas



4/5

General Lab Product Version IVD Product Version *i*

Product Information

MiniSpin® and MiniSpin® plus are entry-level mini centrifuges that are powerful, easy-to-use and small enough to allow individual workstations to be equipped with a portable centrifuge.

Show more Product Information



360° view

Learn more about sustainability at Eppendorf - incl. how to recognize a sustainable centrifuge

Request a demo

You will find additional download material at the bottom of this page

- Sets (2)
- Rotors (2)**
- Accessories (4)
- epServices (11)

Rotor F-45-12-11

- angle 45°, 12 places, max. tube diameter 11 mm, incl. rotor lid and rotor nut
- MiniSpin®/MiniSpin® plus

Catalog no. 545272008

Inquire

More product details ...

Komplektacijos: du rotorai ir dangteliai

Rotor F-55-16-5 PCR

- angle 55°, 16 places, max. tube diameter 5 mm, incl. rotor lid (aluminum)
- MiniSpin®/MiniSpin® plus

Catalog no. 545272707

Inquire

More product details ...

Product Information **Technical Data** Features

Specifications	MiniSpin®	MiniSpin® plus
Max. RCF	12,100 × g	14,100 × g
Max. RCF with fixed-angle rotor	12100 × g	14100 × g

Centrifugavimo jega

Display	LCD	LCD
Speed	800–13,400 rpm (100 rpm steps)	800–14,500 rpm (100 rpm steps)
Rotors available	2	2
Max. capacity	12 × 1.5/2.0 mL	12 × 1.5/2.0 mL
Acceleration time ¹⁾	13 s	13 s
Deceleration time ¹⁾	12 s	12 s
Timer	15 s–30 min	15 s to 99 min, with continuous run function
Noise level	< 49 dB(A)	<52 dB(A)
Volume range	24 mL	24 mL
Power supply	230 V, 50–60 Hz	230 V, 50–60 Hz
Max. power consumption	70 W	85 W
Dimensions (W×D×H)	22,5×23,0×13,0 cm / 8,86×9,06×5,12 in	22,5×23,0×13,0 cm / 8,86×9,06×5,12 in
Weight w/o accessories	3,7 kg/8,16 lb	4,1 kg/9 lb
Height (with open lid)	25 cm/9,8 in	25 cm/9,8 in
Cooling	non-refrigerated	non-refrigerated

centrifugavimo greitis

Laikmatis

maitinimas

Išmatavimai, svoris

¹⁾Acceleration and deceleration times may vary depending on rotor, load and voltage version.

Downloads: MiniSpin[®]/ MiniSpin[®] plus

Content

Brochures (2)

English ×

Certificates (3)

Manuals (4)

Notes & Papers (1)

FAQs (23)



Selection Guide Centrifuge Family Overview

Overview of all Centrifuges: Capacity and Technical Data

PDF .5MB
English



Brochure Your Daily Companion Eppendorf Microcentrifuges (GLP)

PDF 7.1MB
English

Filter

Reset all

Language (1)



Filter

You might also consider



Promotion

Eppendorf Safe-Lock Tubes

Eppis - Eppendorf Safe-Lock Tubes offer special protection against unintentional opening and completely eliminate any danger of leaks during incubation and storage



MixMate®

The Eppendorf MixMate can mix and vortex samples. Dedicated exchangeable tubeholders for different vessel formats provide flexibility.

Eppendorf Poland/Baltic

Quick Links.



Support



Magazines



Subscribe to our newsletter

Register now

Connect With Us



Imprint

Legal Notice

Legal Notice & Privacy Policy

Trademarks & Patents

Cookie Info

© 2023 Eppendorf SE

For commercial customers only. All prices VAT exclusive.