

Welcome to Giorgio Bormac S.r.l.



Cerca (per parola chiave o codice) 



HOME PAGE

COMPANY

PRODUCTS

DOWNLOAD

SUPPORTO

CONTACTS



Your account





Waterbath ARGOLAB WB 5 Lt

Features

Working range: +5°C RT ... +85 / +100 °C

Volume 5 / 12 / 22 / 40 l

Backlit LED display

Other features

Waterbath Argolab.

Safety class 2 (DIN 12880).

7. Aliarmai - vizauliniai ir akustiniai

Visual and acoustic alarms which can be silenced by the operator.

Digital timer with a range of programming 1

min - 99 h 59 min and continuous working.

6. Laikmatis

Possibility to set a delayed start of heating cycle.

“Safe temperature” function: working temperature limiter for sample protection.

Internal tank and drilled bottom plate (removable) in high quality stainless steel.

WB 22 Pump and WB 40 Pump ensure a faster and more uniform temperature distribution thanks to the recirculation pump.

Power supply: 220 ± 10% V - 50/60 Hz.

10. Maitinimas

Supplied as standard

stainless steel lid with 5 mm hole for the passage of an external probe, drilled bottom plate and a pipe for the drainage of the tank and quick-acting valve for periodic fluid replacement.

9. Komplektacija. 3 - Vonelės dangtis

: 41101592

Categories: Waterbaths[Specifiche Tecniche](#)[Area Download](#)[Informazioni](#)

Caratteristiche	
Capacity	5
Min. height (lid closed)	150
Security class	2
Dimension	480 x 215 x 335
Frequency	50 - 60
Warranty	2
Working method	natural convection
Weight	8

Caratteristiche	
Recirculation pump	No
Pump flow rate max.	
Absorbed power	700
Tub width	150
Temperature resolution	0,1
Timer	99 : 59
Temperature variation at 37 °C	±0,1
Useful volume	5
Power supply	230
Internal dimensions	300 x 155 x 150
Dimension (plate)	270 x 120
Overtemperature security	Electronic
Working temperature	+5 Ta...100
Display	LCD

8. Ekranas - LCD

Caratteristiche	
Regulations	2006/95/EC - 2004/108/EC - EN61326-1:2006 - EN6101G-1:2010 - EN61010-2-010:2003
Temperature homogeneity at 37 °C	±0,2
Resolution	0,1
Packaging dimensions (W x D x H)	550 x 300 x 400
Rack capacity	2 slot
Supplied as standard	

Altri prodotti in questa categoria





Waterbath ARGOLAB WB 5 Lt
: 41101592



WATERBATH ARGOLAB WB 12 Lt
: 41101602



WATERBATH ARGOLAB WB 22 Lt (with pu...
: 41101612

GIORGIO·BORMAC s.r.l.

Design, manufacture, marketing and service on scientific instrumentation and equipment for laboratory and industry.

Links:

- Azienda
- Company
- History
- Etichettatura ambientale
- imballaggi spedizioni
- progetti

Legal:

- P.I. 04168650366
- © 2025 Giorgio Bormac
- S.r.l.
- Privacy Policy
- Cookie Policy

Contacts:

Giorgio Bormac S.r.l.

Via della Meccanica, 25
41012 Carpi (MO)
Italia





Sostenibilità

Ambiente

Comunità

Certificazioni qualità

Lavora con noi

Download

SDS

Collaboratori

+39 059 653274

info@giorgiobormac.com

made with  by tecntrade

