

**SİLİKON MASKE****Silicone Mask**

Silikon malzeme  
134 dereceye kadar otoklavlanabilir

Silicone material  
Autoclavable until 134 degree  
celcius

Tip/Type	No	Ref No
Neonatal/Neonatal	NO: 0	130 220
Infant/Infant	NO: 1	130 221
Pediatrik/Pediatric	NO: 2	130 222
Çocuk/Child	NO: 3	130 223
Yetişkin Ufak/Adult Small	NO: 4	130 224
Yetişkin/Adult	NO: 5	130 225

**TEK KULLANIMLIK  
YASTIKLI MASKE****Disposable  
Air Cushion Mask**

Tip/Type	No	Ref No	Renk/Color
Neonatal/Neonatal	NO: 0	130 210	Beyaz /White
Infant/Infant	NO: 1	130 211	Pembe /Pink
Pediatrik/Pediatric	NO: 2	130 212	Sarı /Yellow
Çocuk/Child	NO: 3	130 213	Yeşil / Green
Yetişkin Ufak/Adult Small	NO: 4	130 214	Kırmızı / Red
Yetişkin/Adult	NO: 5	130 215	Mavi / Blue

**TEK KULLANIMLIK  
MANUEL AMBU****Disposable Manuel  
Resuscitator**

280ml, 550ml, 1500ml  
ambu torbası  
2m oksijen hortumu  
PVC rezervuar  
Yastıklı maske

280ml, 550ml, 1500ml  
resuscitator bags  
2m oxygen tubing  
PVC reservoir  
Air cushion mask

Tip/Type	Ref No
Infant 280 ml	130 260
Pediatrik/Pediatric 550 ml	130 261
Yetişkin/Adult 1500 ml	130 262

Daugkartinis ambu maišas

Rinkinį sudaro: gaivinimo maišas, 2m deguonies vamzdelis, silikoninis rezervuaras, silikoninė kaukė

**REUSABLE  
MANUEL AMBU**

280ml, 550ml, 1500ml  
ambu torbası  
2m oksijen hortumu  
Silikon rezervuar  
Silikon maske

**Reusable Manuel  
Resuscitaror**

280ml, 550ml, 1500ml  
resuscitator bags  
2m oxygen tubing  
Silicone reservoir  
Silicone mask

Modelis

Kodas

Tip/Type	Ref No
Infant 280 ml	130 250
Pediatrik/Pediatric 550 ml	130 251
Yetişkin/Adult 1500 ml	130 252

2pd- pediatrinis, 550ml  
3pd- suaugusiems 1500ml





**SİLİKON MASKE – TEK KULLANIMLIK YASTIKLI MASKE – TEK KULLANIMLIK MANUEL SUNİ SOLUNUM BALONLARI – TEKRAR KULLANILABİLİR MANUEL SUNİ SOLUNUM BALONLARI -TEKRAR KULLANIMLIK SUNİ SOLUNUM BALONU SETLERİ – TEKRAR KULLANILABİLİR SUNİ SOLUNUM BALONU SETLERİ**  
(*SILICON MASK –DISPOSABLE AIR CUSHION MASK – DISPOSIBLE MANUEL RESUSCITATORS – RESUABLE MANUEL RESUSCITATORS – DISPOSIBLE RESUSCITATOR SET-RESUABLE RESUSCITATOR SET*)

PRODUCT REF. NO/ÜRÜN REF NO: **130 XXX**

REF. MDD 93/42/ECC (2007/47/EC)

Doküman No / Revision No / Revizyon No	KYS: 1D.020/04 / 03
Revision Date / Revizyon Tarihi	18.06.2019
Issue Date / Yayın Tarihi	13.05.2013
Page Number / Sayfa No	5 / 14

7	OKSİJEN HORTUMU / OXYGEN TUBE	PVC <b>RESILIA</b>	2H04	Uzunluk / Length : 200 cm +/- 10 cm
---	----------------------------------	-----------------------	------	-------------------------------------

- **İnspirasyon-Expirasyon Direnci / Inspiration-Expiration Resistance < 3.0 cmH<sub>2</sub>O @50 lpm**
- **Çalışma sıcaklığı/ Working temperature -18°C ~+50°C**
- **Depolama sıcaklığı/Storage temperature -40°C ~+60°C**

**3.2. TEKRAR KULLANILABİLİR MANUEL SUNİ SOLUNUM BALONLARI HAMMADDE, ÖLÇÜLER VE MAKİNA&TEDARİKÇİ**  
*RESUABLE MANUEL RESUSCITATORS THE RAW MATERIAL, DIMENSIONS and MACHINE&SUPPLIER*

**Ürün Referans Numaraları/ Ref. Numbers of Products: 130250, 130251, 130252**

No	KOMPONENT İSMİ/ COMPONENT NAME	HAMMADDE / RAW MATERIAL	KALIP NO /MOULD NO	ÖLÇÜLER/ MEASURES
1	BALON HACMİ / <i>BALLOON VOLUME</i>	Silikon/Silicon	-	Infant: 320 ml ±50ml Pediatric/Pediatrik: 600 ml ±50ml Yetişkin/Adult: 1700 ml ±100ml
	TEK SIKMADAKİ MAKSİMUM HACİM (TEK EL) / <i>MAXIMUM VOLUME (ONE HAND IN A SINGLE SPIN)</i>		-	Infant: 110 ml ±20ml Pediatric/Pediatrik: 280 ml ±30ml Yetişkin/Adult: 850 ml ±50ml
2	RESERVUAR HACMI/ <i>RESERVOIR VOLUME</i>	PVC	-	Infant: 600 ml Pediatric/Pediatrik: 1000 ml Yetişkin/Adult: 1000 ml
3	MASKE / <i>MASK</i> Kaukè	Silikon/Silicon Silikoninè	-	Infant: Silikon maske No:1 Pediatric/Pediatrik: Silikon maske No:3 Adult/Yetişkin: Silikon maske No:5 pediatrinè kaukè nr.3 kaukè suaugusiems nr.5
4	BASINÇ LİMİTLEYİCİ VALF/ Slègio numetimo vožtuvas <i>THE PRESSURE LIMITING VALVE</i>	PSU/ PC	-	60 cmH <sub>2</sub> O +/- 10cmH <sub>2</sub> O @ 15 lpm 40cmH <sub>2</sub> O +/- 5cmH <sub>2</sub> O @15 lpm
5	HASTA VALF KONNEKTÖRÜ/ <i>PATIENT VALVE CONNECTOR</i> Paciento jungtis	PSU/ PC	-	22/ 15 mm ISO swivel connector besisukanti jungtis pagal ISO reikalavimus



Elektrinis medicininis siurblys, tinkamas naudoti tiek stacionariai, tiek transporto priemonėje su integruota rankena pernešimui. Svoris 3.2 kg; Galimybė naudoti daugkartinius ir vienkartinius indus. AC maitinimo šaltinis, naudojant AC energijos laidą: 100-240 V, 50 Hz; DC maitinimo šaltinis, naudojant DC energijos laidą: 12-28 V; Darbo laikas, naudojant vidinę bateriją; 105 min., siurbiant maksimaliu pajėgumu; CE sertifikatas arba lygiavertis dokumentas; Garantija 24 mėnesiai; Pilna lietuviška naudojimosi instrukcija.

## F-18 BATTERY

SUCTION PUMP AC/DC

- Portable suction machine for minor surgery, emergency, patient transfer, hospital and home use. Anti-shock case, light, easy to carry and keep clean. Supplied with 1 lt. jar sterilizable, with overflow valve. Complete with suction regulator, vacuum gauge and rechargeable battery (Lead 12V - 1,3 Ah).
- Dimensions: 19 x 30 x 16cm

ASPIRATEUR DE MUCOSITES AVEC BATTERIE

- Aspirateur pour chirurgie mineure, d'urgence, transfert des patients, usage hospitalier et domestique. Boîtier en ABS anti-chocs, Livré avec un bocal de 1 lt. stérilisable et valve de reflux. Complet avec régulateur d'aspiration avec vacuomètre et une batterie rechargeable (plomb 12V - 1,3 Ah).
- Dimensions: 19 x 30 x 16cm

AVAILABLE CONFIGURATIONS / CONFIGURATIONS DISPONIBLES

F-18 BATTERY	1 x 1 L
F-18B/2.00	1 x 2 L

TECHNICAL SPECIFICATIONS / SPÉCIFICATIONS TECHNIQUES

Code / References	F-18 BATTERY
Motor / Moteur	Maintenance-free Oil free piston pump
Weight / Poids	3,1 kg
Power supply / Alimentation	230V/ 50-60Hz AC/12V CC
Suction power / Débit	24 l/min
Max vacuum / Vide maximum	- 0,75 bar - 560 mmHg
Battery duration / Autonomie de la batterie	> 40 min

## F-31.00

SUCTION PUMP AC/DC WITH LITHIUM BATTERY

- The NEW F-31 is a portable suction machine for minor surgery, emergency and professional use, with NEW powerful piston motor. ABS anti-shock case, light, easy to carry and keep clean. Supplied with 1 lt. jar sterilizable, with overflow valve. Complete with suction regulator, vacuum gauge. Filter disposable, set of disposable tubes and car plug connector. LIGHT WEIGHT
- Dimensions: 45 x 15 x 28cm

ASPIRATEUR DE MUCOSITES AVEC BATTERIE AU LITHIUM

- Aspirateur pour chirurgie mineure et premier secours avec nouveau puissant moteur à piston. Boîtier en ABS antichoc, léger et facile à nettoyer. Livré avec bocal stérilisable de 1 litre et valve de reflux. Régulateur d'aspiration avec vacuomètre. Filtre à usage unique. Jeu de tubulure à usage unique. Adaptateur pour prise allume-cigare.
- Dimensions: 45 x 15 x 28cm

AVAILABLE CONFIGURATIONS / CONFIGURATIONS DISPONIBLES

F-31.00	1 x 1 L	F-31.20	1 x 2 L
F-31.40	2 x 1 L	F-31.60	2 x 2 L

TECHNICAL SPECIFICATIONS / SPÉCIFICATIONS TECHNIQUES

Code / References	F-31.00
Motor / Moteur	Maintenance-free Oil free piston pump
Weight / Poids	3,2 kg
Power supply / Alimentation	240 -100 50/60Hz 15Vcc (4A)
Suction power / Débit	40 l/min
Max vacuum / Vide maximum	- 0,80 bar - 560 mmHg
Battery duration / Autonomie de la batterie	> 105 min



## MANUFACTURER TRADEMARK CERTIFICATE

TO WHOM IT MAY CONCERN

WHEREAS

We “OSATU, SOC. COOP.”, who are established and reputable manufacturers of defibrillators (models Reanibex 200, Reanibex 300, Reanibex 500, Reanibex serie 700 and Reanibex serie 800), and having factories at *Subida de Areitio, nr.5, Edificio Zearrekobuelta, 48260 Ermua (Vizcaya) Spain* do hereby certify that **BEXEN CARDIO** is a registered and proprietary trademark of our Company.

Signed in Ermua (Spain), on the 31<sup>th</sup> of March 2021



Ainhoa Unibaso Borja  
Export Manager

# Bexen cardio

**Osatu s. coop.**

Edificio Zearrekobuelta  
Subida de Areitio 5  
48260 Ermua  
Spain

Tel:+34 943 170266  
Fax:+34 943 170227  
[flarena@bexencardio.com](mailto:flarena@bexencardio.com)  
[www.bexencardio.com](http://www.bexencardio.com)

## GAMINTOJO PREKĖS ŽENKLO SERTIFIKATAS

Kam tai gali rūpėti

KADANGI

Mes „OSATU, SOC. COOP. “, kurie yra įsitvirtinę ir gerbiami defibriliatoriai (modeliai Reanibex 200, Reanibex 300, Reanibex 500, Reanibex serie 700 ir Reanibex serie 800), turintys gamyklas *Subida de Areitio, Nr. 5, Edificio Zearrekobuelta, 48260 Ermua (Vizcaya) Ispanija* patvirtina, kad **BEXEN CARDIO** yra registruota ir firmos prekės ženklas.

Pasirašyta Ermua (Ispanija), 2021 m. Kovo 31 d.

12 PD.



## PORTABLE OXYGEN CONCENTRATOR

### Zen-O lite™ with RRT

Zen-O lite™ portable oxygen concentrator offers reliability, flexibility and support active lifestyles of patients requiring oxygen therapy.

Zen-O lite™ features breath sensitivity and Rate Responsive Therapy™ technologies that enables rapid breath detection and oxygen delivery required.

#### RATE RESPONSIVE THERAPY™ (RRT)

Zen-O lite™ delivers oxygen on demand, which is triggered by the patient's inhalation. Whether a patient is climbing the stairs or taking a walk, Zen-O lite™ will automatically respond to the breath rate by adjusting the amount of oxygen needed to ensure the patient remains saturated. It offers an oxygen output of up to 1 050ml per minute and holds one battery that can last up to 4 hours at setting 2.



## ZEN-O LITE™

### FEATURES AND BENEFITS

#### PULSE MODE, UP TO 1050 ML

Zen-O lite™ delivers up to 1050 ml of oxygen per minute in pulse mode and is adjustable in 0.5 increments up to setting 5. Zen-O lite™ automatically adjusts the amount of oxygen delivered to meet the patient's breath rate.

#### SIMPLE AND EASY TO USE

Zen-O lite™ has easy to understand intuitive buttons and LCD panel for straightforward operation.

#### ECO MODE

The Eco Mode feature allows users to switch the operation of the device from delivery a fixed pulse of oxygen at each inhalation to a fixed volume of oxygen per minute, to allow for longer battery duration.

#### AUTO MODE

The Auto Mode feature activates after 60 seconds if no breath is detected, the device will automatically deliver pulses at a rate of 18 breaths per minute to the user. This feature allows users to continue receiving some oxygen if the cannula is dislodged.

#### LIGHTWEIGHT

Weighing just 2.5kg, Zen-O lite™ can be used in the comfort of a patient's home and is ideal for use outside the home. Zen-O lite™ offers unequalled independence and flexibility to patients that require supplemental oxygen therapy.

#### REPLACEABLE SIEVE MODULES

Zen-O lite™ is designed with easily replaceable sieve modules. The sieve modules can be swapped in under 5 minutes by either the user or home oxygen provider.

#### BREATH DETECTION INDICATOR

A system indicator flashes each time a breath is detected during use, giving users the assurance that oxygen is being delivered.

#### SUITABLE FOR AIR TRAVEL

Zen-O lite™ is manufactured in the UK and USA to the exacting standards of the European Medical Directive and United States Food and Drug Administration.

#### DURABLE

Zen-O lite™ is built to last and is supplied with a 3 year warranty, the battery, sieve modules and other accessories have a 1 year warranty.

## TECHNICAL DATA

Size (W×D×H):	249 mm × 97 mm × 235 mm (9.8" × 3.8" × 9.25")
Weight:	2.5 kg (5.5 lbs) without carry bag
Power requirements:	AC adaptor: 100-240V AC (+/- 10%) 50-60 Hz in, 24V DC, 5.0A out DC adaptor: 11.5 - 16V DC in, 24V, 5.0A out
Purity:	87% - 96% at all settings
Maximum oxygen discharge pressure:	20.5 psi
Inspiratory trigger sensitivity:	-0.12cm/H <sub>2</sub> O
Humidity range:	5% to 93% ± 2% non-condensing
Operating Altitude:	0' to 13,000' (0m to 4,000m)
Operation Temperature:	5°C (41°F) and 40°C (104°F)
Storage Temperature:	-20°C (-4°F) and 60°C (140°F)
Setting:	Adjustable in 0.5 increments from 1.0 to 5.0
Noise level:	37 dB(A)*
Battery duration:	Approx. 4 hours*

\*At setting 2.

### BATTERY DISCHARGE INTERVALS

Setting	Approx. Battery Life 1 Battery (Hours:Minutes)
Pulse 1.0*	4:00
Pulse 2.0*	4:00
Pulse 3.0*	3:00
Pulse 4.0*	2:15
Pulse 5.0*	2:00

\*(18 bpm)

Art. N	Deguonies koncentracija: 87-96%
RS-0	Deguonies srautas: iki 0–1050 ml / min
RS-0	Maksimalus išėjimo slėgis: 0,15 MPa
RS-0	Svoris: 2,5 kg
RS-0	Baterijos trukmė nuo pilno įkrovimo: ~4h.
RS-0	LCD ekranas
RS-0	Automobilinis įkrovėjas, 220V maitinimo laidas
RS-0	Garantija – 24 mėnesių.
RS-0	Pilna lietuviška naudojimosi instrukcija
RS-00606	Zen-O lite™ carry bag
RS-00616	Replacement sieve modules
RS-00617	Zen-O lite™ cannula wrench
RS-00619	Zen-O lite™ rucksack
RS-00512	Zen-O lite™ cannula filter pk of 10
RS-00515	External battery charger – US
RS-00516	External battery charger – EU
RS-00517	External battery charger – UK
RS-00523	Accessories bag

Each POC includes an oxygen concentrator with carry bag, battery, user manual, AC and DC power supply cords.



Zen-O lite™ backpack

Zen-O lite™ carry bag

Accessories bag

AC power supply

GCE Group  
[www.gcegroup.com](http://www.gcegroup.com)

GCE Healthcare is part of GCE Group, a world leader in gas control equipment.

Art. Nr. DL-00497. Edition 1/2019. Alterations are subject to change without notice. 19032019ea © 2019

Dokumentą elektroniniu  
parašymu patvirtas MONIKA  
KATINAUSKAITE  
Data: 2021-07-20 10:29:39  
Vieta: Kaunas  
Kontaktinė informacija:  
Telsininkė - viešųjų pirkimų  
specialistė +37060732661  
Gas Control Equipment