

23 Gauge

EDGE PLUS[®] BLADE



CONSTELLATION[®] Vitrectomy TOTAL PLUS[®] Pak

Non-Valved Contents Include:

- 23 Gauge ULTRAVIT[®] Vitrectomy Probe
- Cassette/Drain Bag
- 23 Gauge Endoilluminator
- 4 mm Infusion Cannula
- EDGEPLUS[®] Trocar/Cannula Sets
- 23 Gauge Plugs (3)
- GFI Administration Tubing Set
- Infusion Tubing Set with Auto-Infusion Valve
- Auxilliary Aspiration Tubing
- Sterile Front Panel Drape
- 3-way Stopcock
- 20 cc Syringe



CONSTELLATION[®] Combined Procedure Pak

Non-Valved Contents Include:

- 23 Gauge ULTRAVIT[®] Vitrectomy Probe
- Cassette/Drain Bag
- 23 Gauge Endoilluminator
- 4 mm Infusion Cannula
- EDGEPLUS[®] Trocar/Cannula Sets
- 23 Gauge Plugs (3)
- GFI Administration Tubing Set
- Infusion Tubing Set with Auto-Infusion Valve
- Irrigation/Aspiration Tubing Set
- Sterile Front Panel Drape
- 3-way Stopcock
- 20 cc Syringe
- Test Chamber
- I/A Tip Wrench
- Irrigation Sleeves (2) with BSI (1)

CONSTELLATION[®] Vitrectomy TOTAL PLUS[®] Pak

- Straight Endoilluminator



23

- 8065751058 | 5000 CPM | 6/box
- 8065751900 | 5000 CPM | Valved Cannulas | 6/box
- 8065751613 | 7500 CPM | Valved Cannulas | 6/box*

STAND ALONE COMPONENTS | 6/box

- CONSTELLATION[®] ULTRAVIT[®] 23 Gauge Vitrectomy Probe
- 8065750949 | 5000 CPM
- 8065751571 | 7500 CPM*
- 8065750957 | CONSTELLATION[®] VFC Pak
- 8065750842 | 23G Small Parts Kit (Includes infusion cannula and plugs set)
- 8065750837 | 23G Plugs

CONSTELLATION[®] Combined Procedure Pak

- Straight Endoilluminator
- Tipless



23

- 8065751077 | 5000 CPM | 0.9 mm | 6/box
- 8065751908 | 5000 CPM | Valved Cannulas | 0.9 mm | 6/box
- 8065751765 | 7500 CPM | Valved Cannulas | 0.9 mm | 6/box

STAND ALONE COMPONENTS | 12/box

- 8065750841 | 23G Infusion Cannula (no priming tray)
- 8065752149 | 23G Infusion Cannula with priming tray
- 8065752150 | 23G Sutured Infusion Cannula with priming tray
- 8065750914 | Infusion Tubing Set with Auto-Infusion Valve
- 8065750917 | Auxilliary Aspiration Tubing
- 8065750918 | Irrigation/Aspiration Tubing Set
- 8065750920 | GFI Administration Tubing Set
- 8065751585 | 4 mm EDGEPLUS[®] Valved Entry System (1 ct)
- 8065751657 | 4 mm EDGEPLUS[®] Valved Entry System (3 ct)
- 8065751800 | 6 mm EDGEPLUS[®] Valved Entry System (1 ct)
- 8065751801 | 6 mm EDGEPLUS[®] Valved Entry System (3 ct)
- 8065751446 | 4 mm EDGEPLUS[®] Trocar/Cannula Set (1 ct)
- 8065751447 | 4 mm EDGEPLUS[®] Trocar/Cannula Set (3 ct)
- 8065751444 | 6 mm EDGEPLUS[®] Trocar/Cannula Set (1 ct)
- 8065751445 | 6 mm EDGEPLUS[®] Trocar/Cannula Set (3 ct)

See Illumination Accessories Section for Stand Alone Endoilluminators

*Future Release

1.1.
K
O
M
P
L
E
X
T
A
C
I
J
A

CONSTELLATION[®] VITRECTOMY SURGICAL PACKS



constellation[®]
VISION SYSTEM

Refer to products Direction For Use for full details of use and Important Safety Information



25+® Products

EDGE PLUS[®] BLADE



CONSTELLATION® Vitrectomy TOTAL PLUS® Pak

Non-Valved Contents Include:

- 25+® ULTRAVIT® Vitrectomy Probe
- Cassette/Drain Bag
- 25+® Endoilluminator
- EDGEPLUS® Trocar/Blade
- Scleral Plugs (3)
- GFI Administration Tubing Set
- Infusion Tubing Set with Auto-Infusion Valve
- Auxilliary Aspiration Tubing
- Sterile Front Panel Drape
- 3-way Stopcock
- 20 cc Syringe



CONSTELLATION® Vitrectomy TOTAL PLUS® Pak

- Straight Endoilluminator




25+

- 8065751462 | 5000 CPM | 6/box
- 8065751902 | 5000 CPM | Valved Cannulas | 6/box
- 8065751617 | 7500 CPM | Valved Cannulas | 6/box

STAND ALONE COMPONENTS | 6/box

- CONSTELLATION® ULTRAVIT® 25+® Vitrectomy Probe (27 mm)
- 8065751438 | 5000 CPM
- 8065751570 | 7500 CPM
- CONSTELLATION® ULTRAVIT® 25G Vitrectomy Probe (30 mm)
- 8065750950 | 5000 CPM
- 8065751569 | 7500 CPM
- 8065751443 | 25G Plugs
- 8065751442 | 25G Small Parts Kit (includes infusion cannula and plugs set)



CONSTELLATION® Combined Procedure Pak

Non-Valved Contents Include:

- 25+® ULTRAVIT® Vitrectomy Probe
- Cassette/Drain Bag
- 25+® Endoilluminator
- EDGEPLUS® Trocar/Blade
- Scleral Plugs (3)
- GFI Administration Tubing Set
- Infusion Tubing Set with Auto-Infusion Valve
- Irrigation/Aspiration Tubing Set
- Sterile Front Panel Drape
- 3-way Stopcock
- 20 cc Syringe
- Test Chamber
- I/A Tip Wrench
- Irrigation Sleeves with BSI (1)



CONSTELLATION® Combined Procedure Pak

- Straight Endoilluminator
- Tipless



25+

- 8065751468 | 5000 CPM | 0.9 mm | 6/box
- 8065751910 | 5000 CPM | Valved Cannulas | 0.9 mm | 6/box
- 8065751767 | 7500 CPM | Valved Cannulas | 0.9 mm | 6/box

STAND ALONE COMPONENTS | 12/box

- 8065751459 | 25G Enhanced Infusion Cannula (no priming tray)
- 8065752151 | 25G Enhanced Infusion Cannula with priming tray
- 8065750914 | Infusion Tubing Set with Auto-Infusion Valve
- 8065750917 | Auxilliary Aspiration Tubing
- 8065750918 | Irrigation/Aspiration Tubing Set
- 8065750920 | GFI Administration Tubing Set
- 8065751586 | 4 mm EDGEPLUS® Valved Entry System (1 ct)
- 8065751658 | 4 mm EDGEPLUS® Valved Entry System (3 ct)
- 8065751782 | 6 mm EDGEPLUS® Valved Entry System (1 ct)
- 8065751778 | 6 mm EDGEPLUS® Valved Entry System (3 ct)
- 8065751448 | 4 mm EDGEPLUS® Trocar/Cannula Set (1 ct)
- 8065751449 | 4 mm EDGEPLUS® Trocar/Cannula Set (3 ct)
- 8065751780 | 6 mm EDGEPLUS® Trocar/Cannula Set (1 ct)
- 8065751781 | 6 mm EDGEPLUS® Trocar/Cannula Set (3 ct)

See Illumination Accessories Section for Stand Alone Endoilluminators

Gauge 20 23 25 25+ 27+

1.2.
K
D
H
P
L
E
K
T
A
C
I
J
A

CONSTELLATION® 25+® SURGICAL PACKS

EDGE PLUS[®] BLADE



Refer to products Direction For Use for full details of use and Important Safety Information



CONSTELLATION® Fragmentation Hand Piece

- Lightweight, improved ergonomic design

8065750888 | 1 each

STAND ALONE COMPONENTS

4.

8065750958 | CONSTELLATION® Fragmentation Pak | 20 Gauge | 6/box

8065803602 | Sterilization Tray (U/S & Fragmentation Hand Piece) | 1 each



OZil® Torsional Handpiece

The unique OZil® Torsional handpiece is the only phaco device that features side-to-side oscillating ultrasonic movement. The result is a wide range of exceptional benefits during phacoemulsification procedures.

- Reduces repulsion
- Improves followability
- Improves thermal safety profile
- Small and lightweight handpiece

8065750469 | 1 each

See Anterior Pack and Stand Alone Components options in this section



Auto Gas Fill

- V-LOCITY® efficiency component
- Automatic purge and fill of syringe with undiluted C₃F₈ or SF₆ gases
- Designed to simplify the gas fill process
- ENGAUGE® RFID
- Sterile, single-use

8065751014 | Auto Gas Fill Pack | 6/box

See Tamponade/Gases & Solutions section for details on CONSTELLATION® System Gases



CONSTELLATION® VFC Pak

- Sterile pack for injection and extraction of silicone oil
- Includes: VFC Syringe Adaptor with ENGAUGE® RFID, 10cc Syringe Barrel, Syringe Stopper, 20 Gauge Cannula, 23 Gauge Cannula, 25 Gauge Cannula, High Speed Extraction Sleeve, Push Rod
- ENGAUGE® RFID
- Sterile, single-use

2. 8065750957 | 6/box

20 23 25



CONSTELLATION® Pneumatic Hand Piece, DSP

- Designed for use with 20, 23, 25, or 27+® Gauge GRIESHABER® Advanced DSP tips
- Lightweight, ergonomic handle with superior control of actuation through the footpedal
- Single-cut or multi-cut scissors actuation similar to MPC
- Proportional control also available for scissors or forceps
- ENGAUGE® RFID
- Sterile, single-use

725.01 | 6/box

Diathermy Probe, DSP

- Designed to selectively coagulate tissue
- Pointed 30° tip for optimal visualization
- Ergonomic handle design
- For use on the CONSTELLATION® Vision System or ACCURUS® Surgical System


339.21 | 25 Gauge | 6/box*

339.31 | 27+® | 6/box*

8065128301 | 12' Reusable Bipolar Thermal Cable | 1 each CE

8065128402 | 12' Reusable Bipolar Silicone Cable | 1 each

20 23 25 27+



*Future Release

In the U.S. to order call 1-800-862-5266 or fax 1-800-241-0677. Outside the U.S. contact your local Alcon representative.

CONSTELLATION® ACCESSORIES



See Hand-Held Instrumentation section for details on GRIESHABER® DSP Tips.

Gauge 20 23 25 25+ 27+



Optimize OR setup, enhance the surgical experience and increase OR productivity



GRIESHABER® Aspheric Macular Lens

- Designed for improved visualization with enhanced contrast and crisp viewing throughout field of view
- Excellent self retaining qualities with more than 200mm² corneal surface contact area
- Six tabs stabilize but do not interfere with cannulas or globe rotation.
- Aspheric geometry offers improvements over traditional lens geometry to compensate for off-axis stereo viewing, defocus, loss of contrast and edge sharpness

618.60 | 6/box | ~30° FOV -59D



CONSTELLATION® Pneumatic Hand Piece, DSP

- Designed for use with 20, 23, 25, 25+®, or 27+® series GRIESHABER® Advanced DSP tips
- Lightweight, ergonomic handle with superior control of actuation through the footpedal
- Single-cut or multi-cut scissors actuation similar to MPC
- Proportional control also available for scissors or forceps
- ENGAUGE® RFID
- Sterile, single-use

725.03 | 6/box

20 23 25 25+ 27+



Curved Membrane Scraper

- Curved Nitinol loop designed for optimal scraping force
- Scraper loop can be fully or partially retracted to adjust the force applied to the retina as needed
- Compatible with valved and non-valved cannulas

338.23 | 23 Gauge | 6/box
338.25 | 25 Gauge | 6/box
338.27 | 27 Gauge | 6/box


23 25 27+

Sclerotomy Adaptor, DSP

- Single-use, sterile
- Allows conversion of a 20 Gauge non-cannulated incision down to either a 23 Gauge or 25 Gauge cannula-based surgery
- Contains one sclerotomy adaptor and one plug

617.91 | 20/23 Gauge | 6/box
617.92 | 20/25 Gauge | 6/box

23 25



Diathermy Probe, DSP

- Designed to selectively coagulate tissue
- Pointed 30° tip for optimal visualization
- Ergonomic handle design
- For use on the CONSTELLATION® Vision System or ACCURUS® Surgical System

339.21 | 25 Gauge | 6/box
339.31 | 27+® | 6/box

25 27+

ACCURUS® Pneumatic Hand Piece Adaptor

- Converts the ACCURUS® Pneumatic Hand Piece (8065808101) to be used with DSP tips
- Threaded to quick lock connector adaptor
- Reusable

712.00.01 | 1 each

8065808101 | ACCURUS® Pneumatic Hand Piece | 1 each

Flexible Iris Retractors

- Single-use, sterile
- Strong yet flexible nylon hooks for mechanical iris dilation
- Smooth finish on material in contact with the cornea and iris

611.74 | 1 unit of 5 retractors | 1/box
611.75 | 6 units of 5 retractors | 1/box

GRIESHABER ULTRASHARP® Dissection Knife

- Spatula-shaped knife of 0.6mm used to make self-sealing incision at the limbus
- This knife can be used to make incision for Flexible Iris Retractors (611.74/611.75)

681.05 | 3/box

3.

COATING	ILLUMINATED	GAUGE	ILLUMINATION CONNECTOR
Black Coated	Fiber Optic	20	ALCON® ACMI
Uncoated		23	
Diamond Coated		25	
		25+	
		27+	

25G Diathermy for both 23G & 25G cases.

Refer to products Direction For Use for full details of use and Important Safety Information

GRIESHABER® DSP SINGLE-USE INSTRUMENTS

CONSTITUTIONAL

CONSTELLATION® Phaco Surgical Paks (tipless)



- Cassette/Drain bag
- GFI Administration Tubing Set
- Irrigation/Aspiration Tubing Set
- Sterile Front Panel Drape
- Test Chamber
- I/A Tip Wrench
- Irrigation Sleeves (2) with BSI (1)

- 6. → 8065751155 | CONSTELLATION® Phaco Pak | 0.9 mm | 6/box
- 8065751158 | CONSTELLATION® Phaco Pak | 1.1 mm | 6/box

STAND ALONE COMPONENTS

- 8065750918 | Irrigation/Aspiration Tubing Set | 12/box
- 8065750920 | GFI Administration Tubing Set | 12/box

CONSTELLATION® ULTRAVIT® Anterior Vitrectomy Probe



- 20 Gauge ULTRAVIT® Anterior Vitrectomy Probe
- Curved Irrigating Cannula
- ENGAUGE® RFID

- 7. → 8065751020 | 6/box
- 8065750352 | Anterior Vitrectomy Coaxial Irrigation Sleeve, DSP | 6/box

SMALL PARTS KITS | 6/box

- 8065740749 | Turbo Hex Wrench | 1 each
- 8065740842 | MICROSMOOTH® High Infusion Sleeve Kit | 0.9 mm
- 8065740872 | MICROSMOOTH® High Infusion Sleeve Kit | 1.1 mm
- 8065750159 | MICROSMOOTH® Small Parts Kit | 0.9 mm
- 8065750160 | MICROSMOOTH® Small Parts Kit | 1.1 mm
- 8065750517 | MICROSMOOTH® Ultra Small Parts Kit | 0.9 mm
- 8065750518 | MICROSMOOTH® Ultra Small Parts Kit | 1.1 mm
- 8065750519 | MICROSMOOTH® Micro Small Parts Kit | 1.1 mm

STAND ALONE COMPONENTS | 12/box

- 8065751162 | CONSTELLATION® System replacement drain bag



Threaded I/A ULTRAFLOW® S/P Tip

- 8065817801 | 1 each
- 356-1007 | I/A Tip, 0.3 mm Small Bore | 1 each
- 356-1010 | I/A Tip, 0.3 mm 45° Bend | 1 each
- 8065817002 | ULTRAFLOW® Tip Protector | 1 each
- 8065740969 | Silicone I/A Tip, 0.3 mm, Curved | 4 box
- 8065740970 | Silicone I/A Tip, 0.3 mm, Straight | 4 box

Polymer Irrigation and Aspiration Tips

- 8065751510 | Straight Tip | 6/box
- 8065751511 | 35° Bent Tip | 6/box
- 8065751512 | Curved Tip | 6/box



Bi-Manual I/A Set

- Set includes 1 Aspiration Hand Piece and 1 Irrigation Hand Piece

- 170.11 | Buratto Bi-Manual I/A Set - Textured | 1 each (available thru 2012)
- 170.12 | Buratto Bi-Manual I/A Set - Polished | 1 each (available thru 2012)



ULTRAFLOW® Bi-Manual I/A Disposable Set

- Set includes 1 Aspiration Hand Piece and 1 Irrigation Hand Piece
- Sterile, single-use

- 170.71 | Textured | 6/box
- 170.72 | Polished | 6/box

ULTRAFLOW® I/A Disposable Set with Silicone Tip

- Sterile, single-use

- 170.51 | Straight | 6/box
- 170.52 | Bent | 6/box



Product Codes

Only available as Stand-Alone product:

- 6.
- TURBOSONICS® 0.9mm ABS® Mini Tip, 30° Kelman® 8065752065 ✓
 - TURBOSONICS® 0.9mm ABS® Mini Tip, 45° Kelman® 8065752066