

Zibo Eastmed Healthcare Products Co., Ltd

Add: No.118 Huaguang Road, Zhangdian District, Zibo City, Shandong, China


TECHNICAL SPECIFICATION OF DISPOSABLE SYRINGES

- Materials: PP + Latex free Rubber + ABS + Stainless steel
- Size: 2ml, 5ml, 10ml, 20ml
- Type: 3-parts, luer slip, with side needle


- Non-pyrogenic
- Latex free
- For single use
- ETO sterilized

CE

0197



No.	Designation	Materials
1	Needle protective cap	PP
2	Injection needle	Stainless steel
3	Needle hub	ABS
4	Piston	Latex free
5	Barrel	PP
6	Plunger	PP



PACKING:


1. Individual blister bag
2. Packing is adapted to the ethylene oxide sterilization. The cover mentions the necessary indications for content identification: designation, item code, manufacture date and expire date and lot number.
3. Packing details: 1pc/blister bag, 100pcs/box

QUALITY:



1. The product quality is guaranteed by inspections at all levels of manufacture, all our products are manufactured in 100,000 grade clean room, the final control is made at the level of packaging.
2. The packaged contents is sterilized by ethylene oxide according to a validated method in the physical and microbiological field. The shelf life is 5 years from the manufacture date.
3. The product conforms to MDD 93/42/EEC amended by 2007/47/EC and maintains a quality assurance system according to ISO 13485.

For and on behalf of
ZIBO EASTMED HEALTHCARE PRODUCTS CO., LIMITED

Authorized Signature(s)



VIENKARTINIŲ ŠVIRKŠTŲ TECHNINĖ SPECIFIKACIJA

<p>Medžiagos: PP + guma be latekso + ABS + nerūdijantis plienas. Dydis 2ml, 5ml, 10ml, 20ml Tipas: 3 dalys, „Luer Slip“; su šalia esančia adata</p>	<ul style="list-style-type: none"> - Nepirogeniškas - Be latekso - Vienkartiniam naudojinui - Sterilizuota EO <div style="text-align: right;">  0197 </div>																					
	<table border="1" style="width: 100%;"> <thead> <tr> <th>No.</th> <th>Žyma</th> <th>Medžiagos</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Apsauginis adatos dangtelis</td> <td>Polipropilenas</td> </tr> <tr> <td>2</td> <td>Injekcinė adata</td> <td>Nerūdijantis plienas</td> </tr> <tr> <td>3</td> <td>Adatos įvorė</td> <td>ABS</td> </tr> <tr> <td>4</td> <td>Tarpinė</td> <td>Be latekso</td> </tr> <tr> <td>5</td> <td>Cilindras</td> <td>Polipropilenas</td> </tr> <tr> <td>6</td> <td>Stūmoklis</td> <td>Polipropilenas</td> </tr> </tbody> </table> <div style="text-align: center;">  </div>	No.	Žyma	Medžiagos	1	Apsauginis adatos dangtelis	Polipropilenas	2	Injekcinė adata	Nerūdijantis plienas	3	Adatos įvorė	ABS	4	Tarpinė	Be latekso	5	Cilindras	Polipropilenas	6	Stūmoklis	Polipropilenas
No.	Žyma	Medžiagos																				
1	Apsauginis adatos dangtelis	Polipropilenas																				
2	Injekcinė adata	Nerūdijantis plienas																				
3	Adatos įvorė	ABS																				
4	Tarpinė	Be latekso																				
5	Cilindras	Polipropilenas																				
6	Stūmoklis	Polipropilenas																				

Pakavimas:

1. Vienetinė „blisterio“ pakuotė
2. Pakuotė pritaikyta sterilizuoti etileno oksido dujomis. Etiketėje nurodomas būtinos turinio identifikavimo nuorodos: pavadinimas, prekės kodas, pagaminimo data, galiojimo data ir partijos numeris
3. Pakuotės informacija: 1vnt/„blisterio pakuotėje“; 100vnt /antrinėje dėžutėje

KOKYBĖ:

1. Produkto kokybę garantuoja patikrinimai visuose gamybos lygiuose, visi mūsų gaminiai gaminami 100% švarioje patalpoje, galutinė kontrolė atliekama pakuotės lygiu.
2. Supakuotas turinys sterilizuojamas etileno oksidu pagal fizikos ir mikrobiologijos srityje patvirtintą metodą. Tinkamumo laikas yra 5 metai nuo pagaminimo datos.
3. Produktas atitinka MDD 93/42 / EEB su pakeitimais, padarytais 2007/47 / EB, ir palaiko kokybės užtikrinimo sistemą pagal ISO 13485.