

Round bottom polystyrene tubes

Manufactured from high technology, new generation moulds to ensure the reproducibility of each tube. Tubes are made in one piece to ensure uniformity and dimensional accuracy from tube to tube.

| mod. | code | dimensions mm | volume ml | case quantity | case weight | case volume | cases per pallet |
|------|---------|---------------|-----------|---------------|-------------|-------------|------------------|
| 1 | 300700 | 13 x 75 | 5 | 4 x 1,000 | 13.04 | 0.082 | 20 |
| 2 | 301700 | 13 x 100 | 7 | 6 x 500 | 11.24 | 0.084 | 20 |
| 3 | 300900* | 16 x 95 | 10 | 5 x 500 | 12.10 | 0.096 | 16 |
| 4 | 300705 | 16 x 100 | 10 | 5 x 500 | 15.00 | 0.110 | 16 |
| 5 | 300100 | 16 x 150 | 17 | 1,000 | 9.84 | 0.093 | 20 |

*Code with graduation rings at 2.5, 5 and 10 ml.

Dimensions (± 0.09)

| code | internal diameter mm | external diameter mm | total length mm | maximum volume ml |
|--------|----------------------|----------------------|-----------------|-------------------|
| 300700 | 10.9 | 12.9 | 74.7 | 6.7 |
| 301700 | 11.0 | 12.9 | 99.6 | 8.3 |
| 300900 | 13.8 | 15.8 | 94.6 | 12.2 |
| 300705 | 13.8 | 16.0 | 99.8 | 13.2 |
| 300100 | 14.6 | 16.3 | 151.0 | 21.1 |

Suitable for centrifugation up to 7,500 xg.

All tubes are suitable for laboratory use (excepting code **300100**, which does not withstand centrifugation).

A complete range of test tube caps is detailed on page 147 of this catalogue.

