



B. BRAUN REGIONAL ANESTHESIA PORTFOLIO PRODUCT CATALOG

Reach your Targets quicker


Thanks to Regional Anesthesia

OPTIMIZE PROCESSES

Regional anesthesia is an essential part of pain therapy, as across several interventions, it offers clear advantages when compared to general anesthesia.¹ For regional anesthesia to become an important part of the peri-operative process, there are some prerequisites to consider, like the relevant indications, skilled personnel and the necessary internal processes at the clinic.

The rapid growth of use of regional anesthesia and the numerous publications on the topic are both a testament to how regional anesthesia can have a positive impact on both patient outcome and on efficiencies for the clinic.^{2,3}

WITH REGIONAL ANESTHESIA



WITHOUT REGIONAL ANESTHESIA

COMPARING TWO POTENTIAL INTERVENTIONS

WITH AND WITHOUT REGIONAL ANESTHESIA:

Looking holistically across the patient pathway, the establishment of regional anesthesia processes appears to be a favorable investment. When regional anesthesia is used, patients see better outcomes, faster mobilization and consequently earlier discharge.^{4,5}

Content

SPINAL ANESTHESIA Spinocan® Pencan® Atraucan® Spinal Introducer Needle		SPINAL ANESTHESIA
EPIDURAL ANESTHESIA Perican® Perican® Paed Epican® Paed Perifix® Epidural Catheter Accessories		EPIDURAL ANESTHESIA
COMBINED SPINAL & EPIDURAL ANESTHESIA Espocan®-Sets		COMBINED SPINAL AND EPIDURAL ANESTHESIA
PERIPHERAL NERVE BLOCKS Stimuplex® A Stimuplex® D Stimuplex® Ultra 360® Ultraplex® 360 Contiplex® C Contiplex® S/S Ultra 360® Contiplex® Tuohy/Tuohy Ultra 360® Contiplex® D		PERIPHERAL NERVE BLOCKS
ULTRASOUND GUIDANCE Xperius® Onvision® EZCOVER®		ULTRASOUND GUIDANCE
ELASTOMERIC PUMP SYSTEMS ON-Q®-Pump		ELASTOMERIC PUMP SYSTEMS
CONTINUOUS WOUND INFUSION ON-Q®-System ON-Q® Catheter Accessories for ON-Q®-Systems		CONTINUOUS WOUND INFUSION

Pain Therapy with Regional Anesthesia

Supported by B. Braun's Product Portfolio


B. BRAUN – A COMPETENT PARTNER

As one of the world's major providers in the area of regional anesthesia, B. Braun supports its customers with innovative products and services.


We strive to accompany our customers through the entire patient pathway helping to optimize their processes and to provide products adapted to day-to-day clinical needs.

SYSTEM PARTNER IN REGIONAL ANESTHESIA


B. Braun, as a true system partner, helps to stay on top of evolving standards and their realization across multiple stakeholders, e.g. nurses, pharmacists and anesthetists. With access to our comprehensive product portfolio in pain therapy and through constructive dialog, our partners can benefit from B. Braun's know-how and expertise.




Introduction



Surgery



Recovery Room



Ward

Due to the combination of different procedures a broad regional anesthesia spectrum is created, which covers all patient areas.

Reducing Risks of Misconnections in Regional Anesthesia with NRFit®

MEDICAL DEVICE CONNECTORS FOR NEURAXIAL
& REGIONAL ANESTHESIA APPLICATIONS
ARE CHANGING TO MEET INTERNATIONAL
DESIGN STANDARDS: ISO 80369-6. ⁶


Regional Anesthesia products with NRFit® connector

In line with the ISO Standard (International Organization for Standardization) for neuraxial and regional anesthesia devices, B. Braun has developed a comprehensive portfolio with NRFit® connectors for the corresponding process steps.


Connecting what belongs together






The ISO has identified several medical application areas for which specific ISO standards have been developed. These standards are part of the ISO 80369 series. Each standard will provide design and performance specifications for these connectors. ¹



SPINAL ANESTHESIA



A comprehensive portfolio of
needles in different bevel types
for spinal anesthesia.



Products for Spinal Anesthesia

Quality and Practicality



Ergonomic hub design for an individual and safe handling position, better control of the needle and easy verification of bevel orientation.⁷


Thanks to our years of **EXPERIENCE** in the field, B. Braun offers spinal needles with a range of bevel types.

Spinocan® and Pencan® are well accepted for their **INNOVATIVE** needle tip designs.



Spinocan® with Quincke Bevel


- Sharp bevel for low puncture force⁷
- Fitted stylet: to reduce the risk of tissue coring and potential epidural tumor development
- Prism included in the spinal needle hub, supports identification of CSF flashback



Pencan® with Pencil Point Bevel

- Pencil point tip and opening design allows avoidance of incomplete blocks and helps reduce PDPH⁸
- Minimal intrathecal penetration depth⁷
- Identification of tissue structures due to detectable dura click^{7,9}
- Prism included in the spinal needle hub, supports identification of CSF flashback

CSF-flashback identification due to the incorporated prism effect.



Atraucan® with Two-Zone Bevel

- Low puncture force as well as minimal puncture trauma¹⁰
- Reduced risk of postdural puncture headache (PDPH)¹⁰



Spinal Introducer Needle

- Introducer needles providing needle guidance for the spinal needle during puncture⁷
- Introducer OHD range (as shown on left side)
- Introducer NHD range (as shown on right side)

CSF FLASHBACK IDENTIFICATION

- Prism has a silver shine before CSF enters the hub **1**
- Prism turns transparent once CSF is in the hub **2**

Portfolio Overview

SPINAL NEEDLES

Spinocan®	Color code	Size (G)/ Length (inch)	ø/Length (mm)	Units per box	Code no. (REF) OHD Luer	Code no. (REF) NHD Luer	Code no. (REF) NRRFit®
	Red	29 x 3 1/2"	0.35 x 88*		4501900	4501900-13	4501900N-01
	Grey	27 x 3 1/2"	0.40 x 88		4503902	4503902-01	4503902N-01
	Dark Grey	26 x 3 1/2"	0.45 x 88		4502906	4502906-01	4502906N-01
	Orange	25 x 3"	0.55 x 75		4505751	4505751-01	4505751N-01
	Light Orange	25 x 3 1/2"	0.55 x 88		4505905	4505905-01	4505905N-01
	Black	22 x 1 1/2"	0.70 x 40		4507401	4507401-13	4507401N-01
	Black	22 x 3"	0.70 x 75		4507754	4507754-13	4507754N-01
	Black	22 x 3 1/2"	0.70 x 88	25	4507908	4507908-01	4507908N-01
	Yellow	20 x 3"	0.90 x 75		4509757	4509757-13	4509757N-01
	Yellow	20 x 3 1/2"	0.90 x 88		4509900	4509900-01	4509900N-01
	Light Yellow	19 x 1 1/2"	1.10 x 40		4501144	4501144-13	4501144N-01
	Light Yellow	19 x 3 1/2"	1.10 x 88		4501195	4501195-13	4501195N-01
	Pink	18 x 3"	1.30 x 75		4501373	4501373-13	4501373N-01
	Pink	18 x 3 1/2"	1.30 x 88		4501390	4501390-01	4501390N-01
Long Length							
	Red	29 x 4 3/4"	0.35 x 120		4501918	4501918-13	4501918N-01
	Grey	27 x 4 3/4"	0.40 x 120		4502140	4502140-13	4502140N-01
	Dark Grey	26 x 4 3/4"	0.45 x 120		4504917	4504917-13	4504917N-01
	Orange	25 x 4 3/4"	0.55 x 120	25	4505913	4505913-13	4505913N-01
	Black	22 x 4 3/4"	0.70 x 120		4506090	4506090-13	4506090N-01
	Black	22 x 6"	0.70 x 150		-	-	4506095N-01



OHD/NRRFit® NHD

SPINAL NEEDLES

Pencan®	Color code	Size (G)/ Length (inch)	ø/Length (mm)	Units per box	Code no. (REF) OHD Luer	Code no. (REF) NHD Luer	Code no. (REF) NRRFit®
	Grey	27 x 3 1/2"	0.40 x 88		4502027	4502027-01	4502027N-01
	Grey	25 x 3 1/2"	0.50 x 88	25	4502019	4502019-01	4502019N-01
	Black	22 x 3 1/2"	0.70 x 88		4502043	4502043-13	4502043N-01
	Black	22 x 3 1/2"	0.70 x 88		4502035	4502035-13	4502035N-01
Long Length							
	Grey	27 x 4"	0.40 x 103		4502124	4502124-13	4502124N-01
	Grey	27 x 4 3/4"	0.40 x 120		4502132	4502132-13	4502132N-01
	Orange	25 x 4"	0.50 x 103	25	4502116	4502116-13	4502116N-01
	Orange	25 x 4 3/4"	0.50 x 120		-	4502120-13	4502120N-01
	Orange	25 x 6.1"	0.50 x 156		-	-	333877N-01
Pencan® Paed							
	Grey	27 x 2"	0.40 x 50		4502175	4502175-13	4502175N-01
	Orange	25 x 1"	0.50 x 25	25	4502167	4502167-13	4502167N-01
	Orange	25 x 2"	0.50 x 50		4502159	4502159-13	4502159N-01



OHD/NRRFit® NHD

*with Spinal Introducer Needle (Luer)

INTRODUCER


Spinal Introducer Needles (for Spinocan® and Pencan®)	Color code	Size (G)/ Length (inch)	ø/Length (mm)	Units per box	Code no. (REF) OHD Luer	Code no. (REF) NHD Luer	Code no. (REF) NRRFit®
For Spinal Needles 29 G and 27 G							
	White	22 x 1 3/8"	0.70 x 35	25	4500059	4500059-13*	4500059*
For Spinal Needles 26 G and 25 G							
	Yellow	20 x 1 3/8"	0.90 x 35	25	4505000	4505000-13*	4505000*



*Introducer in Luer

Atraucan®

Atraucan®	Color code	Size (G)/ Length (inch)	ø/Length (mm)	Units per box	Code no. (REF) OHD Luer	Code no. (REF) NHD Luer	Code no. (REF) NRRFit®
	Dark Grey	26 x 3 1/2"	0.47 x 88	25	4504739	-	-
Atraucan® Paed							
	Dark Grey	26 x 1"	0.47 x 25	25	4504771	-	-
	Dark Grey	26 x 2"	0.47 x 50		4504763	-	-



EPIDURAL ANESTHESIA



To meet individual preferences, B. Braun offers a broad range of epidural cannulas, catheters and accessories for epidural anesthesia.



Products for Epidural Anesthesia


Quality and Practicality



Adapting to the unique anatomical challenges of each patient, it is important to use the appropriate needle and accessories.

B. Braun focuses on

QUALITY & PRACTICALITY.



Perican® Tuohy Needles

- For both continuous and single-shot techniques
- Different needle sizes (16 G, 18 G, 20 G)
- With 1 cm graduation in length
- Polished inner bevel edge to reduce the risk of catheter shearing

USER BENEFITS:

- 1 cm marking to control the insertion depth
- High bending stiffness for good control during needle advancement
- Fitted stylet: to reduce the risk of tissue coring and potential epidural tumor development

Products for Epidural Anesthesia

Perifix® Catheters: Available with different characteristics – Standard, SoftTip and ONE



Perifix® Standard Catheter

- Relatively stiff catheter shaft for easy catheter insertion
- Length 1000 mm
- Standard catheter with a central opening or three micro-holes to enhance the spread
- One radiopaque stripe for x-ray control
- Clear blue length markings embedded in catheter material
- Does not contain latex, DEHP or PVC
- MRI conditional



Perifix® SoftTip Catheter

- SoftTip catheter with a superimposed tip
- Length 1000 mm
- Three micro-holes enhance the spread of anesthetic drug
- One radiopaque stripe for x-ray control
- Clear blue length markings embedded in catheter material
- Does not contain latex, DEHP or PVC
- MRI conditional




Perifix® ONE

- Epidural catheter with a relatively stiff but flexible shaft and a soft, atraumatic tip
- Length 1000 mm
- Six micro-holes enhance the spread of anesthetic drug
- Three radiopaque stripes for x-ray control
- Does not contain latex, DEHP or PVC
- MRI conditional

Products for Epidural Anesthesia

Perifix® Accessories



Perifix® LOR-Syringe

- Easy-gliding plunger with good gliding characteristics and safety stop
- Parabolic graduation to differentiate it from conventional syringes
- Suitable for air and saline applications
- Lock or slip connection



Perifix® Catheter Connector

- Available in two sizes (19 G and 20 / 24 G)
- Tactile and acoustic feedback upon closure
- Viewing window allows for catheter insertion control to ensure a successful connection



Perifix® Filter with PinPad

- Filter fixation on patient in combination with self-adhesive PinPad
- Filter reduces the risk of bacterial infections
- Pressure resistant up to 7 bar



Perifix® Catheter Fixation

- Catheter fixation, consisting of fixation ring and non-woven cover foil
- Easy examination of puncture site due to exchangeable cover foils

Products for Epidural Anesthesia

Epidural Anesthesia for the smallest patients



Perican® Paed Epidural Needles

- Tuohy bevel
- For continuous or single-shot techniques
- Three different needle sizes (18 G, 20 G, 22 G)
- 5 mm markings to control the insertion depth
- Fitted stylets: to reduce the risk of tissue coring and potential epidermoid tumor development



Perifix® ONE Paed Epidural Sets

- Perifix® ONE Paed epidural sets in 20 / 24 G for newborns and infants, and 18 / 20 G for older children:
- Catheters with distance markings for pediatric use
- For safe catheter insertion and position control
- Catheter with markings each 1 cm in the space between 2 and 20 cm from the needle tip



Perican® Paed – Caudal Needles

- 23° Crawford type bevel for caudal pediatric anesthesia
- Three different needle sizes (20 G, 22 G, 25 G)
- Special length (30 mm, 35 mm, 50 mm)
- 5 mm markings to control the insertion depth
- Fitted stylets: to reduce the risk of tissue coring and potential epidermoid tumor development

Portfolio Overview

EPIDURAL NEEDLES

Perican®	Color code	Size (G)/Length (inch)	ø/Length (mm)	Units per box	Code no. (REF) Luer	Code no. (REF) NRFit®
		18 x 3 1/4"	1.30 x 80	25	4512383	4512383N-01
		17 x 3 1/4"	1.50 x 80	25	4512588	-
		16 x 3 1/4"	1.70 x 80		4512782	4512782N-01
Long Length						
		18 x 4 3/4"	1.30 x 120		4512453	4512453N-01
		18 x 6"	1.30 x 150	25	4512200	4512200N-01
		16 x 4 3/4"	1.70 x 120		-	4512785N-01
		16 x 6"	1.70 x 150		-	4512784N-01
Perican® Paed	Color code	Size (G)/Length (inch)	ø/Length (mm)	Units per box	Code no. (REF) Luer	Code no. (REF) NRFit®
		22 x 2"	0.73 x 50		4502078	4502078N-01
		20 x 2"	0.90 x 50	25	4502094	4502094N-01
		18 x 2"	1.30 x 50		4502302	4502302N-01
Epican® Paed Caudal	Color code	Size (G)/Length (inch)	ø/Length (mm)	Units per box	Code no. (REF) Luer	Code no. (REF) NRFit®
		25 x 1 1/8"	0.53 x 30		4502400	4502400N-01
		22 x 1 3/8"	0.73 x 35	25	4502418	4502418N-01
		20 x 2"	0.90 x 50		4502426	4502426N-01

EPIDURAL CATHETERS



Perifix® catheter	Catheter ø outer/inner/Length (mm) (G)	Suitable for Perican®	Units per box	Code no. (REF) Luer	Code no. (REF) NRFit®
		Standard catheter (with 3 lateral eyes)			
	1.05/0.60/1000 (19)	16	25	4513258	4513258N-01
	0.85/0.45/1000 (20)	18		4513150	4513150N-01
	Perifix® Standard catheter (with central opening)				
	0.85/0.45/1000 (20)	18	25	4513177	4513177N-01
	Perifix® SoftTip catheter (with 3 lateral eyes)				
	0.85/0.45/1000 (20)	18	25	4515048	4515048N-01
	Perifix® ONE catheter (with 6 lateral eyes)				
	1.05/0.60/1000 (19)	16	25	4513258C	45132581N-01
	0.85/0.45/1000 (20)	18		4513150C	45131501N-01

EPIDURAL ANESTHESIA ACCESSORIES


Perifix® Catheter Fixation	Description	Units per box	Code no. (REF)
	Perifix® catheter fixation, consisting of a fixation ring and a non-woven cover foil	25	4511200
	Perifix® non-woven replacement cover foil		4511201
Perifix® Loss-of-Resistance (LOR) Syringe	Description	Units per box	Code no. (REF) Luer
	Perifix® LOR Syringe, Luer-Slip	25	4637100
	Perifix® LOR Syringe, Luer-Lock		4638107
Perifix® Loss-of-Resistance (LOR) Syringe NRFit®	Description	Units per box	Code no. (REF) NRFit®
	Perifix® LOR Syringe, Slip NRFit®	25	4637110
	Perifix® LOR Syringe, Lock NRFit®		4638110
Perifix® catheter connector	Size (G)	Units per box	Code no. (REF) Luer
	19	25	4513801
	20/24		4513800
Perifix® filter	Particle filter (µm)	Units per box	Code no. (REF) Luer
	0.20	25	4515501
Perifix® PinPad	Description	Units per box	Code no. (REF)
	Perifix® PinPad Filter Fixation	25	4515510

Portfolio Overview




SETS FOR EPIDURAL ANESTHESIA (NRFIT®)

Legend	Pericard® Tuohy needle				Perifix® ONE epidural catheter, 6 lateral eyes		Perifix® epidural catheter, 3 lateral eyes		Perifix® SoftTip epidural catheter, 3 lateral eyes		Perifix® Loss of Resistance syringe	
	20 G x 2", ø 0.90 x 50 mm	18 G x 3 1/4", ø 1.30 x 80 mm	18 G x 2", ø 1.30 x 50 mm (Paed Set)	16 G x 3 1/4", ø 1.70 x 80 mm	24 G	20 G	19 G	20 G	19 G	20 G	Perifix® LOR with NRFIT®	
Set versions	     											
Complete Sets	           											
Filter Sets	           											
Pediatric Sets	           											
Mim Set	           											
Perifix® needles	           											
Code no. (REF) NRFIT®	           											



COMBINED SPINAL AND EPIDURAL ANESTHESIA



Combining the benefits of both techniques – sets for combined spinal and epidural anesthesia (CSE).



Products for Combined Spinal and Epidural Anesthesia




- Special Tuohy Needle with a back-eye in the curved tip and a Spinal Needle with a plastic centering sleeve**
- Back-eye in tuohy needle for insertion of spinal needle
 - Docking system to fixate the spinal needle
 - Sleeved spinal needle for smooth exit through the back-eye

The ideal overlap of the spinal needle is by


Pencil Point Needle 15 mm



"Quincke" Needle 13 mm



1



2



Combined Spinal–Epidural Anesthesia (CSE):

THE BENEFITS

of Spinal and Epidural Anesthesia in the Espocan®-Sets

Markings on the Spinal Needle 1


The markings on the spinal needle show, when the tip leaves the back-eye.

USER BENEFITS 2

- The docking system allows rotation of the spinal needle even in the fixed position. Avoids the difficult and uncomfortable finger grip to steady fix the spinal needle in position
- The docking system ensures fixation of the spinal needle inside the tuohy needle after successful dura puncture and injection of the local anesthetic

Portfolio Overview


SETS FOR COMBINED SPINAL AND EPIDURAL ANESTHESIA

Espocan® and Perifix® Standard	Size (G)/ Length (inch)	ø/ Length (mm)	Units per box	Code no. (REF)	Code no. (REF) NRFit®
	With Quincke–Bevel: Spinocan®				
	27 x 5"	0.42 x 125.5*	10	4556674	4556674N-01
	Pencil–Point Cannula: Pencan®				
	27 x 5"	0.42 x 127.5*	10	4556666	4556666N-01
All sets contain					
<ul style="list-style-type: none"> • Perifix® Standard catheter, 3 lateral eyes • Perican® epidural cannula ø 1.30 mm, 18 G x 90 mm • Perifix® LOR–syringe, Luer–Slip • Perifix® epidural flat filter 0.20 µm • Perifix® PinPad • Perifix® catheter connector 					

COMBINED SPINAL AND EPIDURAL ANESTHESIA

Espocan® and Perifix® Standard with Docking System	Size (G)/ Length (inch)	ø/ Length (mm)	Units per box	Code no. (REF)	Code no. (REF) NRFit®
	With Quincke–Bevel: Spinocan®				
	27 x 5 3/8"	0.42 x 136.5*	10	4556747	4556747N-01
	Pencil–Point Cannula: Pencan®				
	27 x 5 3/8"	0.42 x 138.5*	10	4556763	4556763N-01
All sets contain					
<ul style="list-style-type: none"> • Perifix® SoftTip catheter, 3 lateral eyes • Docking system • Perican® epidural cannula ø 1.30 mm, 18 G x 90 mm • Perifix® LOR–syringe, Luer–Slip • Perifix® epidural flat filter 0.20 µm • Perifix® PinPad • Perifix® catheter connector 					


*for CSE needle length in NRFit®, please consult our NRFit® brochure



PERIPHERAL NERVE BLOCKS




Whatever option you prefer -
wide ranged product portfolio for
stimulated and Ultrasound guided
peripheral nerve blocks.



Peripheral Nerve Block Portfolio

Quality and functionality without compromise



When performing a peripheral nerve block, there is no such thing as being too safe. Peripheral nerve blocks can be performed using different techniques and approaches. Electrical nerve stimulation, Ultrasound guidance and injection pressure monitoring can be used alone or in combination.

B. Braun's broad peripheral nerve block portfolio offers solutions for Ultrasound-only, dual guidance monitoring, and stimulation procedures.



ULTRASOUND

B. Braun offers a large product range of echogenic needles and catheters. Ultraline 360 is the latest generation of Ultrasound needles that combines enhanced Ultrasound visibility with smooth gliding properties and a good puncture quality.¹¹

NERVE STIMULATION

For the electrical nerve stimulation B. Braun provides a wide range of stimulating needle and catheter systems that address the users' needs. The well established nerve stimulator Stimuplex® HNS 12 completes the offer.




INJECTION PRESSURE MONITORING

The disposable B5mar® pressure monitor device objectively indicates the opening injection pressure in real time and allows for a more informed decision on how to proceed with an injection regardless of who performs the block. Using this technique can prevent injection into poorly compliant tissue (e. g. nerve fascicles).

Ultraline 360


Visibility without compromise – the next generations of Echogenic Nerve Block Needles



B. BRAUN ULTRASOUND NEEDLES – ULTRALINE 360:

The Ultraline 360 is B. Braun's latest generation of echogenic nerve block needles, featuring B. Braun's echogenic 360° X-pattern. The 'X' is a unique shape, which when combined with a clear coating, is intended to reflect more Ultrasound waves back to the probe than previous designs.¹¹

The X-pattern is applied as a segmented safety-code (long-short-short-tip) and facilitates the needle tip identification. The Ultraline 360 portfolio combines increased Ultrasound visibility with excellent tactile feedback and puncture characteristics.



NAVIGATION

For an easy identification of the needle tip, the X-pattern is strategically applied on the first 20 mm of the needle shaft to create the segmented code "long-short-short-tip". This enables distinction between the needle tip and the upper needle shaft.¹¹

USER BENEFITS

- **Navigation:** Safety code for identification of the needle and needle tip position
- **Visibility:** 360° X-pattern and clear coating result in better Ultrasound visualization and tip identification compared to previous designs
- **Tactile Feedback:** designed for consistent puncture – same 30° back-cut bevel as previous Stimuplex® Ultra and Ultralex® needles

Products for Peripheral Nerve Blocks

Single Shot Needles

Stimuplex® and Ultraplex® single shot needles offer precision and ergonomony and are designed for high success rates.



USER BENEFITS

- Ergonomic needle hub design for enhanced tactile feedback
- Excellent puncture and gliding characteristics (Stimuplex® D)
- Broad portfolio of needle lengths from 35 to 150 mm and G 25 to G 20

Cannula	Bevel	Insulation	Echogenic properties	Stimulating capabilities
	15° 30°	Full Tip PinPoint		
Stimuplex® A	✓	✓		✓
Stimuplex® D	✓	✓		✓
Stimuplex® Ultra 360®	✓	✓	✓	✓
Ultraplex® 360	✓		✓	



Products for Peripheral Nerve Blocks

Sets for Continuous Peripheral Nerve Blocks



Contiplex® Continuous Nerve Block Sets

Continuous peripheral nerve blocks provide pain relief during and after surgical procedures, for improved patient recovery.¹²

USER BENEFITS

- Wide range of catheter sets
- Harmonized set components

Set	Bevel	Echogenic properties	Stimulating capabilities	Catheter
	15° 20° 30° Tuohy			Standard ONE
Braunula technique				
Contiplex® D	✓		✓	✓
Catheter through the needle technique				
Contiplex® S	✓		✓	✓
Contiplex® Ultra 360®	✓	✓	✓	✓
Contiplex® Tuohy	✓		✓	✓
Contiplex® Tuohy Ultra 360®	✓	✓	✓	✓
Catheter over the needle				
Contiplex® C	✓	✓	✓	✓

Products for Peripheral Nerve Blocks

Nerve Stimulation with the Stimuplex® HNS 12



1 Stimuplex® HNS 12 with SENSE



2 Stimuplex® Pen for cutaneous nerve mapping

B. Braun Nerve Stimulator – Stimuplex® HNS 12 with SENSE What is SENSE?

In practice, marginal needle movements often lead to loosening the muscle twitch. The SENSE technology (Sequential electrical Nerve Stimulation) is a sequence of two fixed impulse durations of 0.1 ms along with a third longer impulse duration.¹³ Most traditional nerve stimulators emit two very short pulses every second. That's because short pulses improve accuracy or specificity when closer to the nerve. The downside is that sensitivity, or the availability to elicit visual feedback at a distance from the nerve, is lost. SENSE technology increases both sensitivity and specificity by adding a third, longer pulse. This results in eliciting a motor response even when the needle is far from or not aimed directly at the nerve and requires less adjustment to the amperage control while remaining the visual feedback.


USER BENEFITS

- Stimulation with SENSE-technology designed for more efficient nerve stimulation¹³
- Menus designed for easy control of sound and other settings
- Acoustic signals inform the user of any relevant deviations

As the needle is advanced, SENSE generates two short and one long pulse. From the alternating sequence of three impulses, the third longer impulse stimulates the nerve already at a distance. One muscle twitch is visible and indicates that the needle is directed to the nerve.

The stimulation needle is further advanced towards the nerve while SENSE maintains the motor response. Current strength adjustments lead to definite reductions of the third impulse.

At the threshold level of approximately 0.5 mA three muscle twitches are visible as all three impulses stimulate the nerve.



Products for Peripheral Nerve Blocks

Injection Pressure Monitoring with BSmart®



Reprinted with permission from www.yosora.com

Injection Pressure

< 15psi / 103kPa	15-20psi / 103-138kPa	> 20psi / 138kPa

Examples of low opening injection pressure (< 15psi):

- 1 Needle tip placed perineurally^{14,15}
- 2 Needle tip placed sub-epineurally in adipose tissue between fascicles^{15,16}

Examples of high opening injection pressure (> 15psi):

- 3 Needle-epineurium contact (needle-nerve-contact)¹⁴
- 4 Needle-perineurium contact (needle-nerve-contact)^{14,15,16}
- 5 Needle tip placed intrafascicularly^{14,15,17}

Injection Pressure Monitoring

Accidental injection of local anesthetic into fascicles of peripheral nerves can result in permanent nerve injury. Research has shown that high opening injection pressure (> 15psi) consistently detects needle-nerve-contact¹ or indicates intrafascicular injection. Therefore, avoiding injection with high opening injection pressure (> 15psi) can prevent injection into poorly compliant tissue (e. g. nerve fascicles).^{18,19,20,21,22}

USER BENEFITS

- Objectively measures and displays injection pressure
- Color coding visualizes the pressure information
- Allows consistent monitoring of resistance to injection regardless of who performs the actual injection²³



BSmart®

The BSmart® Injection Pressure Monitor is an easy-to-use inline injection pressure monitoring device providing clinicians with objective pressure information. This happens through a coloured piston, which climbs into the gauge depending on the pressure. BSmart® Injection Pressure Monitor does not interfere with the tactile feedback of the syringe which has been traditionally used to assess the resistance of injection during nerve block procedures.

- Allows for standardized and objective documentation of injection pressure information during nerve block procedures
- Available in Luer and NRFit®



Portfolio Overview

SINGLE-SHOT BLOCK NEEDLES

Stimuplex® A	Needle ø (G) and Length (inch)	Needle ø and Length (mm)	Units per box	Code no. (REF) Luer
	Needles with 30° bevel			
	24 x 1	0.55 x 25		4894251
	22 x 1	0.70 x 25		4894539
	22 x 1 1/8	0.70 x 35		4894367
	22 x 2	0.70 x 50	25	4894502
	21 x 2	0.80 x 50		4894375
	21 x 4	0.80 x 100		4894260
	20 x 6	0.90 x 150		4894278

Stimuplex® D

Needle ø (G) and Length (inch)	Needle ø and Length (mm)	Units per box	Code no. (REF) Luer	Code no. (REF) NRIFit®
Insulated Needles with 15° Bevel				
25 x 1 1/2	0.50 x 35		4892153	4892153NR
25 x 2 1/8	0.50 x 55		4892155	4892155NR
23 x 1 1/2	0.60 x 40		4892134	4892134NR
23 x 2 3/4	0.60 x 70		4892137	4892137NR
22 x 2	0.70 x 50	25	4892105	4892105NR
22 x 3 1/8	0.70 x 80		4892108	4892108NR
22 x 4 3/4	0.70 x 120		4892112	4892112NR
20 x 6	0.90 x 150		4892115	4892115NR

Insulated Needles with 30° Bevel

22 x 2	0.70 x 50		4892205	4892205NR
22 x 3 1/8	0.70 x 80		4892208	4892208NR

Stimuplex® Ultra 360®

Needle ø (G) and Length (inch)	Needle ø and Length (mm)	Units per box	Code no. (REF) Luer	Region	Suffix*	Code no. (REF) NRIFit®
Insulated Echogenic Needles with 30° Bevel						
22 x 1 1/8	0.70 x 35		4892503	-01	-03	4892503NR-01
22 x 2	0.70 x 50		4892505	-01	-03	4892505NR-01
22 x 3 1/8	0.70 x 80	25	4892508	-01	-03	4892508NR-01
20 x 4	0.90 x 100		4892510	-01	-03	4892510NR-01
20 x 6	0.90 x 150		4892515	-01	-03	4892515NR-01

*SUFFIXES

Article code suffix -01 = CE Region; Covering all CE countries; Article code suffix -03 = Asia; Article code suffix -04 = South America; Article code suffix -20 = CIS

SINGLE-SHOT BLOCK NEEDLES

Ultraplex® 360	Needle ø (G) and Length (inch)	Needle ø and Length (mm)	Units per box	Code no. (REF) Luer	Region	Suffix*	Code no. (REF) NRIFit®
Non-Insulated Echogenic Needles with 30° Bevel							
	22 x 1 3/8	0.70 x 35		4892603		-01	4892603NR-01
	22 x 2	0.70 x 50		4892605		-01	4892605NR-01
	22 x 3 1/8	0.70 x 80	25	4892608		-01	4892608NR-01
	20 x 4	0.90 x 100		4892610		-01	4892610NR-01
	20 x 6	0.90 x 150		4892615		-01	4892615NR-01

*SUFFIXES

Article code suffix -01 = CE Region; Covering all CE countries; Article code suffix -20 = CIS

ACCESSORIES

BSmart®

Description	Units per box	Code no. (REF)
 BSmart® Injection Pressure Monitor	25	4894000-01
 BSmart® NRIFit® Injection Pressure Monitor	25	4894000NR-01

Nerve Stimulation

Description	Units per box	Code no. (REF)
 Stimuplex® HNS 12 Nerve Stimulator for Stimuplex®, Ultraplex® and Contiplex® needles	1	4892098

Nerve Stimulator Accessories and Spare Parts

Description	Units per box	Code no. (REF)
Stimuplex® Pen for cutaneous nerve mapping		4892099
Electrode cable for Stimuplex® HNS 11/12		4892070
Battery cover for Stimuplex® HNS 12	1	4892094
Carrying Case for Stimuplex® HNS 12		4892095
Test resistor for Stimuplex® HNS 12		4892096
Knob for special handling		4892283

Portfolio Overview

SETS FOR CONTINUOUS NERVE BLOCKS

Set Specifications	Contiplex® C		Contiplex® S		Contiplex® Tuohy		Contiplex® D		Perifix® Standard Catheter	
	25 G	18 G	18 G	18 G	18 G	18 G, 20 G	18 G	18 G, 20 G	3 lateral openings (closed tip) (mm)	central opening (open tip) (mm)
	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®
	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®	with NRFFt®
Contiplex® C Sets										
Contiplex® C	15	25	0.53	190	-	-	-	-	-	-
Contiplex® C	30	25	0.53	190	-	-	-	-	-	-
Contiplex® D Sets										
Contiplex® D	15	20	1.10	33	400	-	-	-	-	-
Contiplex® D	15	20	1.10	55	400	-	-	-	-	-
Contiplex® D	15	18	1.30	55	400	-	-	-	-	-
Contiplex® D	30	18	1.30	55	400	-	-	-	-	-
Contiplex® D	15	18	1.30	80	1000	-	-	-	-	-
Contiplex® D	15	18	1.30	110	1000	-	-	-	-	-
Contiplex® S and Contiplex® S Ultra 360® Sets										
Contiplex® S	20	18	1.30	50	500	-	-	-	-	-
Contiplex® S	20	18	1.30	100	500	-	-	-	-	-
Contiplex® S	20	18	1.30	150	1000	-	-	-	-	-
Contiplex® S Ultra 360®	20	18	1.30	50	-	-	-	-	-	-
Contiplex® S Ultra 360®	20	18	1.30	100	-	-	-	-	-	-
Contiplex® S Ultra 360®	20	18	1.30	150	1000	-	-	-	-	-
Contiplex® Tuohy and Contiplex® Tuohy Ultra 360® Sets										
Contiplex® Tuohy	Tuohy bevel	18	1.30	40	500	-	-	-	-	-
Contiplex® Tuohy	Tuohy bevel	18	1.30	50	500	-	-	-	-	-
Contiplex® Tuohy	Tuohy bevel	18	1.30	100	500	-	-	-	-	-
Contiplex® Tuohy	Tuohy bevel	18	1.30	150	1000	-	-	-	-	-
Contiplex® Tuohy Ultra 360®	Tuohy bevel	18	1.30	40	-	-	-	-	-	-
Contiplex® Tuohy Ultra 360®	Tuohy bevel	18	1.30	50	-	-	-	-	-	-
Contiplex® Tuohy Ultra 360®	Tuohy bevel	18	1.30	100	-	-	-	-	-	-
Contiplex® Tuohy Ultra 360®	Tuohy bevel	18	1.30	150	-	-	-	-	-	-

*SUFFIXES



Contiplex® Tuohy Ultra 360®: Article code suffix -01 = CE Region; covering all CE countries; Article code suffix -27 = RoW

Contiplex® S Ultra 360®: Article code suffix -01 = CE Region; covering all CE countries; Article code suffix -27 = RoW

Contiplex® ONE Catheter (6 lateral openings, closed tip, open tip for Contiplex® C)	Perifix® Catheter Connector 19 G or 20/24 G	Perifix® PinPad filter fixation	Perifix® Filter 0.20 µm, Pressure resistant up to 7 bar	Omnifix® syringe 5 ml	Contiplex® ONE (mm)	Perifix® Catheter Connector	Perifix® PinPad	Perifix® Filter with NRFFt®	Omnifix® with NRFFt®	Units per box	Code no. (REF) Luer	Region Suffix*	Code no. (REF) NRFFt®
187					187					5	4898115	-	4898115NR
187					187						4898130	-	4898130NR
-					-						4898311	-	4898311NR
-					-						4898323	-	4898323NR
-					-					10	4898325	-	4898325NR
-					-						4898305	-	4898305NR
-					-						4898335	-	4898335NR
-					-						4898308	-	4898308NR
-					-						4898405	-	4898405NR
-					-						4898410	-	4898410NR
-					-						4898415	-	4898415NR
400					400					10	4898650	-01	4898650NR-27
1000					1000						4898610	-01	4898610NR-27
1000					1000						4898615	-01	4898615NR-27
-					-						4898504	-	4898504NR
-					-						4898505	-	4898505NR
-					-						4898510	-	4898510NR
-					-						4898515	-	4898515NR
400					400					10	4898704	-01	4898704NR-01
400					400						4898705	-01	4898705NR-01
1000					1000						4898710	-01	4898710NR-01
1000					1000						4898715	-01	4898715NR-01

BLOCKS PERIPHERAL NERVE

ULTRASOUND GUIDANCE



Reimagine Regional Anesthesia
with B. Braun's innovative portfolio
for Ultrasound guided therapies.



Xperius® Ultrasound System

Responsive | Advanced | Simple



Xperius® is a new Ultrasound system jointly developed by B. Braun and Philips which has been specifically designed to support the current and future needs in regional anesthesia and vascular access at the point of care.

RESPONSIVE

The system offers a high degree of mobility and flexibility combined with an ergonomic design to improve daily practice. A fully articulating arm allows easy adjustments of the Ultrasound monitor position and the angle of the screen for ergonomic use and better line of sight. Besides the cart based system, a dedicated ultra portable tablet device allows quick bedside scanning or interventions in your facility, on-the-go and at satellite locations.

ADVANCED

Xperius® provides high quality imaging of nerves and tissue structures for confident diagnoses and precise needle guidance. The predetermined settings (presets) are designed so you can spend less time adjusting controls and more time focusing on your patients.

SIMPLE

Xperius® – Allows you to quickly and comfortably conduct exams. Xperius® comes with intuitive touch and gesture controls that you already know from your smart devices – to keep your focus on your work and not on the controls. Its simple interface supports daily routines and provides specific presets for procedures in regional anesthesia and vascular access.

Designed around you to fit seamlessly into the anesthesiologists' care area

- ✓ Advanced ergonomics
- ✓ Convenient accessory bins
- ✓ High mobility & portability
- ✓ Designed by Philips & B. Braun

High performance technology delivers exceptional image quality

- ✓ High definition imaging
- ✓ Enhanced needle visualization
- ✓ New generation of probes

Intuitive and easy to use

- ✓ Improved workflow
- ✓ Intuitive user experience
- ✓ Touch screen & gesture control
- ✓ Dedicated regional anesthesia & vascular access presets



Intuitive Interface & Advanced Technology

Multiple presets - 4 specific ones for regional anesthesia / vascular access



Intuitive touchscreen



Start scanning in a few seconds



Built-in Wi-Fi for DICOM data transfer



Needle Vis Technology

Articulating Arm

Flexible rotation in every direction



Height-adjustable



Core Ultrasound Technology

Transducer with USB connector



Ready-to-go for Bedside Scanning



Long lasting battery up to 3 h of scanning



Lightweight and easy to handle

Convenient Storage

Everything needed for procedures is within reach

Onvision® Needle Tip Tracking

Accurate | Predictable | Empowering



Onvision® is an Ultrasound based Needle-Tip tracking technology for peripheral nerve blocks which works exclusively with the Xperius® Ultrasound system and the dedicated Stimuplex® Onvision® needle. In real-time, Onvision® accurately indicates where the needle tip is inside the body, both in and out of plane. It helps users align the needle with the probe in an intuitive and easy to use manner – to improve pain relief and the avoidance of unintended nerve puncture or collateral damage to surrounding tissue or vessel.

Onvision® is an Ultrasound based Technology for reliable Needle Guidance

The dedicated Stimuplex® Onvision® needle is embedded with a tip sensor, which allows accurate detection of the tip location and displays this information in real time on the live Ultrasound image.

With Onvision®, users experience a real time guidance which empowers them to quickly adopt and integrate PNB into their daily practice. Onvision® enables more physicians to be proficient in performing PNBs.²⁷

ACCURATE

Know where you are in real-time^{24,25}

- ✓ Tip visualization in both superficial and deeper blocks
- ✓ Ultrasound based detection and accuracy
- ✓ Can reduce complications during PNB placement
- ✓ Designed to prevent unintended overshooting

PREDICTABLE

Helping make first-time-right the new standard^{24,25}

- ✓ Confidently perform local anesthetics injection
- ✓ Reduction in overall procedure time
- ✓ Fits in to current workflow (no workflow disruption)


EMPOWERING

More anesthesiologists can carry out regional anesthesia²⁶

- ✓ Intuitive user experience
- ✓ Easy to adopt
- ✓ Can increase proficiency level

Needle Tip Navigation to the Point

The Onvision® technology combines ultrasound image data from the ultrasound system with signals from the needle to accurately locate the position of the sensor on the Stimuplex® Onvision® Needle. The position of the sensor is then displayed on the ultrasound image in real-time by overlaying a circle to it.



Ultrasound based Technology to improve Accuracy

- Onvision works up to at least 10 cm depth^{1,4}
- Onvision is shielded against external electromagnetic interferences (EMI)³
- Onvision remains accurate even when the needle bends⁴

EZCOVER®

Ultrasound Probe Cover Set



EZCOVER®. Because infection control matters.

Infection prevention and control are key priorities in the healthcare setting. Although ultrasound is considered one of the safest imaging modalities, infection transmission risks during ultrasound are evident.²⁸ The use of a sterile sheath and gel for interventional ultrasound is an important way to prevent cross-contamination and reduce the risk of healthcare-associated infections.²⁹

EZCOVER®. Improved protection for patient, user and equipment. EZCOVER® are sterile, latex-free and ensure maximum protection for the patient, the user and the equipment. EZCOVER® are suited to all sterile and non-sterile ultrasound applications.

All sets include

- Ultrasound probe cover - available in different sizes (W x L) 15 x 30 cm | 15 x 61 cm | 15 x 122 cm | 15 x 244 cm
- Sterile ultrasound gel (1 x 20 g)
- Latex-free rubber fixation bands (2 x)
- Blue sterile drape (30 x 30 cm)
- All versions optional available with STOP Safety Shield



Easy to fit and convenient to use.

The telescopic folding allows for sterile application. Clear instruction labels on the cover decrease the risk of errors and misuse.

Image quality without compromise.

The high-quality material of the soft sleeve emulates the properties of human tissue. The elastic material facilitates wrinkle and air free application for distortion free scanning.

EZCOVER® advantages at a glance:

IMPROVED PROTECTION


- Latex-free
- Approved for intraoperative use
- Reduces risks of procedural errors (STOP Safety Shield)

EASY TO FIT – CONVENIENT TO USE

- Improved handling
- Elastic material – conforms to all probes
- All necessary components for immediate use in one set

ADVANCED PERFORMANCE

- Soft and comfortable material
- Wrinkle and air-free fit
- No compromise in image quality



Peel off sticker |

NEW! Stop before you block.

Wrong site nerve blocks (WSNB) are classified as never events. A nation-wide patient safety campaign in the UK called "Stop before you block" is aimed at reducing the incidence of inadvertent wrong-sided nerve blocks during regional anaesthesia.³⁰

EZCOVER® are available with STOP Safety Shield label. The sticker reminds the practitioner to STOP immediately prior to the start of the procedure and to conduct a final confirmation on the right surgery site and side of the block.

BENEFITS

- Assures compliance with the WHO Checklist (ICI Standards IPSG4 and IPSG.4-1)
- Reduces risks of wrong site nerve blocks

PORTFOLIO OVERVIEW EZCOVER® SETS

	Description	Size (W x L cm)	Units	Article Code
Generic Set	U/S Probe Cover Set w/Gel	15 x 30	30 / Box	PCG15030
	U/S Probe Cover Set w/Gel	15 x 61	30 / Box	PCG15061
	U/S Probe Cover Set w/Gel	15 x 122	30 / Box	PCG15122
	U/S Probe Cover Set w/Gel	15 x 244	25 / Box	PCG15244
Set with STOP (Check)	U/S Probe Cover Set, STOP w/Gel	15 x 30	30 / Box	PCT15030
	U/S Probe Cover Set, STOP w/Gel	15 x 61	30 / Box	PCT15061
	U/S Probe Cover Set, STOP w/Gel	15 x 122	30 / Box	PCT15122
	U/S Probe Cover Set, STOP w/Gel	15 x 244	25 / Box	PCT15244


Portfolio Overview

ULTRASOUND SYSTEM AND ONVISION® TECHNOLOGY

Xperius®	Description	Units per box	Code no. (REF)
Xperius® Cart System with 1 transducer L12-4 and Onvision® Needle Tip Tracking Technology	<ul style="list-style-type: none"> Type of unit: Compact Cart based Point of Care Ultrasound System with Linear L12-4 and Onvision® Technology Dimensions: 132.5 cm x 56.0 cm x 66 cm (H/W/D) Weight: 36.0 kg Display: 39.6 cm (15.6 in) flat-panel touch-screen Imaging mode keys: 2D, Color Doppler, Color Power Angio (CPA), M-Mode 	1	NUSM621
Xperius® Cart System with 1 transducer L12-4	<ul style="list-style-type: none"> Type of unit: Compact Cart based Point of Care Ultrasound System with fully articulating arm and Linear L12-4 Dimensions: 132.5 cm x 56.0 cm x 66 cm (H/W/D) Weight: 34.0 kg Display: 39.6 cm (15.6 in) flat-panel touch-screen Imaging mode keys: 2D, Color Doppler, Color Power Angio (CPA), M-Mode 	1	NUSM623
Xperius® Stand-alone Tablet with 1 transducer L12-4	<ul style="list-style-type: none"> Type of units: Point of Care Tablet Ultrasound System with Kickstand and Linear 12-4 Dimensions: 28 cm x 42 cm x 5 cm (H/W/D) Weight: 3.6 kg 	1	NUSM626
Peripherals	<ul style="list-style-type: none"> Printer Sony UP-D711MD High-quality digital graphic printer Easy to connect within dedicated Xperius® printer slot Dimensions: 7 cm x 14 cm x 12.5 cm (H/W/D) Weight: 1 kg Monochrome, black/white, A7 paper size 	1	NUSM620

COMPLEMENTARY PRODUCTS

Xperius® Upgrade Items	Description	Units per box	Code no. (REF)	
Single Transducer Linear	L12-4 broadband linear array transducer <ul style="list-style-type: none"> 12 to 4 MHz extended operating frequency range Aperture size: 34 mm High resolution imaging for shallow applications Center line marker USB transducer with replaceable cable 	1	FUS5716	
Single Transducer Curved	C5-2 broadband curved array transducer <ul style="list-style-type: none"> 5 to 2 MHz extended operating frequency range 50 mm radius of curvature High resolution imaging for deeper applications Center line marker USB transducer with replaceable cable 	1	FUS5712	
ONVISION® SINGLE SHOT BLOCK NEEDLES				
Stimuplex® Onvision® Luer Version	Needle ϕ (G) and Length (inch)	Needle ϕ and Length (mm)	Units per box	Code no. (REF) Luer
	Insulated Needles with 30° Bevel			
	22 x 2"	0.70 x 50 mm		4892705-01
	22 x 3 1/8"	0.70 x 80 mm		4892708-01
	20 x 4"	0.90 x 100 mm	10	4892710-01
	20 x 4 3/4"	0.90 x 120 mm		4892712-01
	20 x 6"	0.90 x 150 mm		4892715-01
Stimuplex® Onvision® NRFT® Version	Needle ϕ (G) and Length (inch)	Needle ϕ and Length (mm)	Units per box	Code no. (REF) NRFT®
	Insulated Needles with 30° Bevel			
	22 x 2"	0.70 x 50 mm		4892705NR-01
	22 x 3 1/8"	0.70 x 80 mm		4892708NR-01
	20 x 4"	0.90 x 100 mm	10	4892710NR-01
	20 x 4 3/4"	0.90 x 120 mm		4892712NR-01
	20 x 6"	0.90 x 150 mm		4892715NR-01



ELASTOMERIC PUMP SYSTEMS

Elastomeric pump systems for post-operative pain therapy with peripheral nerve block or epidural catheters.



ON-Q® Elastomeric Pump Systems for Continuous Regional Anesthesia

USER BENEFITS

- Convenient and strong soft shell design allowing for increased patient comfort
- Reliable and silent infusion without complicated electronics



ON-Q® – Pump Systems for Continuous Regional Anesthesia

The ON-Q® Elastomeric Pump System is a pain management solution that has been clinically proven to reduce pain and opioid consumption when used to deliver local anesthetics to or around surgical wound sites or in close proximity to nerves, when compared to narcotic only pain management.³¹ Patients receiving ON-Q® in combination with the potential benefits of a continuous nerve block can experience faster mobilization and a quicker return to their home environment.^{32,33,34}

A product range with fixed flow rate pumps, Select-A-Flow™ for variable flow rate, and bolus devices allow you to choose

the right pump for a patient individual post operative pain therapy. ON-Q® Elastomeric Pump Systems work without complicated electronics, thus avoiding problems with batteries, maintenance, safety checks. Also, there is no need for complex staff training.

Hospitals or healthcare providers can at the same time benefit from reduced length of stay and increased patient satisfaction.^{35,36}

ON-Q® Bolus



Refill Indicator:

Indicates to the patient when the next bolus can be administered.

Safe and simple bolus administration allows the delivery of a continuous fixed basal rate with an additional bolus option for patient adjusted pain relief. Different articles, offering either 30 or 60 min refill time options are available to effectively manage the occurrence of breakthrough pain sensations.

USER BENEFITS

- Ergonomic bolus button design
- Easy to read reservoir fill indicator
- Bolus pump is designed for optimal pain management and incisional applications

Select-A-Flow™



The Select-A-Flow™ controller which is available in two different configurations (1-7 ml/h and 2-14 ml/h), allows flow rate adjustments according to patient individual pain relief requirements.

USER BENEFITS

- Flow rate adjustment in 7 steps
- Rate-changing key may be removed to discourage tampering

Portfolio Overview

SINGLE PUMP MODELS*

ON-Q® Pump	Fill Volume (ml)	Flow Rate (ml/h)	Code no. (REF) Luer	Code no. (REF) NRFit®
	100	2	PS100X2	-
	100	2 (1x1)	PS100X2D	-
	270	2	PS270X2	-
	270	4	PS270X4	-
	270	5	PS270X5	-
	270	4 (2x2)	PS270X4D	-
	400	4	PS400X4	-
	400	5	CB1001	CB001-N
	400	8	PS400X8	PS400X8-N
	400	10	CB1002	CB002-N
	400	4 (2x2)	PS400X4D	-

PUMP WITH BOLUS BUTTON*

ON-Q® Pump + Bolus Button	Fill Volume (ml)	Flow Rate (ml/h)	PCA Bolus Button (ml)	Refill (min)	Code no. (REF) Luer	Code no. (REF) NRFit®
	270	2	3	30	PMB01B	PMB01B-N
	400	4	3	30	CB003B	CB003B-N


PUMP WITH VARIABLE FLOW RATE SELECTOR*

ON-Q® Pump + Select-A-Flow™	Fill Volume (ml)	Flow Rate (ml/h)	Code no. (REF) Luer	Code no. (REF) NRFit®
	270	1-7	PSAF01	PSAF01-N
	400	2-14	CB1004	CB004-N
	600		CB16004	CB6004-N
ON-Q® Pump + Dual Select-A-Flow™				
	400	2x 1-7	CB4007	CB4007-N
	600		-	CB6007-N

PUMP WITH VARIABLE FLOW RATE SELECTOR + BOLUS BUTTON*

ON-Q® Pump + Select-A-Flow™ + Bolus Button	Fill Volume (ml)	Flow Rate (ml/h)	PCA Bolus Button (ml)	Refill (min)	Code no. (REF) Luer	Code no. (REF) NRFit®
	400	1-7	3	30	CB005C	CB005C-N
		2-14	3	20	CB006C	CB006C-N

*Contents: Single Use Infusion Pump, carry case, 60 ml filling syringe, Medication label, Peel-Away labels. Filling extension tube - only 400 ml pump models. 5 units per case. Each case includes instructions for use.



CONTINUOUS WOUND INFUSION

Pain therapy on site –
catheter systems for
continuous wound infusion.



ON-Q® Elastomeric Pump Systems for Continuous Wound Infusion


ON-Q® Pain Relief System

Continuous wound infusion is a technique that delivers local anesthetic through a multi-hole fenestrated catheter to or near the surgical site for post-operative pain relief.³⁷ It provides an effective, postoperative pain management, decreases pain and discourages opioid use.

The simple approach of placing a Soaker Catheter™ to infuse local anesthetic into or near the incisional site can be widely used and offers the potential to provide complete analgesia, while reducing the need of opioids and their associated side effects.³¹



ON-Q® Tunneling System



The blunt tunneling system which is provided with a tear-away sheath helps to place the Soaker Catheter™ in the sub-fascia, extra-pleural or intramuscular layers, allowing access to the key nerve bundles.

The Silver Soaker Catheter™ comes with an additional silver coating that works as an antimicrobial agent.

ON-Q® SilverSoaker™ Catheter with Silver-Ions-Coating on both sides



ON-Q® Soaker Catheter™



FEATURES AND USER BENEFITS

- Unique catheter design with multiple lateral holes along the infusion segment
- Easy to use catheter with introducer needle with peel-away sheath
- Length markings for more accurate positioning
- Dual catheter systems available

Portfolio Overview

ON-Q® PAIN RELIEF SYSTEMS

ON-Q® Pump	Fill Volume (ml)	Flow Rate (ml/h)	Catheter 2.5 cm		Catheter 6.5 cm		Catheter 12.5 cm		Catheter 25 cm		
			Soaker™ Catheter	Silver Soaker™ Catheter	Soaker™ Catheter	Silver Soaker™ Catheter	Soaker™ Catheter	Silver Soaker™ Catheter	Soaker™ Catheter	Silver Soaker™ Catheter	
ON-Q System Options			Code no. (REF) NRFT®	Code no. (REF) NRFT®	Code no. (REF) Luer	Code no. (REF) NRFT®	Code no. (REF) Luer	Code no. (REF) NRFT®	Code no. (REF) Luer	Code no. (REF) NRFT®	Code no. (REF) Luer
	100	1	PS2501	-	-	-	-	-	-	-	-
	100	2	PS2502	PS6502-N	PS6502-A	PS6502-N	PS6502-A-N	PS12502-N	PS12502-A	PS12502-N	PS12502-A
	270	2	-	PS6503-N	PS6503-A	PS6503-N	PS6503-A	PS12503	-	PS12503	-
	270	5	PS2504	PS6504-N	PS6504-A	PS6504-N	PS6504-A-N	PS12504	PS12504-A	PS12504-N	PS12504-A-N
	270	4 (2x2)	-	PS6505-N	PS6505-A	PS6505-N	PS6505-A	PS12505	PS12505-A	PS12505-N	PS12505-A-N
	270	1-7	-	PSAF02	-	-	-	-	-	-	-
	400	5	-	PS6506	-	-	-	PS12506	PS12506-A	PS12506-N	PS12506-A-N
	400	10	-	PS6507	-	-	-	PS12507	PS12507-A	PS12507-N	PS12507-A-N
	400	4 (2x2)	-	PS6508	-	-	-	PS12508	PS12508-A	PS12508-N	PS12508-A-N

Contents: Single Use Infusion Pump, Soaker™ Catheter, E-clip or carry case, 60 ml filling syringe, Medication label, Peel-Away labels, 17 GA T-pee introducer and sheath, 5 ml priming syringe, filling extension set - only 400 ml pump models 5 units per case. Each case includes instructions for use.

ON-Q® EXPANSION KITS

Catheter	Length (cm)	Soaker™ Catheter	Silver Soaker™ Catheter
Soaker™ / Silver Soaker™		Code no. (REF) Luer	Code no. (REF) Luer
	2.50	PM030	PM030-A
	6.50	PM010	PM010-A
	12.5	PM020	PM020-A
	19.1	-	PM050-A
	25.0	PM040	PM040-A

Contents: Soaker™/SilverSoaker™ Catheter, T-pee priming syringe, Tegadrm™ and Steri-Strips™, 5 units per case. Each case includes instructions for use.

ACCESSORIES

ON-Q® Accessories	Length (cm)	Ø (Gauge)	Code no. (REF)
Soaker™	8.30	-	ACC01*
Introducer Needle	15.2	-	ACC02*
	20.3	-	ACC03*
Filling Extension Set	-	-	ACC05**
Introducer Sheath	20.3	17	ACC08S**
	30.5	16	ACC10S**
	20.3	11	ACC07S**
	30.5	11	ACC09S**

Contents: *10 units per case, **5 units per case

ON-Q® DISPOSABLE TUNNELERS

Tunnelers	Length (cm)	Ø (Gauge)	Code no. (REF)
	20.3	11	T11X8
	30.5	11	T11X12
	25.0	11	T11X10
	30.5	16	T16X12
	12.5	17	T17X5
	20.3	17	T17X8
Fluid Tunneler	25.0	17	T17X10
	20.3	11	FT11X8
	30.5	11	FT11X12
	20.3	16	FT16X8
	30.5	16	FT16X12

Contents: Tunneler and two disposable sheaths, 5 units case. Each case includes instructions for use.

LITERATURE

1. Neuman MD et al. Comparative Effectiveness of Regional versus General Anesthesia for Hip Fracture Surgery in Adults. *Anesthesiology* 2012;117(1):72-92. doi: <https://doi.org/10.1097/ALN.0b013e3182545e7c>.
2. Ilfeld BM et al. Continuous Popliteal Sciatic Nerve Block for Postoperative Pain Control at Home: A Randomized, Double-Blinded, Placebo-Controlled Study. *Anesthesiology* 2002;97(4):959-965.
3. Aguirre J. The economics of regional versus general anaesthesia in the ambulatory setting. *Euroanaesthesia: The European Anaesthesiology Congress*; 2016 May 28-30; London. <http://euroanaesthesia2016.esahq.org/the-economics-of-regional-versus-general-anaesthesia-in-the-ambulatory-setting/>.
4. Hu S et al. A comparison of regional and general anaesthesia for total replacement of the hip or knee: a meta-analysis. *J Bone Joint Surg Br* 2009; 91(7):953-42. doi: 10.1302/0301-620X.91B7.21538.
5. Helwani MA et al. Effects of regional versus general anesthesia on outcomes after total hip arthroplasty: a retrospective propensity-matched cohort study. *J Bone Joint Surg Am.* 2015; 97(3):186-93. doi: 10.2106/JBJS.N.00612.
6. ISO 80369-6:2016; Small bore connectors for liquids and gases in healthcare applications – Part 6: Connectors for neuraxial applications. <https://www.iso.org/standard/50734.html>.
7. Lehmann, 2002, Spinalkanülen neuester Generation.
8. Vallejo MC et al. Postdural puncture headache: a randomized comparison of five spinal needles in obstetric patients. *Anesth Analg.* 2000 Oct; 91(4):916-20.
9. Krommendijk et al. The PENCAN 25-gauge needle: A new pencil-point needle for spinal anesthesia tested in 1,193 patients. *Reg Anesth Pain Med.* 1999;24(1):43-50.
10. Scott DB et al. Atraucan: a new needle for spinal anesthesia. *Regional anesthesia* 1993;18(4):213-7.
11. Cooper D et al. Regional Block Needles—A Matter of Feel and Brightness. Presented at the 35th ESRA in Maastricht, Netherlands, September 2016.
12. Steinfeld T et al. Nerve injury by needle nerve perforation in regional anesthesia: does size matter? *Br J Anaesth.* 2010;104(2):245-53. doi: 10.1093/bja/aeq366.
13. Urmey WF, Grossi P. Use of sequential electrical nerve stimuli (SENS) for location of the sciatic nerve and lumbar plexus. *Reg Anesth Pain Med.* 2006;31(5):463-9.
14. Gadsden et al. *Anesthesiology*, 2014; 120:1246-53
15. Kapur et al. *Acta Anaesthesiol Scand*, 2007; 51:101-7
16. Lupu et al. *Reg Anesth Pain Med*, 2010; 35:132-9
17. Orebaugh et al. *Reg Anesth Pain Med*, 2012; 37:525-9
18. Farber SJ et al. Peripheral nerve injury after local anesthetic injection. *Anesth Analg.* 2013; 117(3):731-9. doi: 10.1213/ANE.0b013e3182a00767.
19. Gadsden et al. Opening injection pressure consistently detects needle-nerve contact during ultrasound-guided interscalene brachial plexus block. *Anesthesiology.* 2014;120(5):1246-53. doi: 10.1097/ALN.000000000000133.
20. Kapur E et al. Neurologic and histologic outcome after intraneural injections of lidocaine in canine sciatic nerves. *Acta Anaesthesiol Scand.* 2007; 51(1):101-7.
21. Orebaugh SL et al. Brachial plexus root injection in a human cadaver model: Injectate distribution and effects on the neuraxis. *Reg Anesth Pain Med.* 2012; 37(5):525-9.
22. Bigeleisen PE et al. Extraneural versus intraneural stimulation thresholds during ultrasound-guided supraclavicular block. *Anesthesiology.* 2009;110(6):1235-43. doi: 10.1097/ALN.0b013e3181a59891.
23. Theron PS et al. An animal model of 'syringe feel' during peripheral nerve block. *Reg Anesth Pain Med.* 2009;34:330-2.
24. Käsine T et al. Needle tip tracking for ultrasound-guided peripheral nerve block procedures—An observer blinded, randomised, controlled, crossover study on a phantom model. *Acta Anaesthesiol Scand.* 2019; 63(8):1055-62. doi: 10.1111/aas.13379.
25. Käsine T et al. The effect of needle tip tracking on procedural time of ultrasound-guided lumbar plexus block: a randomised controlled trial. *Anaesthesia* 2019. 75(1): 72-79. doi: 10.1111/anae.14846.
26. McLeod GA et al. An initial evaluation of the effect of a novel regional block needle with tip-tracking technology on the novice performance of cadaveric ultrasound-guided sciatic nerve block. *Anaesthesia* 2020;75(1):80-88. doi: 10.1111/anae.14851.
27. 2019-04-06_Customer feedback_Onvision performance questionnaire_D000228286 CER.
28. Sartoretti T, Sartoretti E, Bucher C et al. Bacterial contamination of ultrasound probes in different radiological institutions before and after specific hygiene training: do we have a general hygienical problem? *Eur Radiol.* 2017 Oct;27(10):4181-4187
29. Nyhsen CM, Humphreys H, Koerner RJ et al. Infection prevention and control in ultrasound – best practice recommendations from the European Society of Radiology Ultrasound Working Group. *Insights Imaging.* 2017 Dec;8(6):523-535
30. Cohen SP, Hayek SM, Datta S, Bajwa ZH, Larkin TM, Griffith S, Hobelmann G, Christo PJ, White R. Incidence and root cause analysis of wrong-site pain management procedures: a multicenter study. *Anesthesiology.* 2010 Mar;112(3):711-8
31. Liu SS et al. Efficacy of continuous wound catheters delivering local anesthetics for postoperative analgesia: a quantitative and qualitative systemic review of randomized controlled trials. *J Am Coll Surg.* 2006;203(6):914-932. doi: 10.1016/j.jamcollsurg.2006.08.007.
32. Chely JE et al. Continuous peripheral nerve blocks in acute pain management. *Br J Anaesth.* 2010; 105(1): 186-196. doi: 10.1093/bja/aeq322.
33. Ilfeld B. Continuous peripheral nerve blocks: A review of the published evidence. *Anesth Analg* 2011; 113(4):904-925. doi: 10.1213/ANE.0b013e3182285e01.
34. Bingham A et al. Continuous peripheral nerve block compared with single-injection peripheral block. A systematic review and meta-analysis of randomized controlled trials. *Reg Anesth Pain Med.* 2012;37(6):583-94. doi: 10.1097/AAP.0b013e31826c351b.
35. Bharti N et al. The efficacy of a novel approach to transverse abdominis plane block for postoperative analgesia after colorectal surgery. *Anesth Analg.* 2011;112(6):1504-8. doi: 10.1213/ANE.0b013e3182159bf8.
36. Belavy D et al. Ultrasound-guided transverse abdominis plane block for analgesia after caesarean delivery. *Br J Anaesth.* 2009;103(5):726-30. doi: 10.1093/bja/aeq235.
37. Beaussier M et al. Continuous preperitoneal infusion of ropivacaine provides effective analgesia and accelerates recovery after colorectal surgery. *Anesthesiology.* 2007; 107(3):461-468.