



LIMITED WARRANTY

REV. 110320-LINEAR

Jinko Solar Import and Export Co., Ltd. (“**Jinko**”) generally provides the Warranties set forth herein to the original purchaser and its permitted successors and assigns (“**Customer**”) with respect to any solar photovoltaic module set forth herein sold by Jinko under purchase agreements signed on or after November 3, 2020 (“**Module**”), subject to the terms and conditions herein (“**Limited Warranty**”). Jinko and Customer may hereinafter be referred to each as a “**Party**” and collectively as the “**Parties**”.

1. **WARRANTY START DATE.** Jinko provides the Warranties set forth herein commencing upon the earlier of delivery of a Module to the original purchaser thereof or that date which is one hundred and eighty (180) days following the Module manufacture date, as indicated by the serial number [digit no. 7 – 12 (YYMMDD), starting from the left side of the serial number] for such Module (“**Warranty Start Date**”).

2. **LIMITED PRODUCT WARRANTY.** Beginning on the Warranty Start Date and terminating on that date which is one hundred and eighty (180) months thereafter for N-Type mono-crystalline Modules and N-Type mono-crystalline Bifacial Modules, three hundred (300) months thereafter for N-Type all black mono-crystalline Modules, and one hundred and forty-four (144) months thereafter for all other types of Modules, Jinko warrants that the Module and its respective DC connector and cables, if any, shall be free from material defects in design, materials and workmanship that impair the performance of the Module (“**Limited Product Warranty**”). Material defects shall not include normal wear and tear.

3.A. LIMITED POWER WARRANTY FOR MONOFACIAL MODULES.

Jinko warrants that the Degradation Rate shall not exceed the amount for the applicable period

following the Warranty Start Date as set forth below (“**Monofacial Module Limited Power Warranty**”).

A. MONOFACIAL MODULES: for poly-crystalline Modules:

(1) **SINGLE GLASS SERIES**, only applicable to the following poly-crystalline Module types:

JKMxxxPP-72, JKMxxxPP-72-J, JKMSxxxPP-72, JKMSxxxPP-72-J, JKMxxxPP-72H, JKMxxxPP-72B, JKMSxxxPP-72B, JKMxxxPP-72HB, JKMSxxxPP-72-MX, JKMSxxxPP-72B-MX, JKMxxxPP-60, JKMxxxPP-60-J, JKMSxxxPP-60, JKMSxxxPP-60-J, JKMxxxPP-60H, JKMxxxPP-60H-J, JKMxxxPP-60B, JKMSxxxPP-60B, JKMxxxPP-60HB, JKMSxxxPP-60-MX, JKMSxxxPP-60B-MX, JKMxxxPP-72-V, JKMxxxPP-72-V-J, JKMSxxxPP-72-V, JKMSxxxPP-72-V-J, JKMxxxPP-72H-V, JKMxxxPP-72HB-V, JKMSxxxPP-72-MX-V, JKMSxxxPP-72B-MX-V, JKMxxxPP-60-V, JKMxxxPP-60-V-J, JKMSxxxPP-60-V, JKMSxxxPP-60-V-J, JKMxxxPP-60H-V, JKMxxxPP-60HB-V, JKMSxxxPP-60-MX-V, JKMSxxxPP-60B-MX-V

(i) 2.5% in the first year; (ii) 0.7% each year thereafter until that date which is twenty-five (25) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 80.7% of the Nominal Power Output.

(2) **DUAL GLASS SERIES**, only applicable to the following poly-crystalline Module types:

JKMxxxPP-72-DV, JKMSxxxPP-72-DV, JKMxxxPP-72-DV-J, JKMSxxxPP-72-DV-J, JKMxxxPP-72H-DV, JKMxxxPP-60-DV, JKMSxxxPP-60-DV, JKMxxxPP-60-DV-J, JKMSxxxPP-60-DV-J, JKMxxxPP-60H-DV

(i) 2.5 % in the first year; (ii) 0.5 % each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time



LIMITED WARRANTY

REV. 110320-LINEAR

the Actual Power Output shall be not less than 83.0 % of the Nominal Power Output.

B. MONOFACIAL MODULES: for mono-crystalline Modules:

(1) P-TYPE SERIES, only applicable to the following mono-crystalline Module types:

(a) JKMxxxM-72, JKMxxxM-72-J, JKMxxxM-72L, JKMSxxxM-72, JKMSxxxM-72-J, JKMxxxM-72H, JKMxxxM-72HL, JKMxxxM-72B, JKMSxxxM-72B, JKMxxxM-72HB, JKMxxxM-72BL, JKMxxxM-72HBL, JKMSxxxM-72-MX, JKMSxxxM-72L-MX, JKMSxxxM-72B-MX, JKMSxxxM-72BL-MX, JKMxxxM-60, JKMxxxM-60-J, JKMxxxM-60L, JKMSxxxM-60, JKMSxxxM-60-J, JKMxxxM-60H, JKMxxxM-60HL, JKMxxxM-60B, JKMxxxM-60BL, JKMSxxxM-60B, JKMxxxM-60HB, JKMxxxM-60BL, JKMxxxM-60HBL, JKMSxxxM-60-MX, JKMSxxxM-60L-MX, JKMSxxxM-60B-MX, JKMSxxxM-60BL-MX, JKMxxxM-72-V, JKMxxxM-72-V-J, JKMSxxxM-72-V, JKMSxxxM-72-V-J, JKMxxxM-72L-V, JKMxxxM-72H-V, JKMxxxM-72HL-V, JKMxxxM-72HB-V, JKMxxxM-72BL-V, JKMxxxM-72HBL-V, JKMSxxxM-72-MX-V, JKMSxxxM-72B-MX-V, JKMxxxM-60-V, JKMxxxM-60-V-J, JKMSxxxM-60-V, JKMSxxxM-60-V-J, JKMxxxM-60L-V, JKMxxxM-60H-V, JKMxxxM-60HL-V, JKMxxxM-60HB-V, JKMxxxM-60BL-V, JKMxxxM-60HBL-V, JKMSxxxM-60-MX-V, JKMSxxxM-60B-MX-V, JKMxxxM-66H, JKMxxxM-66HB, JKMxxxM-66H-V, JKMxxxM-66HB-V, JKMxxxM-78H, JKMxxxM-78H-V, JKMxxxM-78H-MBB, JKMxxxM-78H-MBB, JKMxxxM-66H-MBB-V, JKMxxxM-66H-MBB, JKMxxxM-66H-MBB-B-V, JKMxxxM-66H-MBB-B, JKMxxxM-72H-MBB-V, JKMxxxM-72H-MBB, JKMxxxM-60H-MBB-V, JKMxxxM-60H-MBB, JKMxxxM-60H-MBB-B-V, JKMxxxM-60H-MBB-B,

JKMSxxxM-60H-MX3, JKMSxxxM-60HB-MX3, JKMSxxxM-72H-MX3, JKMSxxxM-66H-MX3,

JKMSxxxM-66HB-MX3, JKMSxxxM-60H-TI, JKMSxxxM-60HB-TI, JKMSxxxM-72H-TI, JKMSxxxM-66H-TI, JKMSxxxM-66HB-TI, JKMSxxxM-78H-TI

(i) 2.5% in the first year; (ii) 0.6% each year thereafter until that date which is twenty-five (25) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 83.1% of the Nominal Power Output.

(b) JKMxxxM-6RL3, JKMxxxM-6RL3-V, JKMxxxM-6RL3-B, JKMxxxM-6RL3-B-V, JKMxxxM-7RL3, JKMxxxM-7RL3-V, JKSM3-DACA-xxx, JKMxxxM-7RL3-V-J, JKMxxxM-7RL3-J, JKMxxxM-6TL4, JKMxxxM-6TL4-V, JKMxxxM-6TL4-B, JKMxxxM-6TL4-B-V, JKMxxxM-7TL4, JKMxxxM-7TL4-V, JKMxxxM-7TL4-B, JKMxxxM-7TL4-B-V, JKMxxxM-60HL4, JKMxxxM-60HL4-V, JKMxxxM-60HL4-B, JKMxxxM-60HL4-B-V, JKMxxxM-72HL4, JKMxxxM-72HL4-V, JKMxxxM-72HL4-B, JKMxxxM-72HL4-B-V, JKMxxxM-6RL4, JKMxxxM-6RL4-V, JKMxxxM-6RL4-B, JKMxxxM-6RL4-B-V, JKMxxxM-7RL4, JKMxxxM-7RL4-V, JKMxxxM-7RL4-B, JKMxxxM-7RL4-B-V, JKMxxxM-66HL4, JKMxxxM-66HL4-V, JKMxxxM-66HL4-B, JKMxxxM-66HL4-B-V, JKMxxxM-78HL4, JKMxxxM-78HL4-V, JKMxxxM-78HL4-B, JKMxxxM-78HL4-B-V, JKMxxxM-6TL3, JKMxxxM-6TL3-V, JKMxxxM-6TL3-B, JKMxxxM-6TL3-B-V, JKMxxxM-7TL4-J, JKMxxxM-7TL4-V-J, JKMxxxM-72HL4-J, JKMxxxM-72HL4-V-J, JKMxxxM-7RL4-J, JKMxxxM-7RL4-V-J, JKMxxxM-6RL3-V-J, JKMxxxM-6RL3-J, JKMxxxM-72HLM-V, JKMxxxM-60HLM-V, JKMxxxM-72HLM, JKMxxxM-60HLM, JKMxxxM-60HLM-B

(i) 2.0% in the first year; (ii) 0.55% each year thereafter until that date which is twenty-five (25) years following the Warranty Start Date, at which



LIMITED WARRANTY

REV. 110320-LINEAR

time the Actual Power Output shall be not less than 84.8% of the Nominal Power Output.

(2) N-TYPE SERIES, only applicable to the following mono-crystalline Module types:

JKMxxxN-72H, JKMxxxN-72H -V, JKMxxxN-60H, JKMxxxN-60H-V, JKMxxxN-72H-MBB, JKMxxxN-72H-MBB-V, JKMxxxN-60H-MBB, JKMxxxN-60H-MBB-V, JKMxxxN-6RL3, JKMxxxN-6RL3-V, JKMxxxN-7RL3, JKMxxxN-7RL3-V, JKMxxxN-6TL4, JKMxxxN-6TL4-V, JKMxxxN-7TL4, JKMxxxN-7TL4-V, JKMxxxN-60HL4, JKMxxxN-60HL4-V, JKMxxxN-72HL4, JKMxxxN-72HL4-V, JKMxxxN-6RL4, JKMxxxN-6RL4-V, JKMxxxN-7RL4, JKMxxxN-7RL4-V, JKMxxxN-66HL4, JKMxxxN-66HL4-V, JKMxxxN-78HL4, JKMxxxN-78HL4-V, JKMxxxN-78H-MBB-V, JKMxxxN-78H-MBB, JKMxxxN-66H-MBB-V, JKMxxxN-66H-MBB, JKMxxxN-6TL3, JKMxxxN-6TL3-V, JKMxxxN-6RL3-V-J, JKMxxxN-6RL3-J, JKMxxxN-7RL3-V-J, JKMxxxN-7RL3-J

(i) 1% in the first year; (ii) 0.4% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 87.4% of the Nominal Power Output.

(3) N-TYPE ALL BLACK SERIES, only applicable to the following mono-crystalline Module types:

JKMxxxN-6RL3-B, JKMxxxN-6RL3-B-V, JKMxxxN-7RL3-B, JKMxxxN-7RL3-B-V, JKMxxxN-60H-MBB-B, JKMxxxN-60H-MBB-B-V, JKMxxxN-72H-MBB-B, JKMxxxN-72H-MBB-B-V, JKMxxxN-60HB, JKMxxxN-60HB-V, JKMxxxN-72HB, JKMxxxN-72HB-V, JKMxxxN-6TL4-B, JKMxxxN-6TL4-B-V, JKMxxxN-7TL4-B, JKMxxxN-7TL4-B-V, JKMxxxN-60HL4-B, JKMxxxN-60HL4-B-V, JKMxxxN-72HL4-B, JKMxxxN-72HL4-B-V, JKMxxxN-6RL4-B, JKMxxxN-6RL4-B-V, JKMxxxN-

7RL4-B, JKMxxxN-7RL4-B-V, JKMxxxN-66HL4-B, JKMxxxN-66HL4-B-V, JKMxxxN-78HL4-B, JKMxxxN-78HL4-B-V, JKMxxxN-66H-MBB-B-V, JKMxxxN-66H-MBB-B, JKMxxxN-6TL3-B, JKMxxxN-6TL3-B-V

(i) 1% in the first year; (ii) 0.4% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 87.4% of the Nominal Power Output.

(4) DUAL GLASS SERIES, only applicable to the following mono-crystalline Module types:

(a) JKMxxxM-72-DV, JKMSxxxM-72-DV, JKMxxxM-72-DV-J, JKMSxxxM-72-DV-J, JKMxxxM-60-DV, JKMSxxxM-60-DV, JKMxxxM-60-DV-J, JKMSxxxM-60-DV-J, JKMxxxM-66-DV, JKMSxxxM-66-DV, JKMxxxM-78-DV, JKMSxxxM-78-DV

(i) 2.5% in the first year; (ii) 0.5% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 83% of the Nominal Power Output.

(b) JKMxxxM-6RL3-DV, JKMxxxM-7RL3-DV, JKMxxxM-72HL4-DV, JKMxxxM-60HL4-DV, JKMxxxM-78HL4-DV, JKMxxxM-66HL4-DV, JKMxxxM-7TL4-DV, JKMSxxxM-6TL4-DV, JKMxxxM-7RL4-DV, JKMxxxM-6RL4-DV

(i) 2.0% in the first year; (ii) 0.45% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 84.95% of the Nominal Power Output.

3.B. LIMITED POWER WARRANTY FOR BIFACIAL MODULES.

4.2.6 ir
4.2.7 p.



LIMITED WARRANTY

REV. 110320-LINEAR

Jinko warrants that the Degradation Rate shall not exceed the amount for the applicable period following the Warranty Start Date as set forth below (“**Bifacial Module Limited Power Warranty**”):

BIFACIAL MODULES: for **mono-crystalline Modules:**

A. P-Type Bifacial Modules:

(1) DUAL GLASS BIFACIAL SERIES, only applicable to the following mono-crystalline Bifacial Module types:

(a) JKMxxxM-60-BDVP, JKMxxxM-60H-BDVP, JKMxxxM-72-BDVP, JKMxxxM-72H-BDVP, JKMxxxM-60HL-BDVP, JKMxxxM-72HL-BDVP, JKMxxxM-66H-BDVP, JKMxxxM-78H-BDVP, JKMxxxM-72H-MBB-BDVP, JKMxxxM-78H-MBB-BDVP

(i) 2.5% in the first year; (ii) 0.5% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 83% of the Nominal Power Output.

(b) JKMxxxM-7RL3-BDVP, JKMxxxM-7RL3-BDVP-J, JKMxxxM-6TL4-BDVP, JKMxxxM-7TL4-BDVP, JKMxxxM-60HL4-BDVP, JKMxxxM-72HL4-BDVP, JKMxxxM-6RL4-BDVP, JKMxxxM-7RL4-BDVP, JKMxxxM-66HL4-BDVP, JKMxxxM-78HL4-BDVP, JKMxxxM-78HL3-BDVP, JKMxxxM-78HL3-MBB-BDVP, JKMxxxM-66HL3-BDVP, JKMxxxM-66HL3-MBB-BDVP, JKMxxxM-7TL4-BDVP-J, JKMxxxM-7RL4-BDVP-J, JKMxxxM-72HL4-BDVP-J, JKMxxxM-72HLM-BDVP

(i) 2.0% in the first year; (ii) 0.45% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time

the Actual Power Output shall be not less than 84.95% of the Nominal Power Output.

(2) TRANSPARENT BACKSHEET BIFACIAL SERIES, only applicable to the following mono-crystalline Bifacial Module types:

(a) JKMxxxM-60H-TV, JKMxxxM-72H-TV, JKMxxxM-60HL-TV, JKMxxxM-72HL-TV, JKMxxxM-66H-TV, JKMxxxM-78H-TV, JKMxxxM-72H-MBB-TV, JKMxxxM-78H-MBB-TV

(i) 2.5% in the first year; (ii) 0.55% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 81.55% of the Nominal Power Output.

(b) JKMxxxM-7RL3-TV, JKSM3-DCCA-xxx, JKMxxxM-7RL3-TV-J, JKMxxxM-6TL4-TV, JKMxxxM-7TL4-TV, JKMxxxM-60HL4-TV, JKMxxxM-72HL4-TV, JKMxxxM-6RL4-TV, JKMxxxM-7RL4-TV, JKMxxxM-66HL4-TV, JKMxxxM-78HL4-TV, JKMxxxM-78HL3-TV, JKMxxxM-78HL3-MBB-TV, JKMxxxM-66HL3-TV, JKMxxxM-66HL3-MBB-TV, JKMxxxM-6RL3-TV, JKMxxxM-7TL4-TV-J, JKMxxxM-7RL4-TV-J, JKMxxxM-72HL4-TV-J, JKMxxxM-6RL3-TV-J, JKMxxxM-72HLM-TV

(i) 2.0% in the first year; (ii) 0.45% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 84.95% of the Nominal Power Output.

B. N-Type Bifacial Modules, only applicable to the following mono-crystalline Bifacial Module types:



LIMITED WARRANTY

REV. 110320-LINEAR

JKMxxxN-7RL3-TV, JKMxxxN-7RL3-BDV, JKMxxxN-72H-MBB-TV, JKMxxxN-72H-MBB-BDV, JKMxxxN-6RL3-TV, JKMxxxN-6RL3-BDV, JKMxxxN-60H-MBB-BDV, JKMxxxN-60H-MBB-TV, JKMxxxN-6TL4-TV, JKMxxxN-7TL4-TV, JKMxxxN-60HL4-TV, JKMxxxN-72HL4-TV, JKMxxxN-6RL4-TV, JKMxxxN-7RL4-TV, JKMxxxN-66HL4-TV, JKMxxxN-78HL4-TV, JKMxxxN-6TL4-BDV, JKMxxxN-7TL4-BDV, JKMxxxN-60HL4-BDV, JKMxxxN-72HL4-BDV, JKMxxxN-6RL4-BDV, JKMxxxN-7RL4-BDV, JKMxxxN-66HL4-BDV, JKMxxxN-78HL4-BDV, JKMxxxN-78HL3-BDV, JKMxxxN-78HL3-MBB-BDV, JKMxxxN-66HL3-BDV, JKMxxxN-66HL3-MBB-BDV, JKMxxxN-78HL3-TV, JKMxxxN-78HL3-MBB-TV, JKMxxxN-66HL3-TV, JKMxxxN-66HL3-MBB-TV, JKMxxxN-7RL3-TV-J, JKMxxxN-6RL3-TV-J, JKSN3-DCCA-***

(i) 1% in the first year; (ii) 0.4% each year thereafter until that date which is thirty (30) years following the Warranty Start Date, at which time the Actual Power Output shall be not less than 87.4% of the Nominal Power Output.

Notwithstanding anything to the contrary herein, the Degradation Rate for a Bifacial Module shall apply only to the front-side power output of such Bifacial Module under STC as defined below.

4. POWER DEFINITIONS. “**Nominal Power Output (PO₀)**” means the original manufactured nameplate specification of the Module, expressed in Watts, as certified by Jinko and indicated on the Module, excluding any specified positive tolerance. “**Actual Power Output (PO_t)**” means the power output of the Module, expressed in Watts, at Watt peak that a Module generates or, for a Bifacial Module, that the front-side of a Bifacial Module generates, at a given point in time in a year after the Warranty

Start Date (**t**) in its ‘Maximum Power Point’ under Standard Test Conditions, corrected for any measurement error (“**STC**”). STC are as follows, measured in accordance with IEC 61215: (a) light spectrum of AM 1.5; (b) an irradiation of 1000W per m²; and (c) a cell temperature of 25 degrees centigrade at right angle irradiation. The “**Degradation Rate (DR)**” shall be any positive amount calculated in accordance with the following formula, expressed as a percent:

$$DR = 1.00 - [(PO_t) / (PO_0)]$$

5. CLAIMS. Customer shall bear the burden of establishing a breach of the Warranties hereunder. If Customer believes there has been a breach of the Limited Product Warranty or Limited Power Warranty (collectively, “**Warranties**”), then Customer shall promptly, and not later than thirty (30) days after knowledge thereof, provide notice to Jinko setting forth the following information related to the claim: (a) party making claim; (b) detailed description; (c) evidence, including photographs and data; (d) relevant serial numbers; (e) Warranty Start Date; (f) Module type; (g) physical address; (h) any additional evidence reasonably requested by Jinko; and (i) upon request from Jinko, the actual Module(s) allegedly causing the breach. Notwithstanding anything to the contrary herein, Jinko shall be entitled, in Jinko’s sole discretion upon written notice to Customer, to require that any breach of the Warranties alleged by Customer be reviewed by TÜV Rheinland, TÜV SUD or other neutral third party testing laboratory selected by Jinko and approved by Customer, such approval not to be unreasonably withheld or delayed (“**Independent Testing Lab**”). The power measurement tolerance of any testing equipment utilized by any Independent Testing



LIMITED WARRANTY

REV. 110320-LINEAR

Lab in performing tests required by this Section 5 shall be disclosed in writing to both Parties prior to performance of any such tests and shall be reflected in any final test results provided by the Independent Testing Lab. The determination by an Independent Testing Lab as to whether a breach has occurred shall be final and conclusive with respect to the matters covered by such determination. Jinko shall be responsible for all costs incurred by it in connection with the shipment by Customer of a Module pursuant to Section 5(i) hereto and any Independent Testing Lab's services provided pursuant to this Section 5, including shipping, testing services, storage, insurance and any Module destruction incidental thereto; provided, however, Customer shall promptly upon receipt of notice indemnify Jinko for all such costs on a dollar-for-dollar basis in the event the Independent Testing Lab is unable to confirm a breach of the Warranties or, if no Independent Testing Lab was utilized, Customer is otherwise unable to establish a breach of the Warranties.

6. REMEDIES. In Jinko's sole discretion, Jinko shall repair, replace or provide additional modules compensating for the related power loss for any Module which causes a breach of the Warranties. Additional, repaired or replacement Modules shall be delivered to the same destination and on the same INCOTERMS 2010 delivery basis that the original Module causing breach of the Warranties was delivered under the purchase agreement to which this Limited Warranty applies. Replaced Modules received by Jinko pursuant to Section 5 shall be the sole property of Jinko. Jinko shall be solely responsible for all shipping costs incurred performing its additional supply, repair or replacement obligations under this Section 6. Additional or replacement Modules shall be of the same type and physical form as the original Module, electrically compatible with the original Module, and have an

electrical output of not less than the warranted power output of the original Module at the time of supply or replacement, based on the warranted degradation rates set forth at Section 3 hereto. Notwithstanding the foregoing, if Jinko no longer supplies Modules meeting the foregoing criteria, then additional or replacement modules provided under this Section 6 shall be those modules then supplied by Jinko most substantially meeting the foregoing criteria. Jinko's performance of any repair, replacement or additional supply pursuant to this Section 6 shall not extend the term of any Warranties.

7. EXCLUSIONS. This Limited Warranty is subject to the exclusions set forth in this Section 7. The Warranties shall not apply to any Module which has been: (a) altered, repaired or modified without the prior written consent of Jinko or otherwise inconsistent with Jinko's written instructions; (b) removed and re-installed at any location other than the physical location in which it was originally installed following purchase by Customer or receipt from Jinko as a replacement Module; (c) subject to misuse, abuse, neglect, or accident except as may be caused by Jinko in the course of storage, transportation, handling, installation, application, use or service; (d) subject to force majeure, electrical surges, lightning, flood, fire, vandalism, tampering, accidental breakage, or other events beyond Jinko's control, resulting in material damage to the Module; (e) installed on mobile platforms (other than single or dual-axis trackers) or in a marine environment; (f) subject to direct contact with corrosive agents or salt water, pest damage, or malfunctioning PV system components; or (g) used in a manner inconsistent with the version of Jinko Installation Manual available at www.jinkosolar.com on the date the Module is manufactured. The Warranties shall not apply to any Module for which the labels thereon indicating type or serial number have been



LIMITED WARRANTY

REV. 110320-LINEAR

altered, removed or made illegible. The Warranties shall not apply to any Module for which full and final payment has not been received by Jinko.

8. NOTICE. Any notice required or permitted under this Limited Warranty shall be in writing and deemed to be properly given by the sender and received by the addressee. Mailed notices and facsimile notices shall be addressed to the Jinko office located closest to the place of original installation, as identified at www.jinkosolar.com/contact.html. Notices by e-mail should be sent to cs@jinkosolar.com. Customer shall promptly provide contact information upon request. For the avoidance of doubt, e-mail alone shall not constitute valid notice pursuant to this Section 8.

9. LIMITS OF LIABILITY. **NOTWITHSTANDING ANYTHING TO THE CONTRARY IN THIS LIMITED WARRANTY, EXCEPT AS EXPRESSLY PROVIDED HEREIN, JINKO MAKES NO WARRANTIES, GUARANTEES OR CONDITIONS, EXPRESS OR IMPLIED, ARISING FROM OR RELATING TO THE MODULES AND JINKO DISCLAIMS ANY WARRANTY OR GUARANTEE IMPLIED BY LAW, INCLUDING IMPLIED WARRANTIES OF PERFORMANCE, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND IMPLIED WARRANTIES OF CUSTOM OR USAGE, ARISING FROM OR RELATING TO THE MODULES. THE REMEDIES FOR BREACH OF THIS WARRANTY ARE CUSTOMER'S SOLE AND EXCLUSIVE REMEDIES ARISING FROM OR RELATING TO ANY BREACH OF THE WARRANTIES. IN NO EVENT SHALL JINKO BE RESPONSIBLE PURSUANT TO THIS WARRANTY FOR ANY PERFORMANCE ANALYSIS, INSPECTION, DIAGNOSIS, REMOVAL, CUSTOMS, IMPORT DUTIES, EXPORT DUTIES, TAXES, REINSTALLATION COSTS, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL DAMAGES OF ANY NATURE**

WHATSOEVER, INCLUDING LOSSES OR DAMAGES CAUSED BY REASON OF LOSS OF USE, LOSS OF PROFITS OR REVENUE, INTEREST CHARGES (EXCEPT AS EXPRESSLY PROVIDED HEREIN), LOSS OF BONDING CAPACITY, COST OF CAPITAL OR CLAIMS OF CUSTOMER DAMAGES, WHETHER LIABILITY ARISES AS A RESULT OF BREACH OF CONTRACT, TORT LIABILITY (INCLUDING NEGLIGENCE), STRICT LIABILITY, BY OPERATION OF LAW OR IN ANY OTHER MANNER. EXCEPT AS SET OUT IN THIS LIMITED WARRANTY, JINKO SHALL HAVE NO RESPONSIBILITY OR LIABILITY WHATSOEVER FOR DAMAGE OR INJURY TO PERSONS OR PROPERTY, OR FOR OTHER LOSS OR INJURY RESULTING FROM ANY CAUSE WHATSOEVER ARISING OUT OF OR RELATED TO THIS LIMITED WARRANTY.

10. ASSIGNMENT. Notwithstanding anything to the contrary herein, this Limited Warranty is for the sole and exclusive benefit of Customer and there are no third party beneficiaries hereof; provided, however, subject to written notice to Jinko and Jinko's receipt of full and final payment for the Modules, this entire Limited Warranty may be assigned in whole but not in part to any person or entity. Any permitted assignee of this Limited Warranty shall execute such agreements as may reasonably be requested by Jinko to confirm the applicability of any term hereof as a condition to assignment.

11. LAW AND FORUM. Any dispute related to or arising out of this Limited Warranty, including without limitation any question regarding its existence, validity, breach, or termination, shall be referred to and finally resolved pursuant to the governing law clauses and dispute resolution procedures under the purchase agreement between the original purchaser and Jinko. As a condition to any obligation of Jinko hereunder, Jinko may require any Customer seeking to enforce this Limited Warranty to execute such



LIMITED WARRANTY

REV. 110320-LINEAR

additional agreements as may reasonably be required to enforce the terms of this Section 11.

12. MERGER CLAUSE. This Limited Warranty sets forth the entire agreement and understanding of the Parties relating to the subject matter herein and supersedes all prior or contemporaneous discussions, understandings and agreements, whether oral or written, between them relating to the subject matter hereof.

13. SEVERABILITY. If one or more provisions of this Limited Warranty are held to be unenforceable under applicable law, the Parties agree to renegotiate such provision in good faith. In the event that the parties cannot reach a mutually agreeable and enforceable replacement for such provision, then (a) such provision shall be excluded from this Limited Warranty, (b) the balance of this Limited Warranty shall be interpreted as if such provision were so excluded and (c) the balance of this Limited Warranty shall be enforceable in accordance with its terms.

14. MISCELLANEOUS. The terms of this Limited Warranty are conditioned upon their incorporation in a contractual agreement between Jinko and Customer, and when incorporated to such contractual agreement, this Limited Warranty shall be subject to the terms thereof and subject to modification when incorporated therein. Jinko reserves the right to modify or update this Limited Warranty at any time, with or without notice.

[END OF LIMITED WARRANTY]

RIBOTA GARANTIJA

REV. 110320-LINEAR

„Jinko Solar Import and Export Co., Ltd.“ („**Jinko**“) paprastai teikia nustatytas garantijas pirkėjui ir tai leidžiama teisių perėmėjai ir paskiria („**Klientas**“) su pagarba į bet kurį čia išdėstytą saulės fotoelektros modulį pardavė Jinko pagal pasirašytas pirkimo sutartis 2020 m. lapkričio 3 d. arba vėliau („**modulis**“), atsižvelgiant į šiame dokumente pateiktas sąlygas („**Ribota garantija**“). Jinko ir Klientas gali toliau - **Šalys** ir „**Šalys**“.

1. GARANTIJOS pradžios data. Jinko pateikia Garantijos, nustatytos čia ankstesnis, kai modulis pristatomas originalui tos dienos, kuri yra viena šimtas aštuoniasdešimt (180) dienų po Modulio pagaminimo data, kaip nurodyta serijos numeris [skaitmens Nr. 7–12 (MMMMDD), pradedant nuo serijos numerio kairės pusės] tokiam moduliui („**Garantijos pradžios data**“).

2. RIBOTA GAMINIO GARANTIJA. Pradžia garantijos pradžios datą ir tuo pasibaigiant data, kuri yra šimtas aštuoniasdešimt (180) po kelių mėnesių N-tipo monokristaliniams Moduliai ir N tipo monokristalinis dvifasis Moduliai, trys šimtai (300) mėnesių po to N tipo visiems juodiems monokristaliniams moduliams, ir šimtas keturiasdešimt keturi (144) mėnesiai po to visiems kitiems modulių tipams - Jinko garantuoja, kad modulis ir jo atitinkama nuolatinė srovė jungtyje ir kabeliuose, jei tokių yra, neturi būti esminiai dizaino, medžiagų ir defektai darbas, kuris kenkia Modulis („**Ribota gaminio garantija**“). Medžiaga defektai neturi apimti įprasto nusidėvėjimo.

3.A. RIBOTA GALIOS GARANTIJA MONOFACIAL MODULIAI.

Jinko garantuoja, kad skilimo greitis nebus toks viršyti taikomo laikotarpio sumą

po nurodytos garantijos pradžios datos žemiau („**Monofacial Module Limited Power Garantija**“).

A. VEIDO MODULIAI : skirti polikristaliniams Moduliai :

(1) VIENO STIKLO SERIJA , taikoma tik šių polikristalinių modulių tipų:

JKMxxxPP-72, JKMxxxPP-72-J, JKMSxxxPP-72, JKMSxxxPP-72-J, JKMxxxPP-72H, JKMxxxPP-72B, JKMSxxxPP-72B, JKMxxxPP-72HB, JKMSxxxPP-72-„MX“, „JKMSxxxPP-72B-MX“, „JKMxxxPP-60“, JKMxxxPP-60-J, JKMSxxxPP-60, JKMSxxxPP-60-J, JKMxxxPP-60H, JKMxxxPP-60H-J, JKMxxxPP-60B, JKMSxxxPP-60B, JKMxxxPP-60HB, JKMSxxxPP-60-„MX“, „JKMSxxxPP-60B-MX“, „JKMxxxPP-72-V“, JKMxxxPP-72-VJ, JKMSxxxPP-72-V, JKMSxxxPP-72-VJ, JKMxxxPP-72H-V, JKMxxxPP-72HB-V, JKMSxxxPP-72-MX-V, JKMSxxxPP-72B-MX-V, JKMxxxPP-60-V, JKMxxxPP-60-VJ, JKMSxxxPP-60-V, JKMSxxxPP-60-VJ, JKMxxxPP-60H-V, JKMxxxPP-60HB-V, JKMSxxxPP-60-MX-V, JKMSxxxPP-60B-MX-V

i) 2,5% pirmaisiais metais; ii) 0,7% kiekvienais metais vėliau iki tos dienos, kuri yra dvidešimt penki (25) metų nuo garantijos pradžios datos, kurią faktinė galia neturi būti mažesnė daugiau nei 80,7% nominalios galios.

(2) Dvigubo stiklo serija , taikoma tik šių polikristalinių modulių tipų:

JKMxxxPP-72-DV, JKMSxxxPP-72-DV, JKMxxxPP-72-DV-J, JKMSxxxPP-72-DV-J, JKMxxxPP-72H-DV, JKMxxxPP-60-DV, JKMSxxxPP-60-DV, JKMxxxPP-60-DV-J, JKMSxxxPP-60-DV-J, JKMxxxPP-60H-DV

i) 2,5% pirmaisiais metais; ii) 0,5% kiekvienais metais vėliau iki tos dienos, kuri yra trisdešimt (30) metų po garantijos pradžios datos, tuo metu

RIBOTA GARANTIJA

REV. 110320-LINEAR

faktinė galia turi būti ne mažesnė kaip 83,0% nominalios galios.

B. VEIDO MODULIAI : monokristaliniam

Moduliai :

(1) P-TIPO SERIJA , taikoma tik šiems monokristalinių modulių tipai:

a) JKMSxxxM-72, JKMSxxxM-72-J, JKMSxxxM-72L, JKMSxxxM-72, JKMSxxxM-72-J, JKMSxxxM-72H, JKMSxxxM-72HL, JKMSxxxM-72B, JKMSxxxM-72BL, JKMSxxxM-72HB, JKMSxxxM-72BL, JKMSxxxM-72HBL, JKMSxxxM-72-MX, JKMSxxxM-72L-MX, JKMSxxxM-72B-MX, JKMSxxxM-72BL-MX, JKMSxxxM-60, JKMSxxxM-60-J, JKMSxxxM-60L, JKMSxxxM-60, JKMSxxxM-60-J, JKMSxxxM-60H, JKMSxxxM-60HL, JKMSxxxM-60B, JKMSxxxM-60BL, JKMSxxxM-60HB, JKMSxxxM-60BL, JKMSxxxM-60HBL, JKMSxxxM-60-MX, JKMSxxxM-60L-MX, JKMSxxxM-60B-MX, JKMSxxxM-60BL-MX, JKMSxxxM-72-V, JKMSxxxM-72-VJ, JKMSxxxM-72L-V, JKMSxxxM-72H-V, JKMSxxxM-72HL-V, JKMSxxxM-72HB-V, JKMSxxxM-72BL-V, JKMSxxxM-72HBL-V, JKMSxxxM-72-MX-V, JKMSxxxM-72B-MX-V, JKMSxxxM-60-V, JKMSxxxM-60-VJ, JKMSxxxM-60-V, JKMSxxxM-60-VJ, JKMSxxxM-60L-V, JKMSxxxM-60H-V, JKMSxxxM-60HL-V, JKMSxxxM-60HB-V, JKMSxxxM-60BL-V, JKMSxxxM-60HBL-V, JKMSxxxM-60-MX-V, JKMSxxxM-60B-MX-V, JKMSxxxM-66H, JKMSxxxM-66HB, JKMSxxxM-66H-V, JKMSxxxM-66HB-V, JKMSxxxM-78H, JKMSxxxM-78H-V, JKMSxxxM-78H-MBB-V, JKMSxxxM-78H-MBB, JKMSxxxM-66H-MBB-V, JKMSxxxM-66H-MBB, JKMSxxxM-66H-MBB-BV, JKMSxxxM-66H-MBB-B, JKMSxxxM-72H-MBB-V, JKMSxxxM-72H-MBB, JKMSxxxM-60H-MBB-V, JKMSxxxM-60H-MBB, JKMSxxxM-60H-MBB-BV, JKMSxxxM-60H-MBB-B,

JKMSxxxM-60H-MX3, JKMSxxxM-60HB-MX3, JKMSxxxM-72H-MX3, JKMSxxxM-66H-MX3,

JKMSxxxM-66HB-MX3, JKMSxxxM-60H-TI, JKMSxxxM-60HB-TI, JKMSxxxM-72H-TI, JKMSxxxM-66H-TI, JKMSxxxM-66HB-TI, JKMSxxxM-78H-TI

i) 2,5% pirmaisiais metais; ii) 0,6% kiekvienais metais vėliau iki tos dienos, kuri yra dvidešimt penki (25) metų nuo garantijos pradžios datos, kurią faktinė galia neturi būti mažesnė daugiau nei 83,1% nominalios galios.

b) JKMSxxxM-6RL3, JKMSxxxM-6RL3-V, JKMSxxxM-6RL3-B, JKMSxxxM-6RL3-BV, JKMSxxxM-7RL3, JKMSxxxM-7RL3-V, JKMSxxxM-7RL3-DACA-xxx, JKMSxxxM-7RL3-VJ, JKMSxxxM-7RL3-J, JKMSxxxM-6TL4, JKMSxxxM-6TL4-V, JKMSxxxM-6TL4-B, JKMSxxxM-6TL4-BV, JKMSxxxM-7TL4, JKMSxxxM-7TL4-V, JKMSxxxM-7TL4-B, JKMSxxxM-7TL4-BV, JKMSxxxM-60HL4, JKMSxxxM-60HL4-V, JKMSxxxM-60HL4-B, JKMSxxxM-60HL4-BV, JKMSxxxM-72HL4, JKMSxxxM-72HL4-V, JKMSxxxM-72HL4-B, JKMSxxxM-72HL4-BV, JKMSxxxM-6RL4, JKMSxxxM-6RL4-V, JKMSxxxM-6RL4-B, JKMSxxxM-6RL4-BV, JKMSxxxM-7RL4, JKMSxxxM-7RL4-V, JKMSxxxM-7RL4-B, JKMSxxxM-7RL4-BV, JKMSxxxM-66HL4, JKMSxxxM-66HL4-V, JKMSxxxM-66HL4-B, JKMSxxxM-66HL4-BV, JKMSxxxM-78HL4, JKMSxxxM-78HL4-V, JKMSxxxM-78HL4-B, JKMSxxxM-78HL4-BV, JKMSxxxM-6TL3, JKMSxxxM-6TL3-BV, JKMSxxxM-7TL4-J, JKMSxxxM-7TL4-V-J, JKMSxxxM-72HL4-J, JKMSxxxM-72HL4-V-J, JKMSxxxM-6RL3-VJ, JKMSxxxM-6RL3-J, JKMSxxxM-72HLM-V, JKMSxxxM-60HLM-V, JKMSxxxM-72HLM, JKMSxxxM-60HLM, JKMSxxxM-60HLM-B

i) 2,0% pirmaisiais metais; ii) 0,55% kiekvienais metais vėliau iki tos dienos, kuri yra dvidešimt penki (25) metų nuo garantijos pradžios datos, kurią

RIBOTA GARANTIJA

REV. 110320-LINEAR

faktinė galia neturi būti mažesnė
daugiau kaip 84,8% nominalios galios.

(2) N-TIPO SERIJA , taikoma tik šiems
monokristalinių modulių tipai:

JKMxxxN-72H, JKMxxxN-72H -V, JKMxxxN-60H,
JKMxxxN-60H-V, JKMxxxN-72H-MBB, JKMxxxN-
72H-MBB-V, JKMxxxN-60H-MBB, JKMxxxN-60H-
MBB-V, JKMxxxN-6RL3, JKMxxxN-6RL3-V,
JKMxxxN-7RL3, JKMxxxN-7RL3-V, JKMxxxN-
6TL4, JKMxxxN-6TL4-V, JKMxxxN-7TL4, JKMxxxN-
7TL4-V, JKMxxxN-60HL4, JKMxxxN-60HL4-V,
JKMxxxN-72HL4, JKMxxxN-72HL4-V, JKMxxxN-
6RL4, JKMxxxN-6RL4-V, JKMxxxN-7RL4, JKMxxxN-
7RL4-V, JKMxxxN-66HL4, JKMxxxN-66HL4-V,
JKMxxxN-78HL4, JKMxxxN-78HL4-V
JKMxxxN-78H-MBB-V, JKMxxxN-78H-MBB,
JKMxxxN-66H-MBB-V, JKMxxxN-66H-MBB,
JKMxxxN-6TL3, JKMxxxN-6TL3-V , JKMxxxN-
6RL3-VJ , JKMxxxN-6RL3-J , JKMxxxN-7RL3-VJ ,
JKMxxxN-7RL3-J

i) 1% pirmaisiais metais; ii) 0,4% kiekvienais metais
vėliau iki tos dienos, kuri yra trisdešimt (30) metų
po garantijos pradžios datos, tuo metu
faktinė galia turi būti ne mažesnė kaip
87,4% nominalios galios.

(3) N-TIPO VISOS JUODOS SERIJOS , taikomos tik
šių monokristalinių modulių tipų:

JKMxxxN-6RL3-B, JKMxxxN-6RL3-BV, JKMxxxN-
7RL3-B, JKMxxxN-7RL3-BV, JKMxxxN-60H-MBB-
B, JKMxxxN-60H-MBB-BV, JKMxxxN-72H-MBB-
B, JKMxxxN-72H-MBB-BV,
JKMxxxN-60HB, JKMxxxN-60HB-V, JKMxxxN-
72HB, JKMxxxN-72HB-V, JKMxxxN-6TL4-
B, JKMxxxN-6TL4-BV, JKMxxxN-7TL4-B, JKMxxxN-
7TL4-BV, JKMxxxN-60HL4-B, JKMxxxN-60HL4-B-
V, JKMxxxN-72HL4-B, JKMxxxN-72HL4-BV,
JKMxxxN-6RL4-B, JKMxxxN-6RL4-BV, JKMxxxN-

7RL4-B, JKMxxxN-7RL4-BV, JKMxxxN-66HL4-
B, JKMxxxN-66HL4-BV, JKMxxxN-78HL4-
B, JKMxxxN-78HL4-BV
JKMxxxN-66H-MBB-BV, JKMxxxN-66H-MBB-
B , JKMxxxN-6TL3-B, JKMxxxN-6TL3-BV

i) 1% pirmaisiais metais; ii) 0,4% kiekvienais metais
vėliau iki tos dienos, kuri yra trisdešimt (30) metų
po garantijos pradžios datos, tuo metu
faktinė galia turi būti ne mažesnė kaip
87,4% nominalios galios.

(4) DVIKUBO STIKLO SERIJA, taikoma tik
šių monokristalinių modulių tipų:

a) JKMxxxM-72-DV, JKMSxxxM-72-DV, JKMxxxM-
72-DV-J, JKMSxxxM-72-DV-J, JKMxxxM-72H-DV,
JKMxxxM-60-DV, JKMSxxxM-60-DV, JKMxxxM-60-
DV-J, JKMSxxxM-60-DV-J, JKMxxxM-60H-DV,
JKMxxxM-66-DV, JKMxxxM-66H-DV, JKMxxxM-
78-DV, JKMxxxM-78H-DV.

i) 2,5% pirmaisiais metais; ii) 0,5% kiekvienais metais
vėliau iki tos dienos, kuri yra trisdešimt (30) metų
po garantijos pradžios datos, tuo metu
faktinė galia turi būti ne mažesnė kaip 83%
nominalios galios.

b) JKMxxxM-6RL3-DV, JKMxxxM-7RL3-DV,
JKMxxxM-72HL4-DV, JKMxxxM-60HL4-DV,
JKMxxxM-78HL4-DV, JKMxxxM-66HL4-DV,
JKMxxxM-7TL4-DV, JKMxxxM-6TL4-DV, JKMxxxM-
7RL4-DV, JKMxxxM-6RL4-DV

i) 2,0% pirmaisiais metais; ii) 0,45% kiekvienais metais
vėliau iki tos dienos, kuri yra trisdešimt (30) metų
po garantijos pradžios datos, tuo metu
faktinė galia turi būti ne mažesnė kaip
84,95% nominalios galios.

3.B. RIBOTA BIFACIALINĖS GALIOS GARANTIJA

RIBOTA GARANTIJA

REV. 110320-LINEAR

Jinko garantuoja, kad skilimo greitis nebus toks viršyti taikomo laikotarpio sumą po nurodytos garantijos pradžios datos žemiau („**Bifacial Module Limited Power Garantija**“):

BIFACIJOS MODULIAI : skirti **monokristaliniams Moduliai** :

A. P tipo dvifakiai moduliai:

(1) Dviguba stiklo bifacialinė serija , taikoma tik prie šio monokristalinio dvifakio modulio tipai:

a) JKMxxxM-60-BDVP, JKMxxxM-60H-BDVP, JKMxxxM-72-BDVP, JKMxxxM-72H-BDVP, JKMxxxM-60HL-BDVP, JKMxxxM-72HL-BDVP, JKMxxxM-66H-BDVP, JKMxxxM-78H-BDVP , JKMxxxM-72H-MBB-BDVP, JKMxxxM-78H-MBB-BDVP

i) 2,5% pirmaisiais metais; ii) 0,5% kiekvienais metais vėliau iki tos dienos, kuri yra trisdešimt (30) metų po garantijos pradžios datos, tuo metu faktinė galia turi būti ne mažesnė kaip 83% nominalios galios.

b) JKMxxxM-7RL3-BDVP, JKMxxxM-7RL3-BDVP-J, JKMxxxM-6TL4-BDVP, JKMxxxM-7TL4-BDVP, JKMxxxM-60HL4-BDVP, JKMxxxM-72HL4-BDVP, JKMxxxM-6RL4-BDVP, JKMxxxM-7RL4-BDVP, JKMxxxM-66HL4-BDVP, JKMxxxM-78HL4-BDVP, JKMxxxM-78HL3-BDVP, JKMxxxM-78HL3-MBB-BDVP, JKMxxxM-66HL3-BDVP, JKMxxxM-66HL3-MBB-BDVP, JKMxxxM-7TL4-BDVP-J, JKMxxxM-7RL4-BDVP-J, JKMxxxM-72HL4-BDVP-J, JKMxxxM-72HLM-BDVP

i) 2,0% pirmaisiais metais; (ii) 0,45% kiekvienais metais vėliau iki tos dienos, kuri yra trisdešimt (30) metų po garantijos pradžios datos, tuo metu

faktinė galia turi būti ne mažesnė kaip 84,95% nominalios galios.

(2) SKAIDRŪS BAKACIJŲ BIFACIALINĖS SERIJOS , tinka tik šiems monokristaliniams „Bifacial“ modulių tipai:

a) JKMxxxM-60H-TV, JKMxxxM-72H-TV, JKMxxxM-60HL-TV, JKMxxxM-72HL-TV, JKMxxxM-66H-TV, JKMxxxM-78H-TV , JKMxxxM-72H-MBB-TV, JKMxxxM-78H-MBB-TV

i) 2,5% pirmaisiais metais; ii) 0,55% kiekvienais metais vėliau iki tos dienos, kuri yra trisdešimt (30) metų po garantijos pradžios datos, tuo metu faktinė galia turi būti ne mažesnė kaip 81,55% nominalios galios.

b) JKMxxxM-7RL3-TV, JKSM3-DCCA-xxx, JKMxxxM-7RL3-TV-J, JKMxxxM-6TL4-Televizorius, JKMxxxM-7TL4-TV, JKMxxxM-60HL4-Televizorius, JKMxxxM-72HL4-TV, JKMxxxM-6RL4-Televizorius, JKMxxxM-7RL4-TV, JKMxxxM-66HL4-TV, JKMxxxM-78HL4-TV, JKMxxxM-78HL3-TV, JKMxxxM-78HL3-MBB-TV, JKMxxxM-66HL3-TV, JKMxxxM-66HL3-MBB-TV, JKMxxxM-6RL3 -TV, JKMxxxM-7TL4-TV-J, JKMxxxM-7RL4-TV-J, „JKMxxxM-72HL4-TV-J“ - „JKMxxxM-6RL3-TV-J“, JKMxxxM-72HLM-TV

i) 2,0% pirmaisiais metais; (ii) 0,45% kiekvienais metais vėliau iki tos dienos, kuri yra trisdešimt (30) metų po garantijos pradžios datos, tuo metu faktinė galia turi būti ne mažesnė kaip 84,95% nominalios galios.

B. N tipo dvifakiai moduliai , taikomi tik šie monokristaliniai „Bifacial“ modulių tipai:

RIBOTA GARANTIJA

REV. 110320-LINEAR

JKMxxxN-7RL3-TV, JKMxxxN-7RL3-BDV, JKMxxxN-72H-MBB-TV, JKMxxxN-72H-MBB-BDV, JKMxxxN-6RL3-TV, JKMxxxN-6RL3-BDV, JKMxxxN-60H-MBB-BDV, JKMxxxN-60H-MBB-TV, JKMxxxN-6TL4-Televizorius, JKMxxxN-7TL4-TV, JKMxxxN-60HL4-Televizorius, JKMxxxN-72HL4-TV, JKMxxxN-6RL4-Televizorius, JKMxxxN-7RL4-TV, JKMxxxN-66HL4-Televizorius, JKMxxxN-78HL4-TV
JKMxxxN-6TL4-BDV, JKMxxxN-7TL4-BDV, JKMxxxN-60HL4-BDV, JKMxxxN-72HL4-BDV, JKMxxxN-6RL4-BDV, JKMxxxN-7RL4-BDV, JKMxxxN-66HL4-BDV, JKMxxxN-78HL4-BDV, JKMxxxN-78HL3-BDV, JKMxxxN-78HL3-MBB-BDV, JKMxxxN-66HL3-BDV, JKMxxxN-66HL3-MBB-BDV,
JKMxxxN-78HL3-TV, JKMxxxN-78HL3-MBB-TV, JKMxxxN-66HL3-TV, JKMxxxN-66HL3-MBB-TV, JKMxxxN-7RL3-TV-J, JKMxxxN-6RL3-TV-J, JKSN3-DCCA - ***

i) 1% pirmaisiais metais; ii) 0,4% kiekvienais metais vėliau iki tos dienos, kuri yra trisdešimt (30) metų po garantijos pradžios datos, tuo metu faktinė galia turi būti ne mažesnė kaip 87,4% nominalios galios.

Nepaisant nieko priešingo, bifacinio modulio skilimo greitis turi būti: taikoma tik tokių priekinių jėgų išėjimui Bifacial modulis pagal STC, kaip apibrėžta toliau.

4. GALIOS APIBRĖŽIMAI. „**Nominali galia** (PO_0)“ reiškia pagamintą originalą modulio vardinių plokštelių specifikacija, išreikštas vatais, patvirtintais Jinko ir modelyje, išskyrus visus nurodytus teigiamą toleranciją. „**Faktinė galia** (PO_t)“ reiškia modulio galingumą, išreikštas vatais, esant W pikui, kuris yra modulio generuoja arba „Bifacial“ moduliui, kad priekinė „Bifacial“ modulio pusė sukuria a nurodytą laiko momentą po Garantijos

Pradžios data (**t**) skiltyje „Maksimalus galios taškas“ Standartinės bandymo sąlygos, pataisytos matavimo paklaida („**STC**“). STC yra tokie, išmatuotas pagal IEC 61215: a) šviesa AM 1,5 spektras; b) 1000 W apšvitinimas už m_2 ; ir c) 25 laipsnių kameros temperatūra Celsijaus spinduliavimas stačiu kampu. „**Skilimo greitis (DR)**“ turi būti teigiamas suma, apskaičiuota pagal tokia formulė, išreikšta procentais:

$$DR = 1,00 - [(PO_t) / (PO_0)]$$

5. PAREIŠKIMAI. Klientas prisiima nustatantis garantijų pažeidimą toliau. Jei Klientas mano, kad buvo a Ribotos gaminio garantijos pažeidimas arba Ribota maitinimo garantija (bendrai, „**Garantijos**“), tada Klientas nedelsdamas ir ne vėliau kaip per trisdešimt (30) dienų po žinodamas apie tai, praneš Jinko pateikiant šią informaciją apie reikalavimas: a) šalis, reiškianti reikalavimą; b) išsami apibūdinimas; c) įrodymai, įskaitant nuotraukas ir duomenys; d) atitinkami serijos numeriai; e) garantijos pradžios data; f) modulio tipas; g) fizinis adresas; h) bet kokie papildomi įrodymai pagrįstai paprašė Jinko; ir (i) nuo faktinio modulio (-ių) Jinko prašymas neva sukėlęs pažeidimą. Nepaisant to kas yra priešingai, Jinko bus turi teisę Jinko savo nuožiūra raštu pranešti Klientui, reikalauti, kad būtų pažeisti Kliento nurodytos garantijos turi būti peržiūrėtos pateikė TŪ V Rheinland, TŪ V SUD ar kitas neutralus trečiasis asmuo partijos bandymų laboratorija, kurią pasirinko Jinko ir patvirtino Klientas, tokio patvirtinimo nėra nepagrįstai sulaukė arba atidėtas („**Nepriklausoma bandymų laboratorija**“). Galia bet kokio bandymo matavimo tolerancija įranga, naudojama atliekant nepriklausomus bandymus

RIBOTA GARANTIJA

REV. 110320-LINEAR

Laboratorija, atlikdama šiame 5 skirsnyje reikalaujamas bandymus raštu abiem Šalims tokių bandymų atlikimą ir turi būti: atsispindi visuose galutiniuose bandymų rezultatuose, kuriuos pateikia Nepriklausoma bandymų laboratorija. Sprendimas Nepriklausoma bandymų laboratorija, ar a pažeidimas yra galutinis ir įtikinamas klausimais, kuriuos apima tokie klausimai ryžtas. Jinko yra atsakingas už visus su jos patirtomis išlaidomis kliento siunčiamas modulis pagal 5 skirsnio 1 punktą ir visi nepriklausomi bandymai Laboratorijos paslaugos, teikiamos pagal šį 5 skyrių, įskaitant siuntimą, bandymų paslaugas, saugojimą, draudimas ir bet koks atsitiktinis modulio sunaikinimas į tai; tačiau jei Klientas turi: gavus pranešimą, atlyginkite Jinko žalą visų tokių išlaidų doleriu už dolerį įvykis, kurio negali atlikti Nepriklausoma bandymų laboratorija patvirtinti garantijų pažeidimą arba, jei ne, Buvo naudojama nepriklausoma bandymų laboratorija, klientas kitaip negali konstatuoti pažeidimo Garantijos.

6. APSAUGOS PRIEMONĖS. Jinko savo nuožiūra Jinko tai padaryti remontuoti, pakeisti ar pateikti papildomų modulių kompensuodamas susijusius galios nuostolius Modulis, dėl kurio pažeidžiamos garantijos. Papildomi, suremontuoti ar pakeisti moduliai pristatomi į tą pačią paskirties vietą ir tas pats INCOTERMS 2010 pristatymo pagrindas, kad originalus modulis, dėl kurio pažeidžiami Garantijos buvo pristatytos perkant sutartį, kuriai taikoma ši ribota garantija taikoma. Pakeisti moduliai, kuriuos gavo Jinko pagal 5 skirsnį yra vienintelis turtas iš Jinko. Jinko yra atsakinga tik už visus siuntimo išlaidas, patirtas vykdant papildomus mokesčius tiekimo, remonto ar keitimo įsipareigojimai pagal šis skyrius 6. Papildomas ar pakeitimas Moduliai turi būti to paties tipo ir fiziniai forma kaip originalus modulis, elektra suderinamas su originaliu moduliu ir turi

ne mažesnė kaip garantuojama elektros galia pradinio modulio galia tuo metu tiekimo ar pakeitimo, remiantis nustatytus degradacijos laipsnius 3 skyrius. Nepaisant to, kas pasakyta, jei Jinko nebeteikia modulių, atitinkančių pirmiau minėti kriterijai, tada papildomi arba pakeičiami moduliai, numatyti šiame 6 skirsnyje, yra tuos modulius tada tiekė Jinko dauguma iš esmės atitinka pirmiau nurodytus kriterijus. Jinko atliktas bet koks remontas, pakeitimas arba papildomas tiekimas pagal šį 6 skirsnį nepratęsia jokių garantijų terminų.

7. IŠIMTYS. Ši ribota garantija taikoma šiame skirsnyje nurodytoms išimtims Garantijos netaikomos jokiam moduliui, kuris buvo: a) pakeista, suremontuota ar modifikuota be išankstinio rašytinio Jinko ar kitaip nesuderinamas su Jinko raštu instrukcijos; b) bet kurioje vietoje nuimti ir iš naujo įdiegti vieta, išskyrus fizinę iš pradžių jis buvo įdiegtas įsigijus Klientas arba „Jinko“ kvitas kaip pakaitalas Modulis; c) yra netinkamo naudojimo, piktnaudžiavimo, nepriežiūros arba avarija, išskyrus atvejus, kai Jinko gali sukelti avariją sandėliavimo, gabenimo, tvarkymo, diegimas, taikymas, naudojimas ar aptarnavimas; d) dėl nenugalimos jėgos, elektros antplūdžio, žaibas, potvynis, gaisras, vandalizmas, klastojimas, atsitiktinis lūžis ar kiti įvykiai Jinko kontrolė, padarant materialinę žalą modulis; e) įrengti mobiliuose platformose (išskyrus vienos ar dviejų ašių sekimo mašinas) arba a jūrų aplinka; f) tiesiogiai kontaktuojami su esdinančiomis medžiagomis arba sūriu vandeniu, kenkėjų pažeidimai, arba netinkamai veikiančios PV sistemos komponentai; arba g) naudojami prieštaraujant „Jinko“ diegimo vadovo versiją galite rasti adresu www.jinkosolar.com modulio datą gaminami. Garantijos netaikomos bet kuris modulis, kurio etiketės nurodant tipą ar serijos numerį

RIBOTA GARANTIJA

REV. 110320-LINEAR

pakeista, pašalinta ar padaryta neįskaitoma.
Garantijos netaikomos jokiame „Windows“ moduliui kuris nebuvo atliktas visas ir galutinis mokėjimas gavo Jinko.

8. PRANEŠIMAS. Bet koks reikalingas ar leidžiamas pranešimas pagal šią Ribotą garantiją turi būti raštu ir laikoma, kad siuntėjas jį tinkamai davė ir gavo adresatas. Pašto pranešimai ir faksimiliniai pranešimai adresuojami „Jinko“ biuras yra arčiausiai originalo vietos montavimas, kaip nustatyti www.jinkosolar.com/contact.html. Pranešimai el. laišką reikia siųsti adresu cs@jinkosolar.com. Klientas nedelsdamas pateikia kontaktą informacijos paprašius. Dėl vengimo abejonių, vien el. paštas nėra galiojantis pranešimą pagal šį 8 skirsnį.

9. ATSAKOMYBĖS RIBOS. NESUPRANTI

Viskas, kas prieštarauja šiam ribotam GARANTIJA, IŠSKYRUS TAI, KURI AIKHTINAI NURODYTA ČIA JINKO NESUTEIKIA GARANTIJŲ, GARANTIJOS AR SĄLYGOS, ATSAKINGAI ARBA NETIESIOJAMAS, IŠKELIANTIS AR SUSIJUSIAS SU MODULIAI IR JINKO ATSAKOMYBĖ GARANTIJA AR GARANTIJA, ĮTRAUKTA TEISĖS, ĮSKAITANT TINKAMAS GARANTIJAS VEIKLA, PERKAMUMAS AR TINKAMUMAS KONKREČIAM TIKSLUI IR NETIESIAI MUTINĖS ARBA NAUDOJIMO GARANTIJOS NUO MODULIŲ IR SUSIJ TO. ŠIOS GARANTIJOS PAŽEIDIMO ŽALOS ATSIŽVELGIA KLIENTUI IR IŠSKIRTINIAI ATSTITKINOS APSAUGOS TEISĖS GARANTIJŲ PAŽEIDIMAS. JOKIU ĮVYKIU TURI JINKO ATSAKINGĄ PAGAL ŠI GARANTIJA BET KOKIAM VYKDYMUI ANALIZĖ, TIKRINIMAS, DIAGNOSTIKA, PAŠALINIMAS, MUITA, IMPORTO MUITAI, EKSPORTO MUITAI, SPECIALŪS MOKESČIAI, ATSTATYMO IŠLAIDOS, NETIESIOGINIS, Atsitiktinis, pelningas, pavyzdinis ARBA DĖL KITOS GAMTOS ŽALOS

VISKADA, ĮSKAITANT NUOSTOLIUS ARBA ŽALOS, SUKELTOS NAUDOJIMO PRIEŽASTIS, PELNO ARBA PAJAMŲ NETEKIMAS MOKESČIAI (išskyrus, kai aiškiai numatyta BENDROJO GALIMYBĖS PRARADIMAS, KLIENTŲ ŽALŲ KAPITALAS ARBA PAREIŠKIMAI, AR KURI ATSAKOMYBĖ IŠTEKIA Sutarties pažeidimas, atsakomybė už žalą (ĮSKAITANT NETEISINGUMĄ), Griežta ATSAKOMYBĖ TEISĖS ARBA KITO KITO VEIKLOS VEIKIMAS. IŠSKYRUS ŠIĄ RIBOTĄ GARANTIJA, JINKO NETURI ATSAKOMYBĖS ARBA ATSAKOMYBĖ DĖL ŽALOS ARBA ASMENŲ AR TURTO ŽALA ARBA KITI NETEKIMAI AR ŽALOS, SUSIJUSIOS SU VISKU PRIEŽASTIS, KAD VISADA IŠKILTŲ ARBA SUSIJUSI SU ŠIU RIBOTU GARANTIJU.

10. UŽDUOTIS. Nepaisant nieko priešingai, ši ribota garantija yra skirta vieninteliis ir išskirtiniis Kliento ir nėra jokių trečiųjų šalių naudos gavėjų; tačiau, jei apie tai raštu pranešta Jinko ir Jinko gauna visą ir galutinį mokėjimą Moduliams - visa ši ribota garantija gali būti priskirta visai, bet ne iš dalies asmui ar subjektas. Bet koks leidžiamas to perėmėjas Ribota garantija vykdo tokias sutartis ko pagrįstai gali prašyti Jinko patvirtinkite bet kurio iš čia vartojamų terminų taikymą kaip sąlyga paskyrimui.

11. TEISĖ IR FORUMAS. Bet koks ginčas, susijęs su arba kylantis iš šios Ribotos garantijos, įskaitant: neribotai jokių klausimų dėl jo egzistavimą, galiojimą, pažeidimą ar nutraukimą būti galutinai išspręstas pagal galiojančių įstatymų sąlygos ir ginčų sprendimas pirkimo sutartyje numatytos procedūros tarp pirminio pirkėjo ir Jinko. Kaip bet kokio Jinko įsipareigojimo, „Jinko“ gali reikalauti, kad kiekvienas klientas to norėtų įvykdyti šią ribotą garantiją

RIBOTA GARANTIJA

REV. 110320-LINEAR

papildomų susitarimų, kurie pagrįstai gali būti reikalingos šio 11 skirsnio sąlygoms vykdyti.

12. Suvienijimo sąlyga. Nustatoma ši ribota garantija visą susitarimą ir supratimą Šalys, susijusios su šio dokumento dalyku ir pakeičia visus ankstesnius ar amžiausius diskusijos, supratimas ir susitarimai, žodžiu ar raštu, tarpusavyje susiję šio dalyko.

13. SAVYBĖ. Jei viena ar kelios šio straipsnio nuostatos laikoma, kad ši ribota garantija yra pagal taikomus įstatymus, Šalys sutinkate sąžiningai derėtis dėl tokios nuostatos. Tuo atveju, jei šalys negali pasiekti abipusiškai priimtinas ir vykdomas pakeitimas už tokią nuostatą, tada: a) tokia nuostata: ši ribota garantija netaikoma, (b) šios ribotos garantijos likutis aiškinama taip, tarsi tokia nuostata būtų taip neįtraukta ir c) šios Ribotos garantijos likutis būti vykdytinas pagal jo sąlygas.

14. ĮVAIRŪS. Šios ribotos sąlygos Garantija priklauso nuo jų įtraukimas į sutartinį susitarimą tarp Jinko ir Kliento ir kada įtraukta į tokį sutartinį susitarimą, tai Ribotai garantijai taikomos sąlygos jos gali būti keičiamos, kai įtraukta. Jinko pasilieka teisę bet kuriuo metu pakeisti ar atnaujinti šią ribotą garantiją laiko, be įspėjimo ar be įspėjimo.

[RIBOTOS GARANTIJOS PABAIGA]