

Report No.: 1160054708a 001 Page 1 of 43

Client: SHAOXING NAITE DRIVE TECHNOLOGY CO.,LTD.
Sanjiang B Zone, Sanjiang Street, Shengzhou City,
Zhejiang Province P.R. China

Identification/ Electric Table
Model No(s): NT33-2A3, NT33-2A2, NT33-2AR3, NT33-2AR2, NT33-2B3, NT33-2B2, NT33-2BR3, NT33-2BR2, NT33-2A3S

Sample Receiving date: 2019-01-14, 2019-04-02

Testing Period: 2019-01-14 to 2019-04-09

Delivery condition: Apparent good, Samples tested as received

Test Specification: **Test result:**

Customer's requirement:

- | | |
|--|------|
| 1. According to RoHS (recast): Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, 2011/65/EU last amended by (EU) 2015/863 | PASS |
|--|------|

Other information:

Remark: Selected items were tested, as per client's request.

Test result is drawn according to the kind and extent of tests performed.

This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.

Test Report No.: 1160054708a 001

Page 2 of 43

Material List:

Item: Electric Table

NT33-2A3,NT33-2A2,NT33-2AR3,NT33-2AR2,NT33-2B3,NT33-2B2,NT33-2BR3,NT33-2BR2,NT33-2A3S

Material No.	Material	Color	Location
M001	Metal	silver	Refer to photo
M002	Metal	silver	Refer to photo
M003	Metal	silver	Refer to photo
M004	Metal	silver	Refer to photo
M005	Metal	silver	Refer to photo
M006	Metal	silver	Refer to photo
M007	Plastic	black	Refer to photo
M008	Plastic	black	Refer to photo
M009	Plastic	white	Refer to photo
M010	Plastic	white	Refer to photo
M011	Plastic	white+black	Refer to photo
M012	Foam	black	Refer to photo
M013	Magnet	black	Refer to photo
M014	Metal	black	Refer to photo
M015	Plastic	black	Refer to photo
M016	PCB board	green	Refer to photo
M017	Plastic	transparent	Refer to photo
M018	Plastic	black+white	Refer to photo
M019	Metal	silver	Refer to photo
M020	Solder	silver	Refer to photo
M021	Electronic components	black	Refer to photo
M022	Plastic	black	Refer to photo
M023	Plastic	black	Refer to photo
M024	Plastic	black	Refer to photo
M025	Plastic	white	Refer to photo
M026	Plastic	brown	Refer to photo
M027	Plastic	blue	Refer to photo
M028	Plastic	yellow	Refer to photo

Test Report No.: 1160054708a 001

Page 3 of 43

M029	Plastic	green	Refer to photo
M030	Plastic	white	Refer to photo
M031	Plastic	black	Refer to photo
M032	Plastic	red	Refer to photo
M033	Plastic	black	Refer to photo
M034	Metal	silver	Refer to photo
M035	Plastic	white	Refer to photo
M036	Plastic	white	Refer to photo
M037	Plastic	black	Refer to photo
M038	Plastic	black	Refer to photo
M039	Plastic	white	Refer to photo
M040	Plastic	black	Refer to photo
M041	Plastic	black	Refer to photo
M042	Plastic	red	Refer to photo
M043	Plastic	orange	Refer to photo
M044	Plastic	green	Refer to photo
M045	Plastic	white	Refer to photo
M046	Plastic	yellow	Refer to photo
M047	Plastic	brown	Refer to photo
M048	Plastic	transparent	Refer to photo
M049	Plastic	silver+black	Refer to photo
M050	Plastic	black	Refer to photo
M051	Plastic	black	Refer to photo
M052	Plastic	white	Refer to photo
M053	Plastic	black	Refer to photo
M054	Metal	silver	Refer to photo
M055	Metal	silver	Refer to photo
M056	Metal	copper	Refer to photo
M057	Metal	copper	Refer to photo
M058	Metal	copper	Refer to photo
M059	Metal	golden	Refer to photo
M060	Metal	silver	Refer to photo

Test Report No.: 1160054708a 001

Page 4 of 43

M061	Solder	silver	Refer to photo
M062	Electronic components	blue	Refer to photo
M063	Glue	blue	Refer to photo
M064	Plastic	black	Refer to photo
M065	Plastic	red	Refer to photo
M066	Plastic	transparent	Refer to photo
M067	Plastic	white	Refer to photo
M068	Plastic	green+black	Refer to photo
M069	Metal	silver	Refer to photo
M070	Electronic components	black	Refer to photo
M071	Electronic components	silver+black	Refer to photo
M072	Electronic components	black	Refer to photo
M073	PCB board	green	Refer to photo
M074	Plastic	black	Refer to photo
M075	Metal	silver	Refer to photo
M076	Metal	silver	Refer to photo
M077	Metal	silver	Refer to photo
M078	Metal	silver	Refer to photo
M079	Metal	red	Refer to photo
M080	Magnet	green	Refer to photo
M081	Electronic components	black+yellow	Refer to photo
M082	Glue	white	Refer to photo
M083	Plastic	black	Refer to photo
M084	Plastic	red	Refer to photo
M085	Plastic	yellow	Refer to photo
M086	Plastic	red	Refer to photo
M087	Plastic	black	Refer to photo
M088	Plastic	white+black	Refer to photo
M089	Plastic	black	Refer to photo
M090	Electronic components	black	Refer to photo
M091	Electronic components	yellow	Refer to photo
M092	Electronic components	black	Refer to photo

Test Report No.: 1160054708a 001

Page 5 of 43

M093	Electronic components	grey	Refer to photo
M094	Electronic components	black	Refer to photo
M095	Electronic components	black	Refer to photo
M096	Electronic components	red	Refer to photo
M097	Electronic components	yellow	Refer to photo
M098	Electronic components	black	Refer to photo
M099	Metal	silver	Refer to photo
M100	Metal	copper	Refer to photo
M101	Electronic components	black	Refer to photo
M102	Plastic	yellow	Refer to photo
M103	Plastic	black	Refer to photo
M104	Plastic	transparent	Refer to photo
M105	Solder	silver	Refer to photo
M106	PCB board	green	Refer to photo
M107	Plastic	black	Refer to photo
M108	Plastic	black	Refer to photo
M109	Plastic	white	Refer to photo
M110	Metal	black	Refer to photo
M111	Metal	brown	Refer to photo
M112	Metal	silver	Refer to photo
M113	Metal	silver	Refer to photo
M114	Magnet	black	Refer to photo
M115	Metal	silver	Refer to photo
M116	Metal	silver	Refer to photo
M117	Metal	silver	Refer to photo
M118	Metal	silver	Refer to photo
M119	Metal	silver	Refer to photo
M120	Metal	silver	Refer to photo
M121	Metal	silver	Refer to photo
M122	Metal	copper	Refer to photo
M123	Plastic	brown	Refer to photo
M124	Plastic	blue	Refer to photo

Test Report No.: 1160054708a 001


Page 6 of 43

M125	Plastic	black	Refer to photo
M126	Plastic	black	Refer to photo
M127	Plastic	black	Refer to photo
M128	Plastic	black	Refer to photo
M129	Plastic	black	Refer to photo
M130	Plastic	black	Refer to photo
M131	Plastic	brown	Refer to photo
M132	Plastic	blue	Refer to photo
M133	Plastic	green	Refer to photo
M134	Plastic	yellow	Refer to photo
M135	Plastic	red	Refer to photo
M136	Metal	copper	Refer to photo
M137	Metal	silver	Refer to photo
M138	Metal	silver	Refer to photo
M139	Metal	silver	Refer to photo
M140	Coating	white	Refer to photo
M141	Plastic	white	Refer to photo


1. Screening Test by XRF spectroscopy

Test Method: Cadmium, Lead, Mercury, Chromium, Bromine
-- With reference to IEC 62321-3-1:2013

Test Result:




Material No.	Cd	Cr	Pb	Hg	Br
M001	n.d.	n.d.	n.d.	n.d.	n.a.
M002	n.d.	n.d.	n.d.	n.d.	n.a.
M003	n.d.	n.d.	n.d.	n.d.	n.a.
M004	n.d.	d(*3)	n.d.	n.d.	n.a.
M005	n.d.	n.d.	n.d.	n.d.	n.a.
M006	n.d.	d(*3)	n.d.	n.d.	n.a.
M007	n.d.	n.d.	n.d.	n.d.	n.d.
M009	n.d.	n.d.	n.d.	n.d.	n.d.
M008	n.d.	n.d.	n.d.	n.d.	n.d.
M010	n.d.	n.d.	n.d.	n.d.	n.d.




Material No.	Cd	Cr	Pb	Hg	Br
M011	n.d.	n.d.	n.d.	n.d.	n.d.
M012	n.d.	n.d.	n.d.	n.d.	n.d.
M013	n.d.	d(*3)	n.d.	n.d.	n.a.
M014	n.d.	n.d.	n.d.	n.d.	n.a.
M015	n.d.	n.d.	n.d.	n.d.	d(*1)

Test Report No.: 1160054708a 001

Page 9 of 43




Material No.	Cd	Cr	Pb	Hg	Br
M016	n.d.	n.d.	n.d.	n.d.	d(*1)
M017	n.d.	n.d.	n.d.	n.d.	n.d.
M018	n.d.	n.d.	n.d.	n.d.	d(*1)
M019	n.d.	d(*3)	n.d.	n.d.	n.a.




Material No.	Cd	Cr	Pb	Hg	Br
M020	n.d.	n.d.	n.d.	n.d.	n.a.
M021	n.d.	n.d.	n.d.	n.d.	n.d.

Test Report No.: 1160054708a 001 Page 11 of 43



Material No.	Cd	Cr	Pb	Hg	Br
M022	n.d.	n.d.	n.d.	n.d.	n.d.
M023	n.d.	n.d.	n.d.	n.d.	n.d.
M024	n.d.	n.d.	n.d.	n.d.	n.d.
M025	n.d.	n.d.	n.d.	n.d.	n.d.


Test Report No.: 1160054708a 001 Page 12 of 43



Material No.	Cd	Cr	Pb	Hg	Br
M026	n.d.	n.d.	n.d.	n.d.	n.d.
M027	n.d.	n.d.	n.d.	n.d.	n.d.
M028	n.d.	n.d.	n.d.	n.d.	n.d.
M029	n.d.	n.d.	n.d.	n.d.	n.d.
M030	n.d.	n.d.	n.d.	n.d.	n.d.
M031	n.d.	n.d.	n.d.	n.d.	n.d.
M032	n.d.	n.d.	n.d.	n.d.	n.d.
M033	n.d.	n.d.	n.d.	n.d.	n.d.
M034	n.d.	n.d.	n.d.	n.d.	n.a.

Test Report No.: 1160054708a 001

Page 13 of 43



Material No.	Cd	Cr	Pb	Hg	Br
M035	n.d.	n.d.	n.d.	n.d.	n.d.
M036	n.d.	n.d.	n.d.	n.d.	n.d.
M037	n.d.	n.d.	n.d.	n.d.	n.d.
M038	n.d.	n.d.	n.d.	n.d.	n.d.

Test Report No.: 1160054708a 001


Page 14 of 43



Material No.	Cd	Cr	Pb	Hg	Br
M039	n.d.	n.d.	n.d.	n.d.	n.d.

Test Report No.: 1160054708a 001


Page 15 of 43



Material No.	Cd	Cr	Pb	Hg	Br
M040	n.d.	n.d.	n.d.	n.d.	n.d.
M041	n.d.	n.d.	n.d.	n.d.	n.d.
M042	n.d.	n.d.	n.d.	n.d.	n.d.
M043	n.d.	n.d.	n.d.	n.d.	n.d.
M044	n.d.	n.d.	n.d.	n.d.	n.d.
M045	n.d.	n.d.	n.d.	n.d.	n.d.
M046	n.d.	n.d.	n.d.	n.d.	n.d.
M047	n.d.	n.d.	n.d.	n.d.	n.d.

Test Report No.: 1160054708a 001


Page 16 of 43




Material No.	Cd	Cr	Pb	Hg	Br
M048	n.d.	n.d.	n.d.	n.d.	n.d.

Test Report No.: 1160054708a 001

Page 17 of 43




Material No.	Cd	Cr	Pb	Hg	Br
M049	n.d.	n.d.	n.d.	n.d.	n.d.
M050	n.d.	n.d.	n.d.	n.d.	d>(*1)



Material No.	Cd	Cr	Pb	Hg	Br
M051	n.d.	n.d.	n.d.	n.d.	n.d.
M052	n.d.	n.d.	n.d.	n.d.	n.d.
M053	n.d.	n.d.	n.d.	n.d.	n.d.
M054	n.d.	d(*3)	n.d.	n.d.	n.a.
M055	n.d.	d(*3)	n.d.	n.d.	n.a.
M056	n.d.	n.d.	n.d.	n.d.	n.a.
M057	n.d.	n.d.	n.d.	n.d.	n.a.
M058	n.d.	n.d.	n.d.	n.d.	n.a.
M059	n.d.	n.d.	n.d.	n.d.	n.a.


Test Report No.: 1160054708a 001

Page 19 of 43




Material No.	Cd	Cr	Pb	Hg	Br
M060	n.d.	d(*3)	n.d.	n.d.	n.a.
M061	n.d.	n.d.	n.d.	n.d.	n.a.
M062	n.d.	n.d.	n.d.	n.d.	n.d.
M063	n.d.	n.d.	n.d.	n.d.	n.d.
M064	n.d.	n.d.	n.d.	n.d.	n.d.
M065	n.d.	n.d.	n.d.	n.d.	n.d.
M066	n.d.	n.d.	n.d.	n.d.	n.d.

Test Report No.: 1160054708a 001 Page 20 of 43




Material No.	Cd	Cr	Pb	Hg	Br
M067	n.d.	n.d.	n.d.	n.d.	n.d.
M068	n.d.	n.d.	n.d.	n.d.	n.d.
M069	n.d.	n.d.	n.d.	n.d.	n.a.
M070	n.d.	n.d.	n.d.	n.d.	d(*1)
M071	n.d.	n.d.	n.d.	n.d.	n.d.
M072	n.d.	n.d.	n.d.	n.d.	n.d.
M073	n.d.	n.d.	n.d.	n.d.	d(*1)



Material No.	Cd	Cr	Pb	Hg	Br
M074	n.d.	n.d.	n.d.	n.d.	d>(*1)

Test Report No.: 1160054708a 001


Page 22 of 43



Material No.	Cd	Cr	Pb	Hg	Br
M075	n.d.	d(*3)	n.d.	n.d.	n.a.
M076	n.d.	d(*3)	n.d.	n.d.	n.a.
M077	n.d.	n.d.	n.d.	n.d.	n.a.

Test Report No.: 1160054708a 001


Page 23 of 43



Material No.	Cd	Cr	Pb	Hg	Br
M078	n.d.	n.d.	n.d.	n.d.	n.a.
M079	n.d.	n.d.	n.d.	n.d.	n.a.
M080	n.d.	n.d.	n.d.	n.d.	n.a.
M081	n.d.	n.d.	n.d.	n.d.	n.d.
M082	n.d.	n.d.	n.d.	n.d.	n.d.
M083	n.d.	n.d.	n.d.	n.d.	n.d.
M084	n.d.	n.d.	n.d.	n.d.	n.d.
M085	n.d.	n.d.	n.d.	n.d.	n.d.
M086	n.d.	n.d.	n.d.	n.d.	n.d.
M087	n.d.	n.d.	n.d.	n.d.	n.d.

Test Report No.: 1160054708a 001


Page 24 of 43




Material No.	Cd	Cr	Pb	Hg	Br
M088	n.d.	n.d.	n.d.	n.d.	n.d.
M089	n.d.	n.d.	n.d.	n.d.	n.d.
M090	n.d.	n.d.	n.d.	n.d.	d(*1)
M091	n.d.	n.d.	n.d.	n.d.	n.d.
M092	n.d.	n.d.	n.d.	n.d.	n.d.
M093	n.d.	d(*4)	n.d.	n.d.	n.d.
M094	n.d.	n.d.	n.d.	n.d.	n.d.
M095	n.d.	n.d.	n.d.	n.d.	n.d.
M096	n.d.	n.d.	n.d.	n.d.	n.d.
M097	n.d.	n.d.	n.d.	n.d.	d(*1)
M098	n.d.	n.d.	n.d.	n.d.	d(*1)
M099	n.d.	d(*3)	n.d.	n.d.	n.a.

Test Report No.: 1160054708a 001

Page 25 of 43




Material No.	Cd	Cr	Pb	Hg	Br
M100	n.d.	n.d.	n.d.	n.d.	n.a.
M101	n.d.	n.d.	n.d.	n.d.	n.d.
M102	n.d.	n.d.	n.d.	n.d.	n.d.
M103	n.d.	n.d.	n.d.	n.d.	n.d.
M104	n.d.	n.d.	n.d.	n.d.	n.d.



Material No.	Cd	Cr	Pb	Hg	Br
M105	n.d.	n.d.	n.d.	n.d.	n.a.
M106	n.d.	n.d.	n.d.	n.d.	d(*1)

Test Report No.: 1160054708a 001


Page 27 of 43



Material No.	Cd	Cr	Pb	Hg	Br
M107	n.d.	n.d.	n.d.	n.d.	n.d.
M108	n.d.	n.d.	n.d.	n.d.	n.d.
M109	n.d.	n.d.	n.d.	n.d.	n.d.
M110	n.d.	d(*3)	n.d.	n.d.	n.a.
M111	n.d.	n.d.	n.d.	n.d.	n.a.

Test Report No.: 1160054708a 001


Page 28 of 43




Material No.	Cd	Cr	Pb	Hg	Br
M112	n.d.	n.d.	n.d.	n.d.	n.a.
M113	n.d.	d(*3)	n.d.	n.d.	n.a.
M114	n.d.	n.d.	n.d.	n.d.	n.a.

Test Report No.: 1160054708a 001

Page 29 of 43




Material No.	Cd	Cr	Pb	Hg	Br
M115	n.d.	n.d.	n.d.	n.d.	n.a.
M116	n.d.	n.d.	n.d.	n.d.	n.a.
M117	n.d.	n.d.	n.d.	n.d.	n.a.
M118	n.d.	d(*3)	n.d.	n.d.	n.a.
M119	n.d.	d(*3)	n.d.	n.d.	n.a.
M120	n.d.	d(*3)	n.d.	n.d.	n.a.



Material No.	Cd	Cr	Pb	Hg	Br
M121	n.d.	d(*3)	d(*1)	n.d.	n.a.
M122	n.d.	n.d.	n.d.	n.d.	n.a.
M123	n.d.	n.d.	n.d.	n.d.	n.d.
M124	n.d.	n.d.	n.d.	n.d.	n.d.
M125	n.d.	n.d.	n.d.	n.d.	n.d.
M126	n.d.	n.d.	n.d.	n.d.	n.d.
M127	n.d.	n.d.	n.d.	n.d.	d(*1)


Test Report No.: 1160054708a 001

Page 31 of 43



Material No.	Cd	Cr	Pb	Hg	Br
M128	n.d.	n.d.	n.d.	n.d.	n.d.
M129	n.d.	n.d.	n.d.	n.d.	n.d.
M130	n.d.	n.d.	n.d.	n.d.	n.d.
M131	n.d.	n.d.	n.d.	n.d.	n.d.
M132	n.d.	n.d.	n.d.	n.d.	n.d.
M133	n.d.	n.d.	n.d.	n.d.	n.d.
M134	n.d.	n.d.	n.d.	n.d.	n.d.
M135	n.d.	n.d.	n.d.	n.d.	n.d.
M136	n.d.	n.d.	n.d.	n.d.	n.a.

Test Report No.: 1160054708a 001 Page 32 of 43



Material No.	Cd	Cr	Pb	Hg	Br
M137	n.d.	n.d.	n.d.	n.d.	n.a.
M138	n.d.	n.d.	n.d.	n.d.	n.a.
M139	n.d.	n.d.	n.d.	n.d.	n.a.
M140	n.d.	n.d.	n.d.	n.d.	n.d.
M141	n.d.	n.d.	n.d.	n.d.	n.d.

Abbreviation: Pb = Lead
 Cd = Cadmium
 Hg = Mercury
 Cr = Chromium
 Br = Bromine
 n.a. = not applicable
 n.d.= not detected
 d.= detected

Test Report No.: 1160054708a 001

Page 33 of 43

Remark:

- (*1) The screening result was found in the inconclusive region, thus the further wet chemistry tests are suggested.
- (*2) The screening result was detected above the screening limits, thus the further wet chemistry tests are suggested.
- (*3) For metal sample, the Chromium (VI) content has been confirmed with reference to IEC 62321-7-1:2015.
- (*4) For plastic sample or electronic sample, the Chromium (VI) content has been confirmed with reference to IEC 62321-7-2:2017.
- (*5) For leather sample, the Chromium (VI) content has been confirmed with reference to EN ISO 17075-1:2017.
- (*6) The screening result of Cr was found in the inconclusive region, thus the chromium (VI) content have been confirmed with EN ISO 17075-1:2017.
- (*7) Component(s)/ materials(s) with an area of less than 2mm x2 mm will not be selected for testing according to RoHS Directive 2011/65/EU due to technical reason.
For the test sample does not have detail materials information provided by client, visually identical materials (e.g. wire insulation, solder points, etc.) will be considered as the same material.
Solder points on a printing circuit board will be examined several times based on optical anomalies or discoloration of the solder point(s) unless the solder point(s) is obviously generated automatically during production.
All other materials will be sampled and tested at one test point representatively.
- (*8) The Chromium (Cr) and Bromine (Br) in the above result table indicate the total chromium and total bromine by means of XRF screening.
PBBs, or PBDEs content shall be further confirmed with reference to IEC 62321-6:2015.
Chromium (VI) shall be further confirmed with reference to IEC 62321-7-1:2015, IEC 62321-7-2:2017 or EN ISO 17075-1:2017.

XRF Screening limits for different matrices :

Material	Concentration (%)				
	Cd	Cr	Pb	Hg	Br
Polymeric	P≤0.006<X≤0.014<F	P≤0.064<X	P≤0.067<X≤0.133<F	P≤0.066<X≤0.134<F	P≤0.029<X
Metallic	P≤0.006<X≤0.014<F	P≤0.064<X	P≤0.067<X≤0.133<F	P≤0.066<X≤0.134<F	NA
Electronic Components	P≤0.004<X≤0.016<F	P≤0.044<X	P≤0.047<X≤0.153<F	P≤0.046<X≤0.154<F	P≤0.024<X

Test Report No.: 1160054708a 001

Page 34 of 43

Cadmium, Lead, Chromium (VI), Mercury, Polybrominated biphenyls (PBB) and Polybrominated diphenyl ethers (PBDE)

Test Method: Total Cadmium, Lead, Mercury, Chromium
- Ref. to IEC 62321-4:2013+AMD1:2017 and IEC 62321-5:2013

Chromium (VI)
- For Metal material - Ref. to IEC 62321-7-1:2015
- For Plastic or Electronic material - Ref. to IEC 62321-7-2:2017
- For Leather material - Ref. to EN ISO 17075-1:2017

PBBs, PBDEs - Ref. to IEC 62321-6:2015

Material List:

Test Report No.: 1160054708a 001

Page 35 of 43

Material No.	Material	Color	Location	Test plan
				A = Test HM only B = Test FR only C = Test HM + FR
M004	Metal	silver	Refer to photo	A
M006	Metal	silver	Refer to photo	A
M013	Magnet	black	Refer to photo	A
M015	Plastic	black	Refer to photo	B
M016	PCB board	green	Refer to photo	B
M018	Plastic	black+white	Refer to photo	B
M019	Metal	silver	Refer to photo	A
M050	Plastic	black	Refer to photo	B
M054	Metal	silver	Refer to photo	A
M055	Metal	silver	Refer to photo	A
M060	Metal	silver	Refer to photo	A
M070	Electronic components	black	Refer to photo	B
M073	PCB board	green	Refer to photo	B
M074	Plastic	black	Refer to photo	B
M075	Metal	silver	Refer to photo	A
M076	Metal	silver	Refer to photo	A
M090	Electronic components	black	Refer to photo	B
M093	Electronic components	grey	Refer to photo	A
M097	Electronic components	yellow	Refer to photo	B
M098	Electronic components	black	Refer to photo	B
M099	Metal	silver	Refer to photo	A
M106	PCB board	green	Refer to photo	B
M110	Metal	black	Refer to photo	A
M113	Metal	silver	Refer to photo	A
M118	Metal	silver	Refer to photo	A
M119	Metal	silver	Refer to photo	A
M120	Metal	silver	Refer to photo	A
M121	Metal	silver	Refer to photo	A
M127	Plastic	black	Refer to photo	B

Abbreviation: HM (Heavy metal) = Cd, Pb, Hg, Cr (VI)
FR (Flame Retardant) = PBBs, PBDEs

Test Report No.: 1160054708a 001

Page 36 of 43

Test Result:

	Cd	Cr(VI)	Pb	Hg	PBBs (*)	PBDEs (*)
Maximum Permissible Limit (%)	0.01	0.1	0.1	0.1	0.1	0.1

Material No.	(%)					
	Cd	Cr[^]	Pb	Hg	PBBs (*)	PBDEs (*)
	RL(%)					
	0.001	0.001	0.001	0.001	0.0005	0.0005
M015	n.a.	n.a.	n.a.	n.a.	n.d.	n.d.
M016	n.a.	n.a.	n.a.	n.a.	n.d.	n.d.
M018	n.a.	n.a.	n.a.	n.a.	n.d.	n.d.
M050	n.a.	n.a.	n.a.	n.a.	n.d.	0.0394
M070	n.a.	n.a.	n.a.	n.a.	n.d.	n.d.
M073	n.a.	n.a.	n.a.	n.a.	n.d.	n.d.
M074	n.a.	n.a.	n.a.	n.a.	n.d.	n.d.
M090	n.a.	n.a.	n.a.	n.a.	n.d.	n.d.
M097	n.a.	n.a.	n.a.	n.a.	n.d.	n.d.
M098	n.a.	n.a.	n.a.	n.a.	n.d.	n.d.
M106	n.a.	n.a.	n.a.	n.a.	n.d.	n.d.
M121	n.a.	n.a.	2.88 *3	n.a.	n.a.	n.a.
M127	n.a.	n.a.	n.a.	n.a.	n.d.	n.d.

Test Report No.: 1160054708a 001

Page 37 of 43

Material No.	Hexavalent Chromium Content ($\mu\text{g}/\text{cm}^2$) (*1) RL: 0.10 $\mu\text{g}/\text{cm}^2$
M004	Negative
M006	Negative
M013	Negative
M019	Negative
M054	Negative
M055	Negative
M060	Negative
M075	Negative
M076	Negative
M099	Negative
M110	Negative
M113	Negative
M118	Negative
M119	Negative
M120	Negative
M121	Negative

Material No.	Hexavalent Chromium Content (%) (*2) RL: 0.01%
M093	n.d.

Abbreviation:

- Pb = Lead
- Cd = Cadmium
- Hg = Mercury
- Cr = Chromium
- Cr (VI) = Chromium (VI)
- PBBs = Total Polybrominated Biphenyls
- PBDEs = Total Polybrominated Diphenyl Ethers
- n.d. = Not Detected (<RL)
- RL = Reporting Limit
- n.a. = Not Applicable
- ^ = The total Chromium have been determined
- % = percentage

Remark:

Test Report No.: 1160054708a 001

Page 38 of 43

- (*1) The total chromium content in Metal sample was found to be exceeded the maximum permissible limit (0.1%). Thus, the Chromium (VI) content in surface layer have been confirmed with reference to IEC 62321-7-1:2015 Annex.

	Chromium (VI) concentration	Qualitative result
Negative	$<0.1\mu\text{g}/\text{cm}^2$	The sample is negative (-ve) for Cr(VI). The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating
Inconclusive	$\geq 0.1\mu\text{g}/\text{cm}^2$ and $\leq 0.13\mu\text{g}/\text{cm}^2$	The result is considered to be inconclusive. Unavoidable coating variations may influence the determination. Recommendation: if additional samples are available, perform a total of 3 trials to increase sampling surface area. Use the averaged result of the 3 trails for the final determination.
Positive	$>0.13\mu\text{g}/\text{cm}^2$	The sample is positive (+ve) for Cr(VI). Concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

- (*2) The total chromium content in plastic sample or electronic sample was found to be exceeded the maximum permissible limit (0.1%). Thus, the Chromium (VI) content have been confirmed with reference to IEC 62321-7-2:2017.
- *3 According to Annex III of directive 2011/65/EU, Lead as an alloying element in copper alloy containing up to 4 % lead by weight are exempted from requirement

Test Report No.: 1160054708a 001

Page 39 of 43

2. BBP, DBP, DEHP, DIBP content

Test Method: IEC 62321-8:2017

Test Result:

	BBP	DBP	DEHP	DIBP
Maximum permissible Limit (%)	0.1	0.1	0.1	0.1

Test No.	Material No.	RL (%)			
		RL (%)			
		BBP	DBP	DEHP	DIBP
		0.005	0.005	0.005	0.005
T001	M018 + M022 + M023	n.d.	n.d.	n.d.	n.d.
T002	M024 + M025 + M026	n.d.	n.d.	n.d.	n.d.
T003	M027 + M028 + M029	n.d.	n.d.	n.d.	n.d.
T004	M033 + M035 + M036	n.d.	n.d.	n.d.	n.d.
T005	M037 + M038 + M039	n.d.	n.d.	n.d.	n.d.
T006	M040 + M041 + M042	n.d.	n.d.	n.d.	n.d.
T007	M043 + M044 + M045	n.d.	n.d.	n.d.	n.d.
T008	M046 + M047 + M048	n.d.	n.d.	n.d.	n.d.
T009	M049 + M050 + M051	n.d.	n.d.	n.d.	n.d.
T010	M052 + M053 + M064	n.d.	n.d.	n.d.	n.d.
T011	M065 + M066 + M067	n.d.	n.d.	n.d.	n.d.
T012	M074 + M083 + M084	n.d.	0.018	n.d.	n.d.
T013	M089 + M102 + M103	n.d.	n.d.	n.d.	n.d.
T014	M107 + M108 + M109	n.d.	n.d.	n.d.	0.014
T015	M123 + M124 + M125	n.d.	n.d.	n.d.	n.d.
T016	M126 + M127 + M128	n.d.	n.d.	n.d.	n.d.
T017	M129 + M130 + M131	n.d.	n.d.	n.d.	n.d.
T018	M132 + M133 + M134	n.d.	n.d.	n.d.	n.d.
T019	M135 + M141 + M104	n.d.	n.d.	n.d.	n.d.
T020	M140 + M063 + M082	n.d.	n.d.	n.d.	n.d.
T021	M016 + M073 + M106	n.d.	n.d.	n.d.	n.d.

Test Report No.: 1160054708a 001

Page 40 of 43

T022	M012	n.d.	n.d.	0.007	n.d.
T023	M009	n.d.	n.d.	n.d.	n.d.
T024	M007	n.d.	n.d.	0.085	n.d.
T025	M015	n.d.	n.d.	n.d.	n.d.
T026	M017	n.d.	n.d.	0.009	n.d.
T027	M085	n.d.	0.063	0.028	0.011
T028	M086	n.d.	n.d.	0.005	n.d.
T029	M087	n.d.	0.008	0.005	n.d.
T030	M008 + M010	n.d.	n.d.	0.035	n.d.
T031	M030	n.d.	n.d.	n.d.	n.d.
T032	M031	n.d.	n.d.	n.d.	n.d.
T033	M032	n.d.	n.d.	n.d.	n.d.
-	M001	n.a.	n.a.	n.a.	n.a.
-	M002	n.a.	n.a.	n.a.	n.a.
-	M003	n.a.	n.a.	n.a.	n.a.
-	M004	n.a.	n.a.	n.a.	n.a.
-	M005	n.a.	n.a.	n.a.	n.a.
-	M006	n.a.	n.a.	n.a.	n.a.
-	M011	n.a.	n.a.	n.a.	n.a.
-	M013	n.a.	n.a.	n.a.	n.a.
-	M014	n.a.	n.a.	n.a.	n.a.
-	M019	n.a.	n.a.	n.a.	n.a.
-	M020	n.a.	n.a.	n.a.	n.a.
-	M021	n.a.	n.a.	n.a.	n.a.
-	M034	n.a.	n.a.	n.a.	n.a.
-	M054	n.a.	n.a.	n.a.	n.a.
-	M055	n.a.	n.a.	n.a.	n.a.
-	M056	n.a.	n.a.	n.a.	n.a.
-	M057	n.a.	n.a.	n.a.	n.a.
-	M058	n.a.	n.a.	n.a.	n.a.
-	M059	n.a.	n.a.	n.a.	n.a.
-	M060	n.a.	n.a.	n.a.	n.a.
-	M061	n.a.	n.a.	n.a.	n.a.
-	M062	n.a.	n.a.	n.a.	n.a.
-	M068	n.a.	n.a.	n.a.	n.a.

Test Report No.: 1160054708a 001

Page 41 of 43

-	M069	n.a.	n.a.	n.a.	n.a.
-	M070	n.a.	n.a.	n.a.	n.a.
-	M071	n.a.	n.a.	n.a.	n.a.
-	M072	n.a.	n.a.	n.a.	n.a.
-	M075	n.a.	n.a.	n.a.	n.a.
-	M076	n.a.	n.a.	n.a.	n.a.
-	M077	n.a.	n.a.	n.a.	n.a.
-	M078	n.a.	n.a.	n.a.	n.a.
-	M079	n.a.	n.a.	n.a.	n.a.
-	M080	n.a.	n.a.	n.a.	n.a.
-	M081	n.a.	n.a.	n.a.	n.a.
-	M088	n.a.	n.a.	n.a.	n.a.
-	M090	n.a.	n.a.	n.a.	n.a.
-	M091	n.a.	n.a.	n.a.	n.a.
-	M092	n.a.	n.a.	n.a.	n.a.
-	M093	n.a.	n.a.	n.a.	n.a.
-	M094	n.a.	n.a.	n.a.	n.a.
-	M095	n.a.	n.a.	n.a.	n.a.
-	M096	n.a.	n.a.	n.a.	n.a.
-	M097	n.a.	n.a.	n.a.	n.a.
-	M098	n.a.	n.a.	n.a.	n.a.
-	M099	n.a.	n.a.	n.a.	n.a.
-	M100	n.a.	n.a.	n.a.	n.a.
-	M101	n.a.	n.a.	n.a.	n.a.
-	M105	n.a.	n.a.	n.a.	n.a.
-	M110	n.a.	n.a.	n.a.	n.a.
-	M111	n.a.	n.a.	n.a.	n.a.
-	M112	n.a.	n.a.	n.a.	n.a.
-	M113	n.a.	n.a.	n.a.	n.a.
-	M114	n.a.	n.a.	n.a.	n.a.
-	M115	n.a.	n.a.	n.a.	n.a.
-	M116	n.a.	n.a.	n.a.	n.a.
-	M117	n.a.	n.a.	n.a.	n.a.
-	M118	n.a.	n.a.	n.a.	n.a.
-	M119	n.a.	n.a.	n.a.	n.a.

Test Report No.: 1160054708a 001

Page 42 of 43

-	M120	n.a.	n.a.	n.a.	n.a.
-	M121	n.a.	n.a.	n.a.	n.a.
-	M122	n.a.	n.a.	n.a.	n.a.
-	M136	n.a.	n.a.	n.a.	n.a.
-	M137	n.a.	n.a.	n.a.	n.a.
-	M138	n.a.	n.a.	n.a.	n.a.
-	M139	n.a.	n.a.	n.a.	n.a.

Abbreviation: BBP= Benzylbutyl phthalate
 DBP= Dibutyl phthalate
 DEHP= Bis(2-ethylhexyl) phthalate
 DIBP= Diisobutyl phthalate
 n.d.= Not Detected (< Reporting Limit)
 RL = Reporting Limit
 N.A. = Not Applicable
 %= percentage

Test Report No.: 1160054708a 001

Page 43 of 43

Sample Photos



- END -

General Terms and Conditions of Business of TÜV Rheinland in Greater China

1. Scope

1.1 These General Terms and Conditions of Business of TÜV Rheinland in Greater China is made between the client and one or more member entities of TÜV Rheinland in Greater China as applicable as the case may be ("TÜV Rheinland").

1.2 The following terms and conditions apply to agreed services including consultancy services, information, deliveries and similar services as well as ancillary services and other secondary obligations provided within the scope of contract performance.

1.3 Any standard terms and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall form part of the contract even if TÜV Rheinland does not explicitly object to them.

2. Quotations

Unless otherwise agreed, all quotations submitted by TÜV Rheinland can be changed by TÜV Rheinland without notice prior to its acceptance and confirmation by the other party.

3. Coming into effect and duration of contracts

3.1 The contract shall come into effect for the agreed terms upon the quotation letter of TÜV Rheinland or a separate contractual document being signed by both contracting parties, or upon the works requested by the client being carried out by TÜV Rheinland. If the client instructs TÜV Rheinland without receiving a quotation from TÜV Rheinland (quotation), TÜV Rheinland is, in its sole discretion, entitled to accept the order by giving written notice of such acceptance (including notice sent via electronic means) or by performing the requested services.

3.2 The contract term starts upon the coming into effect of the contract in accordance with article 3.1 and shall continue for the term agreed in the contract.

3.3 If the contract provides for an extension of the contract term, the contract term will be extended by the term provided for in the contract unless terminated in writing by either party with a six-week notice prior to the end of the contractual term.

4. Scope of services

4.1 The scope of the services shall be decided solely by a unanimous declaration issued by both parties. If no such declaration exists, then the written confirmation of order by TÜV Rheinland shall be decisive.

4.2 The agreed services shall be performed in compliance with the regulations in force at the time the contract is entered into.

4.3 TÜV Rheinland is entitled to determine, in its sole discretion, the method and nature of the assessment unless otherwise agreed in writing or if mandatory provisions require a specific procedure to be followed.

4.4 On execution of the work there shall be no simultaneous assumption of any guarantee of the correctness (proper quality) and working order of either tested or examined parts nor of the installation as a whole and its upstream and/or downstream processes, organisations, use and application in accordance with regulations, nor of the systems on which the installation is based. In particular, TÜV Rheinland shall assume no responsibility for the construction, selection of materials and assembly of installations examined, nor for their use and application in accordance with regulations unless these questions are expressly covered by the contract.

4.5 In the case of inspection work, TÜV Rheinland shall not be responsible for the accuracy or checking of the safety programmes or safety regulations on which the inspections are based, unless otherwise expressly agreed in writing.

5. Performance periods/dates

5.1 The contractually agreed periods/dates of performance are based on estimates of the work involved which are prepared in line with the details provided by the client. They shall only be binding if being confirmed as binding by TÜV Rheinland in writing.

5.2 If binding periods of performance have been agreed, these periods shall not commence until the client has submitted all required documents to TÜV Rheinland.

5.3 Articles 5.1 and 5.2 also apply, even without express approval by the client, to all extensions of agreed periods/dates of performance not caused by TÜV Rheinland.

6. The client's obligation to cooperate

6.1 The client shall guarantee that all cooperation required on its part, its agents third parties will be provided in good time and at no cost to TÜV Rheinland.

6.2 Design documents, supplies, auxiliary staff, etc. necessary for performance of the services shall be made available free of charge by the client. Moreover, collaborative action of the client must be undertaken in accordance with legal provisions, standards, safety regulations and accident prevention instructions.

6.3 The client shall bear any additional cost incurred on account of work having to be redone or being delayed as a result of late, incorrect or incomplete information provided by or lack of proper cooperation from the client. Even where a fixed or maximum price is agreed, TÜV Rheinland shall be entitled to charge extra fees for such additional expense.

7. Invoicing of work

7.1 If the scope of performance is not laid down in writing when the order is placed, invoicing shall be based on costs actually incurred. If no price is agreed in writing, invoicing shall be made in accordance with the price list of TÜV Rheinland valid at the time of performance.

7.2 Unless otherwise agreed, work shall be invoiced according to the progress of the work.

7.3 If the execution of an order extends over more than one month and the value of the contract or the agreed fixed price exceeds €2,500.00 or equivalent value in local currency, TÜV Rheinland may demand payments on account or in instalments.

8. Payment terms

8.1 All invoice amounts shall be due for payment without deduction on receipt of the invoice. No discounts shall be granted.

8.2 Payments shall be made to the bank account of TÜV Rheinland as indicated on the invoice, stating the invoice and customer numbers.

8.3 In cases of default of payment, TÜV Rheinland shall be entitled to claim default interest at the applicable short term loan interest rate publicly announced by a reputable commercial

bank in the country where TÜV Rheinland is located. At the same time, TÜV Rheinland reserves the right to claim further damages.

8.4 Should the client default in payment of the invoice despite being granted a reasonable grace period, TÜV Rheinland shall be entitled to cancel the contract, withdraw the certificate, claim damages for non-performance and refuse to continue performance of the contract.

8.5 The provisions set forth in article 8.4 shall also apply in cases involving returned cheques, cessation of payment, commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings has been dismissed due to lack of assets.

8.6 Objections to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of receipt of the invoice.

8.7 TÜV Rheinland shall be entitled to demand appropriate advance payments.

8.8 TÜV Rheinland shall be entitled to raise its fees at the beginning of a month if overheads and/or purchase costs have increased. In this case, TÜV Rheinland shall notify the client in writing of the rise in fees. This notification shall be issued one month prior to the date on which the rise in fees shall come into effect (period of notice of changes in fees). If the rise in fees remains under 5% per contractual year, the client shall not have the right to terminate the contract. If the rise in fees exceeds 5% per contractual year, the client shall be entitled to terminate the contract by the end of the period of notice of changes in fees. If the contract is not terminated, the changed fees shall be deemed to have been agreed upon by the time of the expiry of the notice period.

8.9 Only legally established and undisputed claims may be offset against claims by TÜV Rheinland.

9. Acceptance

9.1 Any part of the work ordered which is complete in itself may be presented by TÜV Rheinland for acceptance as an instalment. The client shall be obliged to accept it immediately.

9.2 If the client fails to fulfil its acceptance obligation immediately, acceptance shall be deemed to have taken place 4 calendar weeks after completion of the work provided that TÜV Rheinland has specifically made the client aware of the aforementioned deadline upon completion of the work.

10. Confidentiality

10.1 For the purpose of these terms and conditions, "confidential information" means all information, documents, images, drawings, know-how, data, samples and project documentation which one party (the "disclosing party") hands over, transfers or otherwise discloses to the other party (the "receiving party"). Confidential information also includes paper copies and electronic copies of such information.

10.2 The disclosing party shall mark all confidential information disclosed in written form as confidential before passing it onto the receiving party. The same applies to confidential information transmitted by e-mail. If confidential information is disclosed orally, the receiving party shall be appropriately informed in advance and the disclosing party shall confirm in writing the confidentiality nature of the information within five working days of oral disclosure. Where the disclosing party fails to do so within the stipulated period, the receiving party shall not take any confidentiality obligations hereunder towards such information.

10.3 All confidential information which the disclosing party transmits or otherwise discloses to the receiving party during performance of work by TÜV Rheinland:

a) may only be used by the receiving party for the purposes of performing the contract, unless expressly otherwise agreed in writing by the disclosing party;

b) may not be copied, distributed, published or otherwise disclosed by the receiving party, unless this is necessary for fulfilling the purpose of the contract or TÜV Rheinland is required to pass on confidential information, inspection reports or documentation to the government authorities, judicial court, accreditation bodies or third parties that are involved in the performance of the contract;

c) must be treated by the receiving party with the same level of confidentiality as the receiving party uses to protect its own confidential information, but never with a lesser level of confidentiality than that which is reasonably required.

10.4 The receiving party may disclose any confidential information received from the disclosing party only to those of its employees who need this information to perform the services required for the contract. The receiving party undertakes to oblige these employees to observe the same level of secrecy as set forth in this confidentiality clause.

10.5 Information for which the receiving party can furnish proof that:

a) it was generally known at the time of disclosure or has become general knowledge without violation of this confidentiality clause by the receiving party; or

b) it was disclosed to the receiving party by a third party entitled to disclose this information; or

c) the receiving party already possessed this information prior to disclosure by the disclosing party; or

d) the receiving party developed it itself, irrespective of disclosure by the disclosing party, shall not be deemed to constitute "confidential information" as defined in this confidentiality clause.

10.6 All confidential information shall remain the property of the disclosing party. The receiving party hereby agrees to immediately (i) return all confidential information, including all copies, to the disclosing party, and/or (ii) on request by the disclosing party, to destroy all confidential information, including all copies, and confirm the destruction of this confidential information to the disclosing party in writing, at any time if so requested by the disclosing party but at the latest and without special request after termination or expiry of the contract. This does not extend to include reports and certificates prepared for the client solely for the purpose of fulfilling the obligations under the contract, which shall remain with the client. However, TÜV Rheinland is entitled to make file copies of such reports, certificates and confidential information that forms the basis for preparing these reports and certificates in order to evidence the correctness of its results and for general documentation purposes required by laws, regulations and the requirements of working procedures of TÜV Rheinland.

10.7 From the start of the contract and for a period of three years after termination or expiry of the contract, the receiving party shall maintain strict secrecy of all confidential information and

shall not disclose this information to any third parties or use it for itself.

11. Copyrights

11.1 TÜV Rheinland shall retain all exclusive copyrights in the expert reports, test results, calculations, presentations etc. prepared by TÜV Rheinland.

11.2 The client may only use such expert reports, test results, calculations, presentations etc. prepared within the scope of the contract for the contractually agreed purpose.

11.3 The client may use test reports, test results, expert reports, etc. only complete and unshortened. Any publication or duplication for advertising purposes needs the prior written approval of TÜV Rheinland.

12. Liability of TÜV Rheinland

12.1 Irrespective of the legal basis, in the event of a breach of contractual obligations or tort, the liability of TÜV Rheinland for all damages, losses and reimbursement of expenses caused by TÜV Rheinland, its legal representatives and/or employees shall be limited to: (i) in the case of a contract with a fixed overall fee, three times the overall fee for the entire contract; (ii) in the case of a contract for annually recurring services, the agreed annual fee; (iii) in the case of a contract expressly charged on a time and material basis, a maximum of 20,000 Euro or equivalent amount in local currency; and (iv) in the case of a framework agreement that provides for the possibility of placing individual orders, three times of the fee for the individual order under which the damages or losses have occurred. Notwithstanding the above, in the event that the total and accumulated liability calculated according to the foregoing provisions exceeds 2.5 Million Euro or equivalent amount in local currency, the total and accumulated liability of TÜV Rheinland shall be only limited to and shall not exceed the said 2.5 Million Euro or equivalent amount in local currency.

12.2 The limitation of liability according to article 12.1 above shall not apply to damages and/or losses caused by malice, intent or gross negligence on the part of TÜV Rheinland or its vicarious agents. Such limitation shall not apply to damages for a person's death, physical injury or illness.

12.3 In cases involving a fundamental breach of contract, TÜV Rheinland will be liable even where minor negligence is involved. For this purpose, a "fundamental breach" is breach of a material contractual obligation, the performance of which permits the due performance of the contract. Any claim for damages for a fundamental breach of contract shall be limited to the amount of damages reasonably foreseen as a possible consequence of such breach of contract at the time of the breach (reasonably foreseeable damages), unless any of the circumstances described in article 12.2 applies.

12.4 TÜV Rheinland shall not be liable for the acts of the personnel made available by the client to support TÜV Rheinland in the performance of its services under the contract, unless such personnel made available is regarded as vicarious agent of TÜV Rheinland. If TÜV Rheinland is not liable for the acts of the personnel made available by the client under the foregoing provision, the client shall indemnify TÜV Rheinland against any claims made by third parties arising from or in connection with such personnel's acts.

12.5 The limitation periods for claims for damages shall be based on statutory provisions.

12.6 None of the provisions of this article 12 changes the burden of proof to the disadvantage of the client.

13. Partial invalidity, written form, place of jurisdiction and dispute resolution

13.1 All amendments and supplements must be in writing in order to be effective. This also applies to amendments and supplements to this clause 13.1.

13.2 Should one or several of the provisions under the contract and/or these terms and conditions be or become ineffective, the contracting parties shall replace the invalid provision with a legally valid provision that comes closest to the content of the invalid provision in legal and commercial terms.

13.3 Unless otherwise stipulated in the contract, the governing law of the contract and these terms and conditions shall be chosen following the rules as below:

a) if TÜV Rheinland in question is legally registered and existing in the People's Republic of China, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of the People's Republic of China.

b) if TÜV Rheinland in question is legally registered and existing in Taiwan, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Taiwan.

c) if TÜV Rheinland in question is legally registered and existing in Hong Kong, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Hong Kong.

13.4 Any dispute in connection with the contract and these terms and conditions or the execution thereof shall be settled friendly through negotiations.

Unless otherwise stipulated in the contract, if no settlement or no agreement in respect of the extension of the negotiation period can be reached within two months of the arising of the dispute, the dispute shall be submitted:

a) in the case of TÜV Rheinland in question being legally registered and existing in the People's Republic of China, to China International Economic and Trade Arbitration Commission (CIETAC) to be settled by arbitration under the Arbitration Rules of CIETAC in force when the arbitration is submitted. The arbitration shall take place in Beijing, Shanghai, Shenzhen or Chongqing as appropriately chosen by the claiming party.

b) in the case of TÜV Rheinland in question being legally registered and existing in Taiwan, to Chinese Arbitration Association Taipei Branch to be arbitrated in accordance with its then current Rules of Arbitration. The arbitration shall take place in Taipei.

c) in the case of TÜV Rheinland being legally registered and existing in Hong Kong, to Hong Kong International Arbitration Centre (HKIAC) to be settled by arbitration under the HKIAC Administered Arbitration Rules in force when the Notice of Arbitration is submitted in accordance with these rules. The arbitration shall take place in Hong Kong.

The decision of the relevant arbitration tribunal shall be final and binding on both parties. The arbitration fee shall be borne by the losing party.