

Ultra Fine □ Extra Fine ■ Fine ■ Medium ■ Coarse ■ Extra Coarse ■

Finishing Strips 83




18. P.D.  
38. P.D.

■ **SOLID**  
Single Sided Diamond Strips

	Order #	Grit	Length	Thickness	Width
W / 2.5 mm	OSS-25XF	XF	148.0	0.11	2.5
	OSS-25F	F	148.0	0.12	2.5
	OSS-25M	M	148.0	0.14	2.5
	OSS-25C	C	148.0	0.21	2.5
W / 3.7 mm	OSS-37XF	XF	148.0	0.11	3.7
	OSS-37F	F	148.0	0.12	3.7
	OSS-37M	M	148.0	0.14	3.7
	OSS-37C	C	148.0	0.21	3.7



19. P.D. 44. P.D.



20. P.D. 45. P.D.

**Folded dental  
bibs  
(33cm x 45cm)**

*Pastel colors*

*Premium colors*

**Folded dental  
bibs  
(33cm x 45cm)**



- Light blue KA/500 3 B
- Green mint KA/500 3 GM
- White KA/500 3 W
- Pink KA/500 3 P
- Apricot KA/500 3 A
- Yellow KA/500 3 Y
- Lavender KA/500/3 L



- Dark blue KA/500 2 DB
- Green lime KA/500 2 GI
- Orange KA/500 2 O
- Bordeaux KA/500 2 Bord
- Black KA/500 2 Black

- Excellent absorbency, wide range of colors, tear resistance, nice folding

- Manufactured by 2 plies of Tissue + 1 ply of PE

- Available in 1 ply Tissue + 1 ply of PE



4 x 125 pcs in plastic bag with the sticker



1 box / 500 pcs

20' : 1600 boxes

40'HQ: 3600 boxes

- Great absorbency, attractive premium colors, nice folding

- Manufactured by 1 ply of Tissue + 1 ply of PE

- Dimension: 33cm x 45cm



4 x 125 pcs in plastic bag with the sticker



1 box / 500 pcs

1 EUR pallet / 80 boxes

20' : 1600 boxes

40'HQ: 3600 boxes

## Bohrer- Reinigungsbürsten

Messingdraht, gewellt / Nylonfaser

## Burs cleaning brushes

crimped brass wire / nylon filament

**39. P.D.**


Zum groben Vorreinigen von Bohrern, Fräsern und Instrumenten aller Art. Der gewellte Messingdraht greift die Instrumente-Oberflächen nicht an. Auch Nylonbesatz ist möglich: für eine besonders materialschonende und trotzdem effiziente Reinigung.

Intended for the rough pre-cleaning of drill holes, mill cutters and instruments of all kinds. The crimped brass wire does not attack the instrument surfaces. Even nylon heads are possible: for a particularly careful yet efficient cleaning.

Art.-Nr. art.-no.	Drahtstärke wire size mm	Länge length mm	Breite width mm
----------------------	--------------------------------	-----------------------	-----------------------

### Messingdraht, gewellt crimped brass wire

318	0,15	55	23
319	0,15	70	28



Art.-Nr. art.-no.	Stärke thickness mm	Länge length mm	Breite width mm
----------------------	---------------------------	-----------------------	-----------------------

### Nylonfaser nylon filament


318N40	0,40	55	23
--------	------	----	----



**Rundbürsten  
mit Kunststoffkern**
**Lathe brushes  
with plastic core**


Chungking-Borsten / Pferdehaar / Ziegenhaar / Nylonfaser

Chungking bristles / horse hair / goat hair / nylon filament

Standard Art.-Nr. art.-no.	Super Art.-Nr. art.-no.	Form shape	Material material	 mm	 mm	
<b>1-reihig</b> one row						 2.800/min
	91-1044	■	Chungking, schwarz Chungking, black	26	44	
	91-1044P	■	Pferdehaar, braun horse hair, brown	26	44	
	91-1044Z	□	Ziegenhaar, weiß goat hair, white	26	44	
81-1050	91-1050	■	Chungking, schwarz Chungking, black	26	50	
81-1055	91-1055	■	Chungking, schwarz Chungking, black	26	55	
	98-1070	■	Chungking, schwarz Chungking, black	50	70	
<b>2-reihig</b> two rows						 2.800/min
	91-2044	▲	Chungking, schwarz Chungking, black	26	44	
81-2050	91-2050	▲	Chungking, schwarz Chungking, black	26	50	
81-2055	91-2055	▲	Chungking, schwarz Chungking, black	26	55	
	95-2060	▲	Chungking, schwarz Chungking, black	40	60	
	98-2070	▲	Chungking, schwarz Chungking, black	50	70	
	P98030	△	Nylonfaser, 0,30 mm nylon filament, 0,30 mm	50	70	
<b>3-reihig</b> three rows						 2.800/min
81-3055	91-3055	▲	Chungking, schwarz Chungking, black	26	55	
85-3080		▲	Chungking, schwarz Chungking, black	40	80	
<b>4-reihig</b> four rows						 2.800/min
85-4080	95-4080	▲	Chungking, schwarz Chungking, black	40	80	
85-4080G	95-4080G	■	Chungking, schwarz Chungking, black	40	80	

# MODEL FORMERS / MIXING BOWLS

## SILICONE MODEL FORMERS



14mm deep  
8 Type

16mm deep  
8 Type

### Features:

Soft, pliable silicone material for easier and more efficient take out of the stone model.

Specifications: 14mm deep (Green color) & 16mm deep (Blue color) are available

Item No. Green color (14mm deep)

Complete set 04114

Single type 04114-L,M,LS,MS,I,X,Y,P

Blue color (16mm deep)

Complete set 04104-NEW

Single type 04105-L,M,LS,MS,I,X,Y,P

## FLAT TYPE MODEL FORMERS



XL L M S LQ RQ

## SLOT TYPE MODEL FORMERS



XL L M S LQ RQ

### Features:

Soft, pliable rubber material for easier and more efficient take out of the stone model.

Specifications: XL, L, M, S, LQ, RQ = 6 type

Flat Type Item No. Complete set 04100

04100-XL 04100-L 04100-M

04100-S 04100-LQ 04100-RQ

Slot Type Item No. Complete set 04103

04103-XL 04103-L 04103-M

04103-S 04103-LQ 04103-RQ

## MIXING BOWLS



Item No. 04411-XL  
Complete set 04411

04411-L 04411-M

04411-S

## TRANSPARENT MIXING BOWLS



Item No. 04420-L  
L,M,S/set 04420

04420-M  
Complete set 04420A

04420-MS

04420-S

## STAINLESS STEEL RINGS & FORMERS



Item No. Complete set with Former 04440

Ring only

1. 04440-1 Φ 2.8x4.0cm

2. 04440-2 Φ 3.8x4.5cm

3. 04440-3 Φ 4.5x5.0cm

4. 04440-4 Φ 5.5x6.0cm

5. 04440-5 Φ 7.3x6.3cm

6. 04440-6 Φ 8.3x6.5cm

Former only

1. 04440-1R

2. 04440-2R


3. 04440-3R

4. 04440-4R

5. 04440-5R

6. 04440-6R

## PLASTIC CASTING RINGS WITH FORMER



Item No.

Complete set # 1~ # 5 04430

1. 04430-1 Φ 4x5cm

2. 04430-2 Φ 5x5.5cm

3. 04430-3 Φ 6x6cm

4. 04430-4 Φ 7.5x6.5cm

5. 04430-5 Φ 9x7cm

## DIE LOCK TRAYS



Full Arch Tray

1. Item No. 04170

2. Item No. 04177

Quadrant tray

3. Item No. 04180

42. P.D.

## Cotton pellets



<b>COMPOSITION</b>	<ul style="list-style-type: none"> <li>Pure bleached cotton (100% cotton)</li> <li>Chlorine-free</li> <li>Free of any optical brightener</li> <li>Fast absorption (10 to 13 times its weight of water)</li> <li>European Pharmacopoeia certificate</li> </ul>
<b>PELLETS</b>	<ul style="list-style-type: none"> <li>Soft</li> <li>Stability of form</li> <li>Highly absorbent</li> </ul>

### Sizes

Reference	Type	Size	Diameter	Weight
CPA1	1	Large	7 mm	25,3 mg (+/- 6,1 mg)
CPA2	2	Medium	5,5 mm	14,8 mg (+/- 4,4 mg)
CPA3	3	Small	4 mm	6 mg (+/- 3.7 mg)
CPA4	4	Extra small	3 mm	2.92 mg (+/- 1.9 mg)

### Packaging

REF	Type	Weight / refill	Number of pellets / refill	Number of refills / box	Number of pellets / box	Number of boxes / export box
CPA1	1	± 3 g	± 105	6	± 630	285
CPA2	2	± 3 g	± 200	6	± 1200	285
CPA3	3	± 3 g	± 450	6	± 2700	285
CPA4	4	± 3 g	± 900	6	± 5400	285

We are ISO 9001, ISO 13485 certified and CE approved devices



**ALAN & CO**

Quai de la Vesdre 9-17 – 4800 Verviers – Belgium

Tel : +32 87 31 10 59 – Fax : +32 87 31 61 69

www.alan.be – info@alan.be

## INTERALOX



Snow white, high quality pure corundum (99,96%  $Al_2O_3$ ), for sandblasting of precious and non-precious alloy casts and ceramics.

REF 0404	Interalox	250 $\mu$	REF 04041	Interalox	250 $\mu$
REF 0399	Interalox	150 $\mu$	REF 03991	Interalox	150 $\mu$
REF 0405	Interalox	110 $\mu$	REF 04051	Interalox	110 $\mu$
REF 0406	Interalox	50 $\mu$	REF 04061	Interalox	50 $\mu$
Contents: 7 kg			Contents: 28 kg		

## GLASS PEARLS



Glass pearls are intended to be used for oxide sand-blasting in the inner crown parts after ceramic firing, for fitting secondary telescopes and for sand-blasting fire-resistant material at pressed ceramic works.

REF 0479	glass pearls	50 $\mu$
REF 0480	glass pearls	150 $\mu$

Contents: 7 kg

## 46. P.D.

### PUMICE

Volcanic rock, neatly cleaned, perfect for polishing of acrylics in dental prosthetics.



REF 0407	pail	4 kg
REF 0408	pail	14 kg





Interdent  
**INTERALOX**

Description Downloads

Snow white, high quality pure corundum (99,96% Al<sub>2</sub>O<sub>3</sub>), for sandblasting of precious and non-precious alloy casts and ceramics.



Packing

All

#	Picture	Article	Packing	Regular price without VAT	Your price without VAT
399		Interalox 150 μ	7 kg	-	-
404		Interalox 250 μ	7 kg	-	-
405		Interalox 110 μ	7 kg	-	-
406		Interalox 50 μ	7 kg	-	-
3991		Interalox 150 μ	28 kg	-	-
40525		Interalox 110 μ	25 kg	-	-
39920		Interalox 150 μ	20 kg	-	-
40420		Interalox 250 μ	20 kg	-	-
40520		Interalox 110 μ	20 kg	-	-

**ABRASIVE DISKS**  
**ULTRAFINE DISKS**

Actual size  
100 pcs./box



FOR **CERAMIC** (BROWN)  
Item No. 05020  $\phi$ 22x0.25mm  
05021  $\phi$ 22x0.23mm



FOR **ZIRCONIA** (BROWN)  
Item No. 05023P  $\phi$ 22x0.25mm  
05024P  $\phi$ 25x0.4mm



FOR **METAL** (BROWN)  
Item No. 05010  $\phi$ 22x0.2mm  
05011  $\phi$ 22x0.23mm  
05012  $\phi$ 22x0.25mm

**SEPARATING DISKS**



FOR **CERAMIC** (BROWN)  
Item No. 05030  $\phi$ 22x0.35mm  
05031  $\phi$ 25x0.6mm



FOR **METAL** (BROWN)  
Item No. 05040  $\phi$ 25x0.35mm

48. P.D.

**STANDARD CUTTING DISKS FOR METAL**

**FAST CUTTING**

**REGULAR**



Item No.  
05050  $\phi$ 25x0.6mm(BLACK)



Item No.  
05051  $\phi$ 38x0.6mm(BLACK)



Item No.  
05052  $\phi$ 25x0.6mm(BROWN)  
05060A  $\phi$ 38x0.6mm(BROWN-SHARP)



Item No.  
05053  $\phi$ 38x0.6mm(BROWN)  
05061A  $\phi$ 38x0.6mm(BROWN-SHARP)

**GRINDING WHEELS**



Item No.05070  $\phi$ 25x3.0mm(BROWN)  
05077  $\phi$ 25x2.5mm(BROWN)



Item No.05073  $\phi$ 31.8x1.6mm(BROWN)  
05074  $\phi$ 31.8x2.0mm(BLACK)  
05064  $\phi$ 31.8x2.2mm(BROWN)  
05076  $\phi$ 31.8x2.5mm(BLACK)



Item No. 05071  $\phi$ 38x1.0mm  
05078  $\phi$ 38x2.0mm

**Double Net Cutting Wheels (Reinforced With Glass Fiber)**

50 pcs./box


49. P.D.



**BROWN COLOUR**  
Item No. 05080  $\phi$ 25x1.0mm



**BROWN COLOUR**  
Item No. 05081  $\phi$ 31.8x1.0mm



**BROWN COLOUR**  
Item No. 05082  $\phi$ 38x1.0mm