WUNDER®
inspired by precision

Certified by

ICIM
UNI EN ISO 9001:2015
CERTIFIED MANAGEMENT SYSTEM

ICIM
UNI CEI EN ISO 13485:2021
CERTIFIED MANAGEMENT SYSTEM

MANUFACTURER'S AUTHORIZATION FORM

TREZZO SULL'ADDA   27/08/2025

TO: INTERLUX LTD. - SIA INTERLUX - INTERLUX OÜ

Whereas WUNDER SA.BI. SRL who are established and reputable manufacturer of medicai scales having factories at Via Vecchia per Monza n. 20 - 20056 Trezzo sull'Adda - Milano - Italy.
Do hereby authoriz:
 INTERLUX - AVIECIU 16 - LT 08418 VILNIUS - LITHUANIA
 SIA INTERLUX - Noliktavu iela 9 - Dreiliņi - Stopiņu pagasts - Ropažu novads - LATVIJA - LV-2130
 INTERLUX OÜ - Narva mnt 5 - TALLIN 10117 - ESTONIA
to submit a bid and subsequently negotiate and sign the Contract with you for the above goods manufactured by us.
We hereby extend our full guaranteee and warranty for the goods offered for supply by the above firm against this invitation for Bids.
Interlux has the right to reauthorize it's 100 % owned affiliate companies to perform the said acts under this authorization letter.
The above finn is authorized to manage warranty service for WUNDER SA.BI. S.r.l. products, and it is responsible for technical after sales service on our behalf.
we authorize technical engineers bellows to manage the warranty service for Wunder SA.BI.Sri products and are responsible for after-sales technical on our behalf

Service engineer
Service engineer

Expiry date ofthe authorization: August 28th 2026

For and behalf of
WUNDER SA.BI. SRL

WUNDER SA.BI s.r.l.
Via Vecchia per Monza, 20
Tel. 02 90964566 - Fax 02 90964533
a (Mi)
0161

Pag. **1** di **1**

wunder sa.bi. srl

📍 Sede operativa e amministrativa – R.E.A. (MI) 1255333
via Vecchia per Monza, 20 - 20056 Trezzo sull'Adda (MI) - IT
Sede legale – R.E.A. (BG) 236719
via Montegrappa, 7 - 24121 Bergamo
P.IVA / VAT (IT): 01786290161 – Codice SDI: SUBM70N

🎗 ISO 9001:2015 – ISO 13485:2016
Iscrizione al Registro Nazionale Pile
IT19060P00005426
Iscrizione al Registro A.E.E.
IT18100000010813

📞 (+39) 02 90964566
🖨 (+39) 02 90964533
🌐 www.wunder.it
✉ wunder@wunder.it
✉ infowunderpec@legalmail.it

1

GAMINTOJO ĮGALIOJIMO RAŠTAS

Trezzo sull'Adda, 2025 m. rugpjūčio mėn. 28 d.

UAB „INTERLUX"

Wunder SA.BI. SRL, gerbiamas medicininių svarstyklių gamintojas, turintis gamyklas Via Vechia per Monza n. 20-20056 Trezzo sull'Adda – Milane, Italijoje, šiuo raštu įgalioja UAB „Interlux", Aviečių g. 16, LT-08418, Vilnius, Lietuva teikti pasiūlymus, vesti derybas ir pasirašyti sutartis dėl mūsų gaminamų prekių.

Šiuo raštu mes pratęsiame šiai įmonei mūsų garantijas savo produktams, siūlomiems pasiūlai, teikiant pasiūlymus.

Interlux turi teisę įgalioti sau 100% priklausančias įmones veikti pagal šį įgaliojimo raštą.

Nurodyta įmonė yra įgaliota atlikti garantinį aptarnavimą Wunder SA. BI. S.r.l produktams ir mūsų vardu yra atsakinga už techninį aptarnavimą po prekės įsigijimo.

Mes įgaliojame techninius inžinierius nurodytus žemiau atlikti garantinį aptarnavimą Wunder SA. BI. Srl produktams ir skiriame juos atsakingus mūsų vardu už techninį aptarnavimą po prekės įsigijimo.

Serviso inžinierius

Serviso inžinierius

Galiojimo pabaigos data 2025 metų rugpjūčio mėn. 28 d.

Wunder SA.BI. s.r.l. vardu,

WUND...
...A.BI. s.r.l.
...Monza, 20
...'Adda (MI)
T: 02 90964566 M: wunder@wunder.lt
P.IVA 01786290161 - SDI: SUBM70N
PEC: infowunderpec@legalmail.lt

Išversta teisingai pagal mano žinias ir įsitikinimus. Tekstas yra išverstas teisingai ir tiksliai bei be pakeitimų prasmėje. Aš esu užtikrintas, kad lietuvių kalbos vertimas atitinka originalų dokumentą.

MB „Beikeris". Į. k. 304539005

WU150 - Standard

with R2020, RA, RB, RH, RW, DE, PS20, RW-XL, RL

This configuration is applied to all weighing scales for people with generic use in the medical field.

The design of the keyboard and the functions were implemented to cover all the needs of the operator using it, making the WI150 system experience a user-friendly one.

Indicator: ø W215 x D180mm, ABS with double LCD display triple-read:
1° Display Weight 5 digit LCD - H20mm
2° Multiline display Height/BMI 3 digit LCD - H12mm

Functions

ON/OFF
On/Off key.
Pressed for 3 seconds it switches off the scale

Zero
Indication reset (within ±2% of the capacity)

Tare
Enables tare function

Hold
Lets you to block the patient's weight (in the case they are having difficulty in staying still) and keep the last weighing fixed

Cancel
Lets you cancel wrong numbers during the input of personal data

Export
Export results to PC or a thermal printer

BMI
Enables the calculation of a patient's BMI or IMC

Measuring unit
Lets user change measuring unit

Pretare
Lets you tare value to be stored by manually setting the figure to be subtracted (e.g. clothes, baby carriage)

WU150 - Baby

with Baby02 and changing table

This is the configuration applied to all products intended for paediatric and neonatal wards.

The design of the keyboard and the functions was implemented to provide the necessary data to the operator.

Indicator: ø W215 x D180mm, ABS with double LCD display triple-read:
1° Large LCD Display 5 digit weight - H20mm
2° Display Weight-Milk difference between the two weighs

Functions

ON/OFF and Zero
ON key. Press it for 3 seconds to turn the weighing device off. Zeroing of weight indication (±2% of the capacity)

Milk Intake
Milk weight function: lets you see the difference between the first and second weighing

Hold
Lets you to block the infant's weight and keep the last weighing fixed

Tare
Enables tare function

Export
Export results to PC or a thermal printer

kg - pounds
If activated, it allows you to change from one unit of measurement to another

R2020

⌖ Ⓑ (III) CE CEM MDR
0425 0474

Professional mechanical column scale

- Easy to use display

- Waist-heigh dial makes for a more ergonomic measurement reading

- Triple reading display: weight/height - BMI

- Stadiometer integrated in the instrument

NEW

The mat is removable to allow for better sanitation

10. Weight, tare, hold, Mother/Child weight,
BMI (body mass index), autozero, programmable autoOff

Certifications
NAWI metric directive 90/384-2014/31/UE
Precision class III according to EN45501 standards
Medical devices MDR Regulation (EU) 2017/745
Risk class Im with measuring function

Structure
Strong aluminium base coated with epoxy powder.
ABS indicator with triple reading display fixed to a painted aluminum column. Removable non-slip rubber platform.

Dimensions
Total W270 x D420 x H1140mm
Platform W240-260 x D300 x H85mm
Column ø60 x H900mm

Power supply

9. External power supply and alkaline battery holder 6 x AAA
(batteries not included) or 40h rechargeable battery kit
(optional)

Packaging
1 pcs of dimensions W600 x D800 x H1120mm
Weight: Net 20kg - Gross 34kg

Integrated stadiometer

Thanks to the column's innovative design the R2020 model offers the possibility of having the stadiometer integrated in the instrument thus reducing encumbrancee and simplifying measurements

Adjustable display

The R2020 disposes of a display of which the inclination can be adjusted based on the operator's needs, Making it easier to use and more efficient

Wheels (Optional)
Wheels to facilitate transport

WH200
7. Telescopic height rod built-in to the column 85-210cm high (page 62)
Indicator to facilitate reading

2.; 6.; 7. Į koloną įmontuota teleskopinė ūgio matuoklė ūgiui nuo 85 iki 210 cm

Model	Code		Capacity		Division	Surface mm
R2020	00073		150/200kg		50/100g	
R2020 Stadiometer	00073A	3.; 4.	150/200kg	4.	50/100g	W260 x D300
R2020 PRO	00073HR		60/150/200kg		20/50/100g	
R2020 Stadiometer PRO	00073AHR		60/150/200kg		20/50/100g	

Accessories included: adapter, RS232, level, non-slip feet, 2-year warranty

Optionals	Code		Optional Services	Code
Software wMed Basic	000WMEDB		Certification Seritikavimas	AOMOL
Rechargeable batteries 40h run time	BAME01		Electrical test certificate	APREL
Transport wheels	00006		Calibration certificate w/ Accredia weights	ACOSITMD
WS thermal printer (see page 94)	01131T		Calibration certificate LAT Accredia	ACOLAT2
Bluetooth	01137NBT		Warranty extension 5 years	AGAES
Wifi	01137NWIFI		Periodic verification 3 years	AOPER1