

Soluciones para · Solutions for · Solutions pour  
**Cirugía · Surgery · Chirurgie**



Ofrecemos un amplio rango de soluciones de un solo uso para el entorno de quirófano, que garantizan la máxima eficiencia en el trabajo del profesional sanitario, a la vez que un manejo óptimo y respetuoso del paciente.

We offer a wide range of single-use solutions for the operating room environment, which guarantee maximum efficiency for the healthcare professional, as well as optimal and respectful handling of the patient.

*Nous proposons une large gamme de solutions à usage unique pour l'environnement du bloc opératoire, qui garantissent une efficacité maximale dans le travail du professionnel de la santé, ainsi qu'une manipulation optimale et respectueuse du patient.*

**Electrocirugía · Electrosurgery · Électrochirurgie**

Placas de electrocirugía  
**Electrosurgical plates**  
*Plaques pour électrochirurgie*  
 Blayco

Fuimos los primeros en fabricar placas para electrocirugía en España, y a día de hoy, continuamos siendo los únicos. Nuestra larga experiencia hace que las placas de electrocirugía Blayco estén diseñadas y dimensionadas para ofrecer todas las garantías de seguridad durante su utilización.

Disponemos de placas pregeladas para pacientes adultos, pediátricos y neonatales, así como también modelos de uso universal, placas unipolares y bipolares, con cable incorporado con conexiones compatibles con dispositivos tipo Erbe, Valleylab y REM Valleylab y sin cable para utilizarse con cables reutilizables.

Existe una placa electroquirúrgica Blayco para cada necesidad que se pueda plantear en el entorno quirúrgico, por muy exigente que esta sea.

We were the first manufacturers of electrosurgical plates in Spain, and to this day, we continue to be the only ones. Our long experience means that Blayco electrosurgical plates are designed and sized to offer all safety guarantees during use.

We have pregelled electrosurgical plates for adult, paediatric and neonatal patients, as well as models for universal use, unipolar or bipolar, with cable compatible with Erbe, Valleylab and REM Valleylab devices and without cable for being used with reusable cables.

There is a Blayco electrosurgical plate for every need that may arise in the surgical environment, no matter how demanding it may be.

*Nous avons été les premiers à fabriquer des plaques électro chirurgicales en Espagne et, à ce jour, nous continuons à être les seuls. Grâce à notre longue expérience, les plaques électro chirurgicales Blayco sont conçues et dimensionnées pour offrir toutes les garanties de sécurité lors de leurs utilisations.*

*Nous disposons de plaques pré-géllifiées pour les patients adultes, pédiatriques et néonataux, ainsi que de modèles à usage universel, de plaques unipolaires et bipolaires, avec câble intégré et connexions compatibles avec les appareils de type Erbe, Valleylab et REM Valleylab, et sans câble pour l'utilisation de câbles réutilisables.*

*Il existe une plaque électro chirurgicale Blayco pour chaque besoin de l'environnement chirurgical, aussi exigeant soit-il.*

**blayco**

**>15Kg**  
 ADULTO  
 ADULT  
 ADULTE

**5-10Kg**  
 PEDIÁTRICO  
 PEDIATRIC  
 PÉDIATRIQUE

**50W MAX. <5Kg**  
 NEONATAL  
 NEONATAL  
 NÉONATAL

**>5Kg**  
 UNIVERSAL  
 UNIVERSAL  
 UNIVERSELLE

ESPOSOR HIDROGEL  
 THICKNESS HYDROGEL  
 ÉPAISSEUR HYDROGEL  
**0,69mm**



REM es una marca registrada de Valleylab Inc. / REM is a registered trademark of Valleylab Inc. / REM est une marque déposée de Valleylab Inc.

Dual adulto apaisada · Adult dual oblong shape · Adulte dual rectangulaire



Referencia Reference Référence	Código Code Code	Conector/Cable Connector/Cable Connecteur/Câble	Compatibilidad Compatibility Compatibilité	Etiqueta trazabilidad Traceability label Étiquette traçabilité	Unidades/Bolsa Units/Pouch Unité/Poche	Unidades/Caja Units/Box Unité/Carton
2510	TPL01	-		X	1	100
2510-5	TPL05	-		X	5	100
2510	TPLT1	-		✓	1	100
2510-C/00	TPQ0D	4200 / 3 m	Erbe	X	1	50
2510-C/12	TPQ0E	4212 / 3 m	Valleylab REM	X	1	50

Dual pediátrica · Paediatric dual · Pédiatrique dual



4 p.d.

Referencia Reference Référence	Código Code Code	Conector/Cable Connector/Cable Connecteur/Câble	Compatibilidad Compatibility Compatibilité	Etiqueta trazabilidad Traceability label Étiquette traçabilité	Unidades/Bolsa Units/Pouch Unité/Poche	Unidades/Caja Units/Box Unité/Carton
2600	TPJ01	-		X	1	100
2600	TPJT1	-		✓	1	100
2600-C/12	TPO0E	4212 / 3 m	Valleylab REM	X	1	50
2600-C/00	TPO0F	4200 / 3 m	Erbe	X	1	50

Dual neonatal · Neonatal dual · Néonatal dual



3 p.d.

Referencia Reference Référence	Código Code Code	Conector/Cable Connector/Cable Connecteur/Câble	Compatibilidad Compatibility Compatibilité	Etiqueta trazabilidad Traceability label Étiquette traçabilité	Unidades/Bolsa Units/Pouch Unité/Poche	Unidades/Caja Units/Box Unité/Carton
2700	TPK01	-		X		
2700	TPKT1	-		✓		
2700-C/00	TPP0A	4200 / 3 m	Erbe	X	1	50
2700-C/12	TPP0E	4212 / 3 m	Valleylab REM	X		
2700-C/12	TPPTE	4212 / 3 m	Valleylab REM	✓		

Dual universal · Universal dual · Universal dual



5 p.d.

Referencia Reference Référence	Código Code Code	Conector/Cable Connector/Cable Connecteur/Câble	Compatibilidad Compatibility Compatibilité	Etiqueta trazabilidad Traceability label Étiquette traçabilité	Unidades/Bolsa Units/Pouch Unité/Poche	Unidades/Caja Units/Box Unité/Carton
2900	TPT01	-		X	1	100
2900-5	TPT05	-		X	5	100
2900	TPTT1	-		✓	1	100
2900-C/00	TPV0A	4200 / 3 m	Erbe	X	1	50
2900-C/12	TPV0E	4212 / 3 m	Valleylab REM	X	1	50
2900-C/12/5	TPV0H	4212 / 5 m	Valleylab REM	X	1	50

18 p.d. Hemostatine kempine 70x50x10 mm

# Cutanplast® Sterile haemostatic gelatin




**Cutanplast® is a reabsorbable sterile gelatin sponge with a marked haemostatic effect: the porous surface of the gelatin induces the rapid rupture of the blood plaques with the consequent activation of the enzymes cascade which leads to natural coagulation.**




### **Cutanplast® Characteristics**

- Completely absorbed if left in-situ.
- Non-toxic.
- Does not cause allergic reactions.
- Has a neutral pH.
- Absorbs a quantity of blood corresponding to approximately 50 times its own weight.
- May be applied dry.
- May be soaked with sterile physiological solution or with antibiotics.
- May be easily reduced in size to any required format.
- Reduces the time of the surgical operation.
- Stops the haemorrhage.
- Is reabsorbed within a number of weeks.
- Easy to use.
- Safe.
- Reliable.


# Examples



**1** *Neurosurgery*




**4** *Chest Surgery*




**6** *Parenchymal Surgery*



# of where Cutanplast<sup>®</sup> is utilised:




2 *Plastic Surgery*




3 *Otolaryngological Surgery*



5 *Vascular Surgery*



7 *Thyroid Surgery*



8 *Anal Surgery*


18 p.d.

## TECHNICAL DATA



### "Standard"

Dimensions of the sponge mm 70x50x10;  
every sponge is individually packaged in  
double envelope, sterile.  
Packaging boxes of 2 or 20 units.




### "Special"

Dimensions of the sponge mm 70x50x1;  
every sponge is individually packaged in  
double envelope, sterile.  
Packaging boxes of 20 units.



### "Film"

Dimensions of the sponge mm  
200x70x0.5;  
every sponge is individually packaged in  
double envelope, sterile.  
Packaging boxes of 20 units.



### "Anal"

Dimensions of the sponge mm 80x Ø 30;  
every sponge is individually packaged in  
a plastic container, sterile.  
Packaging boxes of 5 or 20 units.



### "Dental"

Dimensions of the sponge mm 10x10x10;  
blister packaging, sterile.  
Packaging boxes of 24 units.



**Mascia Brunelli S.p.A.**

V.le Monza, 272 - 20128 Milano

Tel. ++39 - 02 - 25.20.91 - Fax ++39 - 02 - 25.76.428 - Telex 330838 MABIOS I

Internet: [www.masciabrunelli.it](http://www.masciabrunelli.it) - e-mail: [mktg@masciabrunelli.it](mailto:mktg@masciabrunelli.it)

CE 0483

Reikalavimai ambulatorinei chirurgijai

**NOBATAMP®**

Šis marlės juostelėmis tvarstis turi 2 austus kraštus, naudojamas kraujavimo stabdymui žaizdų ertmėse. Taip pat tinkamas naudoti natūralioms kūno ertmėms.

Sudėtis: medvilnė


Dydis	REF	Vienetas	Rinkinio pakuotė	Siuntimo dėžė
sterilūs, individualiai supakuoti; <b>5m ilgio</b>				
1 cm	631 101	--	15	300
<b>2 cm</b>	<b>631 102</b>	--	10	200
5 cm	631 105	--	10	200
8 cm	631 108	--		



sterilūs,  
individualiai supakuoti;

**0,4m ilgio**

1 cm	631 401	--	50	900
2 cm	631 402	--	50	900



# Disposable Specimen Retrieval Bag



Tinkamas naudoti su 10mm trokaru

REF	Bag Material	Bag Size (mm)	Introducer Diameter (mm)	Bag Volume (ml)
QW2-1	Nylon	80*100	10	150
QW2-2	Nylon	90*190	10	300
QW2-3	Nylon	100*100	10	175
QW2-4	Nylon	100*150	10	240
QW2-5	Nylon	110*200	10	435
QW2-6	Nylon	170*240	12	1100
QW2-7	Nylon	200*260	15	1400
QW4-8	TPU	95*195 →	Maišo ilgis 195mm 10	200 Talpa 200ml.
QW4-9	TPU	130*195 →	Maišo ilgis 195mm 10	Maišo tūris 400ml. 400
QW4-10	TPU	160*200 →	Maišo ilgis 200 mm. 10	Maišo tūris 800ml 800
QW4-11	TPU	185*240	10	1200
QW8-1	Nylon	50*110	5	50

20 p.d.

## Features:

- Ultra-durable Ripstop Nylon bag does not propagate tears like standard poly bags.
- Preloaded memory wire automatically opens bag upon deployment.
- Flexible metal ring provide enough holding force to keep the bag mouth open for optimal specimen loading.
- The pulling string ensures the full closure of the bag.
- Simple delivery to aid rapid entry of the product.

Sterilus

■ Sterile

Jiangsu BANA Medical Technology Co., Ltd.

add: No. 28-3 Guihua Road, Zhonglou Economic Development Zone, Changzhou, Jiangsu, China 213023  
Tel/Fax: +86-519-85158007 +86-519-85158009 | Web: www.jsbana.cn | Email: info@jsbana.cn

# spinal anesthesia needles



Tulip Design **sukonstruota taip, kad būtų sumažintas audinių pleišėjimas**

### Atrau-com®

- Multi-angle grinded tip with special bending
- Extra thin wall
- Atraumatic

### quincke tip

- Quincke bevel is formed using state of the art technology. Smooth needle point ensures easy insertion into tissues.
- Perfect matching of stylet and needle bevel prevent coring. **Angular tip prevents tissue damage.**
- Crystal clear needle hub** enables monitoring fluid flow and helps **keep CSF loss at a minimum level.**
- Thin wall needle lets faster fluid flow.

**su permatomu movos langu**

### pencil point

- Perfect conic elliptical bevel enables easy access to desired location, without cutting or harming tissues.



\* Please check page 11 for details.

dydźiai

SIZES		reference	product name	gauge	color	length mm	length inch
 <p>quincke</p> <p>26 p.d.</p> <p>50 p.d.</p> <p>27 p.d.</p>	TSPQ1875	18 G – 75 mm Spinal Needle Quincke Bevel	18G		75mm	3"	
	TSPQ1890	18 G – 90 mm Spinal Needle Quincke Bevel	18G		90mm	3½"	
	TSPQ1990	19G – 90 mm Spinal Needle Quincke Bevel	19G		90mm	3½"	
	TSPQ2075	20 G – 75 mm Spinal Needle Quincke Bevel	20G		75mm	3"	
	TSPQ2090	20 G – 90 mm Spinal Needle Quincke Bevel	20G		90mm	3½"	
	TSPQ2190	21 G – 90 mm Spinal Needle Quincke Bevel	21G		90mm	3½"	
	TSPQ2240	22 G – 40 mm Spinal Needle Quincke Bevel	22G		40mm	1½"	
	TSPQ2275	22 G – 75 mm Spinal Needle Quincke Bevel	22G		75mm	3"	
	TSPQ2290	22 G – 90 mm Spinal Needle Quincke Bevel	22G		90mm	3½"	
	TSPQ22120	22 G – 120 mm Spinal Needle Quincke Bevel	22G		120mm	4¾"	
	TSPQ2390	23G – 90 mm Spinal Needle Quincke Bevel	23G		90mm	3½"	
	TSPQ2490	24 G – 90 mm Spinal Needle Quincke Bevel	24G		90mm	3½"	
	TSPQ2575	25 G – 75 mm Spinal Needle Quincke Bevel	25G		75mm	3"	
	TSPQ2590	25 G – 90 mm Spinal Needle Quincke Bevel	25G		90mm	3½"	
	TSPQK2590	25 G – 90 mm Spinal Needle Quincke Bevel with Guide	25G		90mm	3½"	
	TSPQK25103	25 G – 103 mm Spinal Needle Quincke Bevel with Guide	25G		103mm	4"	
	TSPQK25120	25 G – 120 mm Spinal Needle Quincke Bevel with Guide	25G		120mm	4¾"	
	TSPQ2690	26 G – 90 mm Spinal Needle Quincke Bevel	26G		90mm	3½"	
	TSPQK2690	26 G – 90 mm Spinal Needle Quincke Bevel with Guide	26G		90mm	3½"	
	TSPQK26103	26 G – 103 mm Spinal Needle Quincke Bevel with Guide	26G		103mm	4"	
	TSPQK26120	26 G – 120 mm Spinal Needle Quincke Bevel with Guide	26G		120mm	4¾"	
	TSPQ2790	27 G – 90 mm Spinal Needle Quincke Bevel	27G		90mm	3½"	
	TSPQK2790	27 G – 90 mm Spinal Needle Quincke Bevel with Guide	27G		90mm	3½"	
	TSPQK27103	27 G – 103 mm Spinal Needle Quincke Bevel with Guide	27G		103mm	4"	
	TSPQK27120	27 G – 120 mm Spinal Needle Quincke Bevel with Guide	27G		120mm	4¾"	
	TSPQ2990	29G – 90 mm Spinal Needle Quincke Bevel	29G		90mm	3½"	
	TSPQK2990	29 G – 90 mm Spinal Needle Quincke Bevel with Guide	29G		90mm	3½"	
	TSPQK29120	29G – 120 mm Spinal Needle Quincke Bevel with Guide	29G		120mm	4¾"	

SIZES		reference	product name	gauge	color	length mm	length inch
 <p>pencil point</p>	TSPP2290	22 G – 90 mm Spinal Needle Pencil Point	22G		90mm	3½"	
	TSPPK2290	22 G – 90 mm Spinal Needle Pencil Point with Guide	22G		90mm	3½"	
	TSPP2390	23 G – 90 mm Spinal Needle Pencil Point	23G		90mm	3½"	
	TSPP2490	24 G – 90 mm Spinal Needle Pencil Point	24G		90mm	3½"	
	TSPP2590	25 G – 90 mm Spinal Needle Pencil Point	25G		90mm	3½"	
	TSPPK2590	25 G – 90 mm Spinal Needle Pencil Point with Guide	25G		90mm	3½"	
	TSPPK25103	25 G – 103 mm Spinal Needle Pencil Point with Guide	25G		103mm	4"	
	TSPPK25120	25 G – 120 mm Spinal Needle Pencil Point with Guide	25G		120mm	4¾"	
	TSPP2690	26 G – 90 mm Spinal Needle Pencil Point	26G		90mm	3½"	
	TSPPK2690	26 G – 90 mm Spinal Needle Pencil Point with Guide	26G		90mm	3½"	
	TSPPK26103	26 G – 103 mm Spinal Needle Pencil Point with Guide	26G		103mm	4"	
	TSPP2790	27 G – 90 mm Spinal Needle Pencil Point	27G		90mm	3½"	
	TSPPK2790	27 G – 90 mm Spinal Needle Pencil Point with Guide	27G		90mm	3½"	
	TSPPK27103	27 G – 103 mm Spinal Needle Pencil Point with Guide	27G		103mm	4"	
	TSPPK27120	27 G – 120 mm Spinal Needle Pencil Point with Guide	27G		120mm	4¾"	
	TSPP2990	29 G – 90 mm Spinal Needle Pencil Point	29G		90mm	3½"	
	TSPPK2990	29 G – 90 mm Spinal Needle Pencil Point with Guide	29G		90mm	3½"	

SIZES		reference	product name	gauge	color	length mm	length inch
 <p>atrau-com®</p>	TSPAK2590	25 G – 90 mm Atraucom Spinal Needle with Guide	25G		90mm	3½"	
	TSPAK25100	25 G – 100 mm Atraucom Spinal Needle with Guide	25G		100mm	4"	
	TSPA2650	26 G – 50 mm Atraucom Spinal Needle	26G		50mm	2"	
	TSPAK2688	26 G – 88 mm Atraucom Spinal Needle with Guide	26G		88mm	3½"	
	TSPAK26100	26 G – 100 mm Atraucom Spinal Needle with Guide	26G		100mm	4"	


<b>Ref Doc: PSD0015</b>		<b>No.: EISO-x</b>		<b>Rev. 10</b>	
<b>Product:</b> ISOSAF Syringes		<b>Application:</b>		Enteral	
<b>Technical Qualification</b>					
<b>Raw Materials:</b>		Barrel- Polypropylene		Plunger- Polypropylene	
		Lubricant- Silicone Oil		Gasket- Polyisoprene Rubber	
<b>Packing:</b>		Single Sterile blister, PP/PE			
<b>Regulatory:</b>		EISO and ELDISO 1-3ml Class I Sterile and Measuring EISO 5-60ml Class IIa			
<b>Others:</b>		ENFit ISO 80369-3 5 Years Shelf Life			
<b>Packaging:</b>		Primary		Medical Dialysis Paper, PP/PE Medical Composite Packaging Film	
		Secondary		Hard Corrugated Fiberboard Paper - FSC 100% Recycled Material/100% Recyclable Materials	
		Tertiary		Double Corrugated Fiberboard Paper – FSC 100% Recycled Material/100% Recyclable Materials	
<b>Products:</b>					
<b>Code:</b>		<b>Description:</b>			
EISO-1		Enteral-ISOSAF 1ml Female ENFit Single Use Syringe			
ELDISO-1		Enteral-ISOSAF 1ml Low Dose ENFit Single Use Syringe			
EISO-3		Enteral-ISOSAF 3ml Female ENFit Single Use Syringe			
ELDISO-3		Enteral-ISOSAF 3ml Low Dose ENFit Single Use Syringe			
EISO-5		Enteral-ISOSAF 5ml Female ENFit Single Use Syringe			
ELDISO-5		Enteral-ISOSAF 5ml Low Dose ENFit Single Use Syringe			
EISO-10		Enteral-ISOSAF 10ml Female ENFit Single Use Syringe			
EISO-20		Enteral-ISOSAF 20ml Female ENFit Single Use Syringe			
EISO-35		Enteral-ISOSAF 35ml Female ENFit Single Use Syringe			
EISO-60		Enteral-ISOSAF 60ml Female ENFit Single Use Syringe			
EISO-100		Enteral-ISOSAF 100ml Female ENFit Single Use Syringe			
<b>Intended Use:</b> The Enteral / Oral Syringes are intended to be used for delivering liquid medication and formulated enteral nutrition/feed either orally or via a feeding tube into the gastro-intestinal tract.					
<b>Features:</b>					
<ul style="list-style-type: none"> <li>• Full thread connector</li> <li>• Clear number markings</li> <li>• High visibility through barrel</li> <li>• Integrated plunger backstop</li> <li>• Purple coloured plunger</li> <li>• Low dose tip available in 1ml, 3ml and 5ml</li> <li>• Smooth plunger movement</li> </ul>					



## Flocare Extension Set


Extends the length of any giving set or feeding tube by 100cm

- Suitable for patients at home
- Suitable for both adult and paediatric use
- Single patient use
- CE certificated medical device (CE0344)
- 40 units per case
- Order code: 91393



# URETERAL STENTS & SETS

Üreteral Stent ve Setleri



**URETERAL STENTS & SETS**

Üreteral Stent ve Setleri



- ✓ Biocompatible polyurethane material
- ✓ High radyopacity
- ✓ Flex, safe for patient
- ✓ Biyouyumlu poliüretan malzeme
- ✓ Yüksek radyoopasite
- ✓ Esnek, hasta için güvenli

Fr	Guidewire Kılavuz Tel	Length Uzunluk	Distal End Closed Bir Ucu Kapalı	Both Ends Open İki Ucu Açık	Distal End Closed Set Bir Ucu Kapalı Set	Both Ends Open Set İki Ucu Açık Set
3	0,018	8	500001	500085	510001	510085
		10	500002	500086	510002	510086
		12	500003	500087	510003	510087
		14	500004	500088	510004	510088
		16	500005	500089	510005	510089
		18	500006	500090	510006	510090
		20	500007	500091	510007	510091
		22	500008	500092	510008	510092
		24	500009	500093	510009	510093
		26	500010	500094	510010	510094
		28	500011	500095	510011	510095
4	0,028	8	500013	500097	510013	510097
		10	500014	500098	510014	510098
		12	500015	500099	510015	510099
		14	500016	500100	510016	510100
		16	500017	500101	510017	510101
		18	500018	500102	510018	510102
		20	500019	500103	510019	510103
		22	500020	500104	510020	510104
		24	500021	500105	510021	510105
		26	500022	500106	510022	510106
		28	500023	500107	510023	510107

Ureteral Stent: Stent + Pusher + Clamp  
Ureteral Stent Set: Stent + Pusher + Clamp + Guidewire



# URETERAL STENTS & SETS

Üreteral Stent ve Setleri

Fr	Guidewire Kılavuz Tel	Length Uzunluk	Distal End Closed Bir Ucu Kapalı	Both Ends Open İki Ucu Açık	Distal End Closed Set Bir Ucu Kapalı Set	Both Ends Open Set İki Ucu Açık Set
4,7	0,032	8	500025	500109	510025	510109
		10	500026	500110	510026	510110
		12	500027	500111	510027	510111
		14	500028	500112	510028	510112
		16	500029	500113	510029	510113
		18	500030	500114	510030	510114
		20	500031	500115	510031	510115
		22	500032	500116	510032	510116
		24	500033	500117	510033	510117
		26	500034	500118	510034	510118
		28	500035	500119	510035	510119
4,8	0,035	30	500036	500120	510036	510120
		8	500037	500121	510037	510121
		10	500038	500122	510038	510122
		12	500039	500123	510039	510123
		14	500040	500124	510040	510124
		16	500041	500125	510041	510125
		18	500042	500126	510042	510126
		20	500043	500127	510043	510127
		22	500044	500128	510044	510128
		24	500045	500129	510045	510129
		26	500046	500130	510046	510130
5	0,035	28	500047	500131	510047	510131
		30	500048	500132	510048	510132
		8	500049	500133	510049	510133
		10	500050	500134	510050	510134
		12	500051	500135	510051	510135
		14	500052	500136	510052	510136
		16	500053	500137	510053	510137
		18	500054	500138	510054	510138
		20	500055	500139	510055	510139
		22	500056	500140	510056	510140
		6	0,038	24	500057	500141
26	500058			500142	510058	510142
28	500059			500143	510059	510143
30	500060			500144	510060	510144
8	500061			500145	510061	510145
10	500062			500146	510062	510146
12	500063			500147	510063	510147
14	500064			500148	510064	510148
16	500065			500149	510065	510149
18	500066			500150	510066	510150
7	0,038			20	500067	500151
		22	500068	500152	510068	510152
		24	500069	500153	510069	510153
		26	500070	500154	510070	510154
		28	500071	500155	510071	510155
		30	500072	500156	510072	510156
		24	500081	500165	510081	510165
26	500082	500166	510082	510166		
28	500083	500167	510083	510167		
30	500084	500168	510084	510168		


## Kidney Stone Basket Standard

Tube made of PTFE  
Basket and wire made of Nitinol




### Helical

Add to Art. No. -H  
(Example SE 3-470-H)



### Flatwire

Add to Art. No. -F  
(Example SE 3-470-F)



### Tipless

Add to Art. No. -T  
(Example SE 3-470-T)

Art. No.	Ø (Fr/CH)	Number of wires	Length (cm)
<b>SE 3-470</b>	3	4	70
<b>SE 3-490</b>	3	4	90
<b>SE 3-4120</b>	3	4	120
<b>SE 4-470</b>	4	4	70
<b>SE 4-490</b>	4	4	90
<b>SE 4-4120</b>	4	4	120
+P with Polyamidwire			
<b>For flexible Ureterorenoscope</b>			
<b>NITI-DIS 1.8-4-120</b>	1.8	4*	120
<b>NITI-DIS 2.4-4-120</b>	2.4	4*	120
Baskets tipless			

Vidinis diametras 10Fr, ilgis 45 cm. Skirta lankstaus ureteroskopo saugiam įvedimui į šlapimtakį ir akmenų pašalinimo operacijoms, su papildomu kanalu kontrastavimui.

## Ureter working channel Access Sheath Standard

Made of Polyurethane  
Dilator: PEBAX  
Tecoflex® USA

Provides **ureteral dilation** and a **continuous working channel** for the introduction of Endoscopes and Instruments during ureteral access procedures.



Art. No.	Sheath Inner Diameter		Sheath Length cm
	Ø (Fr/CH)	= mm	
<b>UAS 10-13</b>	10	= 3.3	13
<b>UAS 10-20</b>	10	= 3.3	20
<b>UAS 10-28</b>	10	= 3.3	28
<b>UAS 10-30</b>	10	= 3.3	30
<b>UAS 10-35</b>	10	= 3.3	35
<b>UAS 10-45</b>	10	= 3.3	45
<b>UAS 12-13</b>	12	= 4	13
<b>UAS 12-20</b>	12	= 4	20
<b>UAS 12-28</b>	12	= 4	28
<b>UAS 12-30</b>	12	= 4	30
<b>UAS 12-35</b>	12	= 4	35
<b>UAS 12-45</b>	12	= 4	45
<b>UAS 14-13</b>	14	= 4.7	13
<b>UAS 14-20</b>	14	= 4.7	20
<b>UAS 14-28</b>	14	= 4.7	28
<b>UAS 14-30</b>	14	= 4.7	30
<b>UAS 14-35</b>	14	= 4.7	35
<b>UAS 14-45</b>	14	= 4.7	45