

10 dalis

Gamintojas FOSHAN Dongfang Medical  
Equipment Manufactory Ltd. Kinija

**VEŽIMĖLIS UNIVERSALUS  
(VEŽIMĖLIS – NAKTIPUODŽIO KĖDUTĖ)**

Modelis FS681

**PREKĖS APRAŠYMAS**



Universalus vežimėlis - naktipuodžio kėdutė skirta negaliems ar sunkiai vaikščiojantiems asmenims važiuoti patiems arba padedant kitam asmeniui patalpose ar vietose, kur kieta

paviršiaus danga. Vežimėlį galima suglausti prieš tai nuėmus paminkštintą sėdynę ir sėdynę su išpjova. Po vežimėlio sėdyne įstatomas naktipuodis, kuris lengvai įdedamas ir išimamas.

Rankų atramos pakeliamos, jų padėtis fiksuojama. Pėdų atramos nuimamos, pasukamos į šonus, jų aukštis reguliuojamas. Galiniai lankais varomi ratai, padangos pripučiamos. Priekinių ratukų šakutės metalinės, ratukai iš mikroporingos gumos, yra blauzdas palaikantis dirželis.

Techniniai duomenys:

Aukštis, mm	900
Ilgis, mm	1100
Plotis, mm	600
Leistina apkrova, kg	120
Masė, kg	19,6

Garantinis naudojimo laikas:

vežimėlio rėmui – 4 metai, kitoms dalims (išskyrus padangas ir kameras) - 2 metai

Pridedame:


CE atitikties deklaraciją FS681 su vertimu į lietuvių kalbą

FOSHAN Dongfang Medical Equipment Manufactory Ltd. įgaliojimą su vertimu atstovauti jų kompaniją Lietuvos rinkoje su vertimu

Katalogo kopiją, psl.18

Pasirenkamų iš katalogo komplektuojamų detalių kopiją, psl.17


Ad is 10d. priekinis ir galinis ratų pasirinkimas



1 2 3 4 5 6 7 8 9 10 11



12 13 14 15 16 17 18 19 20



21 22 23 24 25 26 27



28 29 30 31 32 33 34 35



36 37 38 39 40 41 42

- |                                      |  |                                    |   |   |
|--------------------------------------|--|------------------------------------|---|---|
| (1) 3" CASTOR                        | (11) ADJUSTABLE ANTI WHEEL SET                   | (21) 8" PU WHEEL                   | (31) 20" PNEUMATIC SPOKE WHEEL SET          | (41) 24" SOLID MAG WHEEL SET            |
| (2) 5" SOLID CASTOR                  | (12) 6" WHEEL SET WITH ALUMINUM FORK             | (22) 8" PNEUMATIC WHEEL            | (32) 22" DRUM BRAKE PNEUMATIC MAG WHEEL SET | (42) 24" PU MAG WHEEL SET               |
| (3) 4" SOLID CASTOR                  | (13) 6" SOLID WHEEL SET                          | (23) 8" SOLID WHEEL                | (33) 16" PU WHEEL SET                       | (43) FOAM HANDLE FOR STICK              |
| (4) 6" SOLID CASTOR                  | (14) 4" SOLID WHEEL SET                          | (24) 8" RUBBER FOAM WHEEL          | (34) 22" SOLID SPOKE WHEEL SET              | (44) FOAM HANDLE FOR CRUTCH             |
| (5) 6" PNEUMATIC CASTOR              | (15) 4" SOLID WHEEL WITH BRAKE                   | (25) 12" RUBBER FOAM DRIVE WHEEL   | (35) 22"/24" PLASTIC HAND RIM               | (45) FOAM HANDLE FOR WALKER             |
| (6) 6"x1.5" SOLID CASTOR             | (16) 6" SOLID WHEEL WITH BRAKE                   | (26) 12" PNEUMATIC MAG WHEEL SET   | (36) 24" PNEUMATIC SPOKE WHEEL SET          | (46) FOAM SUPPORT FOR CRUTCH            |
| (7) 8" PNEUMATIC WHEEL SET           | (17) 5" SOLID WHEEL SET                          | (27) 12" PNEUMATIC SPOKE WHEEL SET | (37) 24" PNEUMATIC MAG WHEEL SET            | (47) PU FOOTREST PAD                    |
| (8) 8" SOLID WHEEL SET               | (18) 5" SOLID WHEEL WITH BRAKE                   | (28) 16" PNEUMATIC MAG WHEEL SET   | (38) 24" SOLID SPOKE WHEEL SET              | (48, 49, 50, 51, 52, 53, 54) RUBBER TIP |
| (9) 8" PU WHEEL SET                  | (19) 5" SOLID WHEEL WITH PLASTIC FORK            | (29) 16" PNEUMATIC SPOKE WHEEL SET | (39) 22" PU SPOKE WHEEL SET                 | (55) SHORT PU ARMREST PAD               |
| (10) 3" SOLID BACK SUPPORT WHEEL SET | (20) 5" SOLID WHEEL WITH PLASTIC FORK AND BRAKE. | (30) 22" PNEUMATIC SPOKE WHEEL SET | (40) 24" PU SPOKE WHEEL SET                 | (56) LONG PU ARMREST PAD                |

8,9

11




**FS609U** MAIN PARAMETERS (cm)

60	44	56	20	50	87	10	120	120	244
FR	W	H	D	SH	HT	FL	FR	FR	FR

FOLDABLE CHROMED STEEL FRAME, SOFT COMMODE SEAT, FIXED ARMREST AND FOOTREST, SOLID CASTOR AND SOLID REAR WHEEL.

8,9 is psl.17



**FS681** MAIN PARAMETERS (cm)

60	44	56	16	50	80	10	120	120	244
FR	W	H	D	SH	HT	FL	FR	FR	FR

FOLDABLE CHROMED STEEL FRAME, PLASTIC COMMODE SEAT, DETACHABLE ARMREST AND FOOTREST, SOLID CASTOR AND REAR WHEEL.

Suglaudžiamas chromuotas plieninis rėmas, plastikinė naktipuodžio kėdės sėdynė, nuimami porankiai ir pakojai, monolitiniai priekiniai ir galiniai ratai



**FS683L** MAIN PARAMETERS (cm)

60	44	56	16	50	80	10	120	120	244
FR	W	H	D	SH	HT	FL	FR	FR	FR

ALUMINUM CHAIR FRAME, PU COMMODE SEAT, FLIP-UP DESK ARMREST, DETACHABLE FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL.



**FS609LU** MAIN PARAMETERS (cm)

60	44	56	16	50	80	10	120	120	244
FR	W	H	D	SH	HT	FL	FR	FR	FR

FOLDABLE ALUMINUM CHAIR FRAME, SOFT COMMODE SEAT, FIXED ARMREST AND FOOTREST, SOLID CASTOR, PNEUMATIC REAR WHEEL.