

**TENDER FOR****Plot-combine**

No.

24.05.2016

(Date)

Ilshofen

(Place)

Tiekėjo pavadinimas, jm. kodas / Suppliers name/title (when submitted by a group of economic entities, please fill in names of all partners)	HALDRUP GmbH
Tiekėjo adresas / Suppliers address (when submitted by a group of economic entities, please fill in addresses of all partners)	Justus-von-Liebig-Straße 3, D-74532 Ilshofen
Už pasiūlymą atsakingo asmens vardas, pavardė / Name and family name of the person responsible for the Tender	Bernd Kettemann
Telefono numeris / Phone number	+49. 7904 943998 112
Fakso numeris / Fax number	+49. 7904 943998 40
El. pašto adresas / E-mail address	bernd.kettemann@haldrup.net

Herewith we acknowledge that we accept all conditions of the Tender described in:

- 1) Announcement/notice of the open procurement;
- 2) Terms and Conditions of open procurement procedure;
- 3) Other documents of the procurement.

In view of the terms and conditions, set forth in the procurement documents, we hereby submit a tender and information regarding our ability to perform the Contract.

We offer the following equipment: HALDRUP C-85 Plot combine

Eil. Nr./ No.	Prekės pavadinimas / Title of the equipment	Kiekis (vnt.) / Quantity	Vieneto kaina, Eur (be PVM) / Unit Price Eur without VAT	PVM / VAT	Kaina Eur su PVM/ Total Price Eur
10	BASE MACHINE -12%	1	115.000,00 -13.800,00		115.000,00 -13.800,00
20	STANDARD ELECTRICS -12%	1	7.500,00 -900,00		7.500,00 -900,00
30	CABIN STANDART -12%	1	14.000,00 -1.680,00		14.000,00 -1.680,00
40	DRIVER'S SEAT FOR CABIN . STANDARD VERSION -12%	1	386,00 -46,32		386,00 -46,32
50	GRAIN TANK – PURE BREEDING -12%	1	8.030,00 -933,60		8.030,00 -963,60
60	CUTTING UNIT 2,350 mm -12%	1	19.900,00 -2.388,00		19.900,00 -2.388,00
70	CONCAVE UNIVERSAL SUITABLE FOR CEREALS -12%	1	1.340,00 -160,80		1.340,00 -160,80
80	EXTENDED GUARANTEE	1	3.570,00		3.570,00
85	MACHINE START.UP	1	1.230,00		1.230,00
90	PACKAGING COSTS	1	663,00		663,00
100	FREIGHT COSTS	1	3.500,00		3.500,00
Viso be PVM / Total price Eur, without VAT)					155.180,28
PVM / VAT					0,00
Viso su PVM / Total price Eur, including VAT					155.180,28

In cases when according to the Laws the Supplier does not need to pay VAT, it provides valid reasons for that along with the Tender and does not fill VAT related cells.

The offered laboratory equipment fully satisfies the requirements described in the Tender documents and the specifications as indicated below:

No.	Technical indicator	Required minimal characteristic	Offered characteristic
1.	Purpose	For harvesting cereals, legumes and grasses crops	Universal plot combine for all kind of crops. (POS 10)
2.	Engine	Minimum 75 kW	DEUTZ industrial diesel engine, type TD 3.6, Water-cooled, 4-cylinder turbo motor, engine size 3.6 l, power 80 kW (108 hp) at 2,200 rpm. (POS 10)
3.	Drive	Hydrostatic drive	Hydrostatic drive with 2 driving rangs. POCLAIN wheel engines. Max. Speed 20km/h forward, appox. 15 km/h in reverse. (POS 10)
4.	Threshing	700-1500 rpm, steeples' adjustable from the driver's seat	Threshing drum diameter: 450 mm. 700-1500 rpm, Steplessly adjustable from the driver's seat. (POS 10)
5.	Cleaning	The set of sieves and shaker system should be ensure prompt and effective cleaning of seeds mentioned crops during threshing Double sieve system. Hydraulic driven ventilator, cleaning fan Cleaning sieves designed for cereals, leguminous and grasses	The tangential threshing unit has a quick change system for a tool free changing of the concave. Machine with 3 straw walkers for pure breeding. The walker areas can be easily removed and cleaned. The sieve box is equipped with an adjustable upper and lower sieve (lamella sives). for cereals, leguminous and grasses Moreover, this combine is running smoothly and has low vibrations, it ensures the accuracy of the wighing results. Sieves can be easily mounted and dismantled. (POS 10)
6.	Cutting section	Width 2.20 -2.40 m With possibility of adjustment of various catting height	Cutting unit: 2,350 mm with with quick release coupling for easy mounting and dismanting (POS 60)
7.	Systems for prompt removing of impurities	The special system with air compressor and others accessories for inside self-contained cleaning system should be implemented	The lower and the upper sieve work in opposite directions. This way, the machine has a self-cleaning effect. Air distribution box. (POS 10)
8.	Grain tank	At least 1000 liters. Grain feeding to tank only	Grain tank capacity: 1,200 l Grain feeding to tank only (POS 50)
9.	Cabin	Closed cabin with air conditioner	Cabin STANDART with air-conditioner (POS 30) Standart driver's seat for cabin (POS 40)
10.	Tyres	Front tires should be at least 400 mm width	Drive wheels: 405/70-20 with tractor pattern. Width 405 mm (POS 10)
11.	Installation and customization	Obligatory	Installation and customization will be done obligatory.
12.	CE requirements	The plot-combine should meet all European Union standards for safety. The company should provide CE certificate or other equivalent document	The machine complies the EU and international standards for quality and safety (CE Certificate attached)
13.	Warranty	2 year warranty	Warranty is quoted separately for two years after reception of the machine at final destination (POS 80)

No.	Technical indicator	Required minimal characteristic	Offered characteristic
14.	Training	The company should train at least two persons	Training and machine start-up will be done by a service technician of HALDRUP GmbH. The training will begin to at least 2 persons. The machine will be assembled after transport and prepared for practical use. An introduction may be done during dry running or during field operation. (POS 85)
15.	Exploitation	The company should ensure the supply of all spare parts and components for at least 5 year after selling. The company should provide all necessary consultation for appropriate exploitation of plot-combine	We ensure the supply of all spare parts and components for at least 5 years after selling. We provide all necessary consultation for appropriate exploitation of plot-combine. Our Service-Hotline is: +49.7904/943998-143
16.	Instruction	Instruction should be in Lithuanian and/or English languages	The user manual will be in English language
17.	Other requirements	The combine should have all necessary lights (front, rear, revolving, plate number etc.) to illuminate the machine in road transport.  Combine should be delivered to the customer place.  The seller should prepare the plot-combine ready for work	H4 headlights, parking lights, turn signals, working lights for field and cutting table (POS 30)  The machine will be delivered at place (DAP) to Institute of Agriculture, Lithuanian Research Centre for Agriculture and Forestry, LT 58344, Instituto ave. 1, Akademija, Kedainiai district, Lithuania.  The plot combine will be ready for work.

