



ARTICLE SPECIFICATION

GENERAL SPECIFICATIONS

ARTICLE - NUMBER :71.186.07 D
DESCRIPTION :Screw Cap PP28 with PE-liner
ARTICLE - WEIGHT :appr. 3.6 g
DRAWING DATED :25.11.2011
RESIN :see specification 11.186.07 D and 92.000.01 25.5
COLOUR :see specification 11.186.07 D and 92.000.01 25.5
PROCESS OF PRODUCTION :injection moulding/assembled
ARTICLE CONSISTS OF :
PART1:ARTICLE-NUMBER :11.186.07-D DESCRIPTION: Screw Cap PP28
PART2:ARTICLE-NUMBER :92.000.01 25.5 DESCRIPTION: PE-liner Ø 25.5 x 2 mm


PACKAGING:


The articles are packed into PE-bags, which are closed and placed in carton boxes.
The pallets are wrapped with plastic foil.

Pieces per carton: 3000 pcs. Size of carton : 589x389x330(h)mm
Cartons per pallet: 24 pcs. Size of pallet : 1200x800x2130(h)mm

REMARKS:

ENCLOSED: material-specification technical drawing


Created by :  Date: 25.11.2011

Approved by :  Date: 25.11.2011

Diese Zeichnung (Modell) ist unser Eigentum. Jede Vervielfältigung, Verwertung oder Weitergabe an 3. Personen ohne unsere ausdrückliche Zustimmung ist strafbar und wird gerichtlich verfolgt!

K

nicht im Änderungsdienst



Material: HDPE/PE

Name	OTTO	 KUNSTSTOFFWERK KREMSMÜNSTER	71.186.07 D
Datum	25.11.2011		
geprüft	Huemer	Verschraubungsgarnitur CAP/LINER ASSEMBLY PP 28 S (11.186.07 D + 92.000.01 25,5)	
Maßstab	2:1		
Freimaße	DIN 16 901		
Ersatz für	Zng.v.10.04.2010		
Ersetzt d.			
Blatt	von 1/1		
Freig.QW-L	<i>Handwritten signature</i>		



ARTICLE SPECIFICATION

GENERAL SPECIFICATIONS

ARTICLE - NUMBER :11.186.07 D
DESCRIPTION :Screw Cap PP28 with tamper evidence ring
ARTICLE - WEIGHT :appr. 3,3 g
DRAWING DATED :28/09/2011
RESIN :HDPE with EP-compliance
(for example: Purell ACP 6541A)
COLOUR :white
black
PROCESS OF PRODUCTION :injection moulding

ARTICLE CONSISTS OF :----

PART1:ARTICLE-NUMBER :	DESCRIPTION:
PART2:ARTICLE-NUMBER :	DESCRIPTION:

PACKAGING:

The articles are packed into PE-bags, which are closed and placed in carton boxes.
The pallets are wrapped with plastic foil.

Pieces per carton: 3000 pcs. Size of carton : 589x389x330(h)mm
Cartons per pallet: 24 pcs. Size of pallet : 1200x800x2130(h)mm

REMARKS:

ENCLOSED: material-specification technical drawing

Created by : H. Kreml Date: 28/09/2011

Approved by : G. Weiermaier Date: 28/09/2011


Diese Zeichnung (Modell) ist unser Eigentum. Jede Vervielfältigung, Verwertung oder Weitergabe an 3. Personen ohne unsere ausdrückliche Zustimmung ist strafbar und wird gerichtlich verfolgt

Gewindesteigung: 3,63mm (7G/1")
 PITCH OF THREAD: 3,63 mm (7G/1")


Anspritzpunkt
 INJECTION POINT

120 Rillen
 120 GROOVES

8 Haltenoppen
 8 RATCHETS



Abreißstege
 LINKS



1:1

Arbeitskopie - Dokument
 nicht im Änderungsdienst

Material:	HOPE
Oberfläche:	glatt
Surface:	smooth
Name	Schoiswohl
Datum	28.09.2011
Geprüft	
Maßstab	2:1
Freimaße	DIN 16 901
Ersatz für	27.04.2006
Ersetzt d.	
Blatt	
Freig.QW TL	18.09.2011 Kowalski

 KUNSTSTOFFWERK
 KREMSMÜNSTER

11.186.07 D

Verschraubung mit Originalitätsring
 SCREW CAP WITH TAMPER EVIDENCE

PP 28 S



ARTICLE SPECIFICATION

GENERAL SPECIFICATIONS

ARTICLE - NUMBER :92.000.01 25.5
DESCRIPTION :PE-liner Ø 25.5 x 2 mm
ARTICLE - WEIGHT :approx. 0.3 g
DRAWING DATED :----
RESIN :PE-foam
COLOUR :white

PROCESS OF PRODUCTION :----

ARTICLE CONSISTS OF :----

PART1:ARTICLE-NUMBER :	DESCRIPTION:
PART2:ARTICLE-NUMBER :	DESCRIPTION:

PACKAGING:

The articles are packed into PE-bags, which are closed and placed in carton boxes.
The pallets are wrapped with plastic foil.


Pieces per carton: Size of carton :

Cartons per pallet: Size of pallet :

REMARKS:

ENCLOSED: material-specification technical drawing

Created by :  Date: 24.11.2011

Approved by :  Date: *24.11.2011*