

EC CERTIFICATE

DESIGN-EXAMINATION

(Annex II, section 4 of the MDD 93/42/EEC on Medical Devices, as revised)

No. 20 DM 2.4

The certificate is granted to the manufacturer:

Aachen Resonance GmbH

Headquarters / Production site:
Pauwelsstraße 17, DE-52074 Aachen, Germany

For the following medical devices:

Paclitaxel - eluting balloon catheters
- according to annex -


OTDM CERTIFICARE hereby declares that a design examination has been carried out on the medical device following the requirements of the Annex II Section 4 of the Directive 93/42/EEC on medical devices and we certify that the design of this device conforms with the relevant provisions of the above mentioned Directive.

Data needed for identification of the approved design, devices (brand and model) covered by the certificate, performed examinations are found in:

Examination report of the Design Dossier No. 20-P / 31.10.2014

Sterilization validation report no. 314001412-A-0 / 23.04.2014, issued by VANGUARD Spezialaufbereitung GmbH

which forms part of this certificate.


President of the Committee for Safeguarding Impartiality
Eng. Lazar IORDACHE




Director
Eng. Ioana ȚENE

05.07.2010 / 24.11.2014
First issue date / Current edition

04.07.2020
Valid until

The present certificate is valid only together with the annex.
The validity of the certificate will be in accordance with the Certification Contract no. 20 DM / 08.09.2014.

ANNEX TO EC CERTIFICATE

Additional information on EC certificate No. 20 DM 2.4 / 24.11.2014

The certificate is valid for the following production site:

Aachen Resonance GmbH – Pauwelsstraße 17, DE-52074, Aachen, Germany

Sterilization:

VANGUARD Spezialaufbereitung GmbH - Industriestraße 41, D-26446 Friedeburg, Germany

VANGUARD Spezialaufbereitung GmbH holds the certificate no. 1921968-040-000-001 with Annex / 05.03.2014, issued by LGA InterCert GmbH for the following scope: provision of ethylene oxide sterilization services for medical devices, in accordance with DIN EN ISO 11135:2007.

The certificate is valid for the following products:

Rapid Exchange ELUTAX-SV-RX

Code	Length x Diameter	Code	Length x Diameter	Code	Length x Diameter
ELUTAX-SV-RX 10150	10.00 mm x 1.50 mm	ELUTAX-SV-RX 20225	20.00 mm x 2.25 mm	ELUTAX-SV-RX 40200	40.00 mmx2.00 mm
ELUTAX-SV-RX 10200	10.00 mm x 2.00 mm	ELUTAX-SV-RX 20250	20.00 mm x 2.50 mm	ELUTAX-SV-RX 40250	40.00 mmx2.50 mm
ELUTAX-SV-RX 10225	10.00 mm x 2.25 mm	ELUTAX-SV-RX 20275	20.00 mm x 2.75 mm	ELUTAX-SV-RX 40300	40.00 mmx3.00 mm
ELUTAX-SV-RX 10250	10.00 mm x 2.50 mm	ELUTAX-SV-RX 20300	20.00 mm x 3.00 mm	ELUTAX-SV-RX 40350	40.00 mmx3.50 mm
ELUTAX-SV-RX 10275	10.00 mm x 2.75 mm	ELUTAX-SV-RX 20325	20.00 mm x 3.25 mm	ELUTAX-SV-RX 40400	40.00 mmx4.00 mm
ELUTAX-SV-RX 10300	10.00 mm x 3.00 mm	ELUTAX-SV-RX 20350	20.00 mm x 3.50 mm	ELUTAX-SV-RX 40500	40.00 mmx5.00 mm
ELUTAX-SV-RX 10325	10.00 mm x 3.25 mm	ELUTAX-SV-RX 20375	20.00 mm x 3.75 mm	ELUTAX-SV-RX 40600	40.00 mmx6.00 mm
ELUTAX-SV-RX 10350	10.00 mm x 3.50 mm	ELUTAX-SV-RX 20400	20.00 mm x 4.00 mm	ELUTAX-SV-RX 60200	60.00 mmx2.00 mm
ELUTAX-SV-RX 10375	10.00 mm x 3.75 mm	ELUTAX-SV-RX 20500	20.00 mm x 5.00 mm	ELUTAX-SV-RX 60250	60.00 mmx2.50 mm
ELUTAX-SV-RX 10400	10.00 mm x 4.00 mm	ELUTAX-SV-RX 20600	20.00 mm x 6.00 mm	ELUTAX-SV-RX 60300	60.00 mmx3.00 mm
ELUTAX-SV-RX 13150	13.00 mm x 1.50 mm	ELUTAX-SV-RX 25150	25.00 mm x 1.50 mm	ELUTAX-SV-RX 60350	60.00 mmx3.50 mm
ELUTAX-SV-RX 13200	13.00 mm x 2.00 mm	ELUTAX-SV-RX 25200	25.00 mm x 2.00 mm	ELUTAX-SV-RX 60400	60.00 mmx4.00 mm
ELUTAX-SV-RX 13225	13.00 mm x 2.25 mm	ELUTAX-SV-RX 25225	25.00 mm x 2.25 mm	ELUTAX-SV-RX 60500	60.00 mmx5.00 mm
ELUTAX-SV-RX 13250	13.00 mm x 2.50 mm	ELUTAX-SV-RX 25250	25.00 mm x 2.50 mm	ELUTAX-SV-RX 60600	60.00 mmx6.00 mm
ELUTAX-SV-RX 13275	13.00 mm x 2.75 mm	ELUTAX-SV-RX 25275	25.00 mm x 2.75 mm	ELUTAX-SV-RX 80200	80.00 mmx2.00 mm
ELUTAX-SV-RX 13300	13.00 mm x 3.00 mm	ELUTAX-SV-RX 25300	25.00 mm x 3.00 mm	ELUTAX-SV-RX 80250	80.00 mmx2.50 mm
ELUTAX-SV-RX 13325	13.00 mm x 3.25 mm	ELUTAX-SV-RX 25325	25.00 mm x 3.25 mm	ELUTAX-SV-RX 80300	80.00 mmx3.00 mm
ELUTAX-SV-RX 13350	13.00 mm x 3.50 mm	ELUTAX-SV-RX 25350	25.00 mm x 3.50 mm	ELUTAX-SV-RX 80350	80.00 mmx3.50 mm
ELUTAX-SV-RX 13375	13.00 mm x 3.75 mm	ELUTAX-SV-RX 25375	25.00 mm x 3.75 mm	ELUTAX-SV-RX 80400	80.00 mmx4.00 mm
ELUTAX-SV-RX 13400	13.00 mm x 4.00 mm	ELUTAX-SV-RX 25400	25.00 mm x 4.00 mm	ELUTAX-SV-RX 80500	80.00 mmx5.00 mm
ELUTAX-SV-RX 15150	15.00 mm x 1.50 mm	ELUTAX-SV-RX 30150	30.00 mm x 1.50 mm	ELUTAX-SV-RX 80600	80.00 mmx6.00 mm
ELUTAX-SV-RX 15200	15.00 mm x 2.00 mm	ELUTAX-SV-RX 30200	30.00 mm x 2.00 mm	ELUTAX-SV-RX 100200	100.00 mmx2.00 mm
ELUTAX-SV-RX 15225	15.00 mm x 2.25 mm	ELUTAX-SV-RX 30225	30.00 mm x 2.25 mm	ELUTAX-SV-RX 100250	100.00 mmx2.50 mm
ELUTAX-SV-RX 15250	15.00 mm x 2.50 mm	ELUTAX-SV-RX 30250	30.00 mm x 2.50 mm	ELUTAX-SV-RX 100300	100.00 mmx3.00 mm
ELUTAX-SV-RX 15275	15.00 mm x 2.75 mm	ELUTAX-SV-RX 30275	30.00 mm x 2.75 mm	ELUTAX-SV-RX 100350	100.00 mmx3.50 mm
ELUTAX-SV-RX 15300	15.00 mm x 3.00 mm	ELUTAX-SV-RX 30300	30.00 mm x 3.00 mm	ELUTAX-SV-RX 100400	100.00 mmx4.00 mm
ELUTAX-SV-RX 15325	15.00 mm x 3.25 mm	ELUTAX-SV-RX 30325	30.00 mm x 3.25 mm	ELUTAX-SV-RX 100500	100.00 mmx5.00 mm
ELUTAX-SV-RX 15350	15.00 mm x 3.50 mm	ELUTAX-SV-RX 30350	30.00 mm x 3.50 mm	ELUTAX-SV-RX 100600	100.00 mmx6.00 mm
ELUTAX-SV-RX 15375	15.00 mm x 3.75 mm	ELUTAX-SV-RX 30375	30.00 mm x 3.75 mm		
ELUTAX-SV-RX 15400	15.00 mm x 4.00 mm	ELUTAX-SV-RX 30400	30.00 mm x 4.00 mm		
ELUTAX-SV-RX 20150	20.00 mm x 1.50 mm	ELUTAX-SV-RX 30500	30.00 mm x 5.00 mm		
ELUTAX-SV-RX 20200	20.00 mm x 2.00 mm	ELUTAX-SV-RX 30600	30.00 mm x 6.00 mm		



Code	Length x Diameter	Code	Length x Diameter	Code	Length x Diameter
ELUTAX-SV-RX 150200	150.00 mmx2.00 mm	ELUTAX-SV-RX 200200	200.00 mmx2.00 mm	ELUTAX-SV-RX 250200	250.00 mmx2.00 mm
ELUTAX-SV-RX 150250	150.00 mmx2.50 mm	ELUTAX-SV-RX 200250	200.00 mmx2.50 mm	ELUTAX-SV-RX 250250	250.00 mmx2.50 mm
ELUTAX-SV-RX 150300	150.00 mmx3.00 mm	ELUTAX-SV-RX 200300	200.00 mmx3.00 mm	ELUTAX-SV-RX 250300	250.00 mmx3.00 mm
ELUTAX-SV-RX 150350	150.00 mmx3.50 mm	ELUTAX-SV-RX 200350	200.00 mmx3.50 mm		
ELUTAX-SV-RX 150400	150.00 mmx4.00 mm	ELUTAX-SV-RX 200400	200.00 mmx4.00 mm		
ELUTAX-SV-RX 150500	150.00 mmx5.00 mm	ELUTAX-SV-RX 200500	200.00 mmx5.00 mm		
ELUTAX-SV-RX 150600	150.00 mmx6.00 mm	ELUTAX-SV-RX 200600	200.00 mmx6.00 mm		

Rapid Exchange N-ELUTAX-SV

Code	Length x Diameter	Code	Length x Diameter	Code	Length x Diameter
N-ELUTAX-SV 10150	10.00 mm x 1.50 mm	N-ELUTAX-SV 20150	20.00 mm x 1.50 mm	N-ELUTAX-SV 40150	40.00 mm x 1.50 mm
N-ELUTAX-SV 10200	10.00 mm x 2.00 mm	N-ELUTAX-SV 20200	20.00 mm x 2.00 mm	N-ELUTAX-SV 40200	40.00 mm x 2.00 mm
N-ELUTAX-SV 10225	10.00 mm x 2.25 mm	N-ELUTAX-SV 20225	20.00 mm x 2.25 mm	N-ELUTAX-SV 40225	40.00 mm x 2.25 mm
N-ELUTAX-SV 10250	10.00 mm x 2.50 mm	N-ELUTAX-SV 20250	20.00 mm x 2.50 mm	N-ELUTAX-SV 40250	40.00 mm x 2.50 mm
N-ELUTAX-SV 10275	10.00 mm x 2.75 mm	N-ELUTAX-SV 20275	20.00 mm x 2.75 mm	N-ELUTAX-SV 40275	40.00 mm x 2.75 mm
N-ELUTAX-SV 10300	10.00 mm x 3.00 mm	N-ELUTAX-SV 20300	20.00 mm x 3.00 mm	N-ELUTAX-SV 40300	40.00 mm x 3.00 mm
N-ELUTAX-SV 10325	10.00 mm x 3.25 mm	N-ELUTAX-SV 20325	20.00 mm x 3.25 mm	N-ELUTAX-SV 40325	40.00 mm x 3.25 mm
N-ELUTAX-SV 10350	10.00 mm x 3.50 mm	N-ELUTAX-SV 20350	20.00 mm x 3.50 mm	N-ELUTAX-SV 40350	40.00 mm x 3.50 mm
N-ELUTAX-SV 10400	10.00 mm x 4.00 mm	N-ELUTAX-SV 20400	20.00 mm x 4.00 mm	N-ELUTAX-SV 40400	40.00 mm x 4.00 mm
N-ELUTAX-SV 13150	13.00 mm x 1.50 mm	N-ELUTAX-SV 25150	25.00 mm x 1.50 mm		
N-ELUTAX-SV 13200	13.00 mm x 2.00 mm	N-ELUTAX-SV 25200	25.00 mm x 2.00 mm		
N-ELUTAX-SV 13225	13.00 mm x 2.25 mm	N-ELUTAX-SV 25225	25.00 mm x 2.25 mm		
N-ELUTAX-SV 13250	13.00 mm x 2.50 mm	N-ELUTAX-SV 25250	25.00 mm x 2.50 mm		
N-ELUTAX-SV 13275	13.00 mm x 2.75 mm	N-ELUTAX-SV 25275	25.00 mm x 2.75 mm		
N-ELUTAX-SV 13300	13.00 mm x 3.00 mm	N-ELUTAX-SV 25300	25.00 mm x 3.00 mm		
N-ELUTAX-SV 13325	13.00 mm x 3.25 mm	N-ELUTAX-SV 25325	25.00 mm x 3.25 mm		
N-ELUTAX-SV 13350	13.00 mm x 3.50 mm	N-ELUTAX-SV 25350	25.00 mm x 3.50 mm		
N-ELUTAX-SV 13400	13.00 mm x 4.00 mm	N-ELUTAX-SV 25400	25.00 mm x 4.00 mm		
N-ELUTAX-SV 15150	15.00 mm x 1.50 mm	N-ELUTAX-SV 30150	30.00 mm x 1.50 mm		
N-ELUTAX-SV 15200	15.00 mm x 2.00 mm	N-ELUTAX-SV 30200	30.00 mm x 2.00 mm		
N-ELUTAX-SV 15225	15.00 mm x 2.25 mm	N-ELUTAX-SV 30225	30.00 mm x 2.25 mm		
N-ELUTAX-SV 15250	15.00 mm x 2.50 mm	N-ELUTAX-SV 30250	30.00 mm x 2.50 mm		
N-ELUTAX-SV 15275	15.00 mm x 2.75 mm	N-ELUTAX-SV 30275	30.00 mm x 2.75 mm		
N-ELUTAX-SV 15300	15.00 mm x 3.00 mm	N-ELUTAX-SV 30300	30.00 mm x 3.00 mm		
N-ELUTAX-SV 15325	15.00 mm x 3.25 mm	N-ELUTAX-SV 30325	30.00 mm x 3.25 mm		
N-ELUTAX-SV 15350	15.00 mm x 3.50 mm	N-ELUTAX-SV 30350	30.00 mm x 3.50 mm		
N-ELUTAX-SV 15400	15.00 mm x 4.00 mm	N-ELUTAX-SV 30400	30.00 mm x 4.00 mm		



Over the wire ELUTAX-SV-OTW

Code	Length x Diameter	Code	Length x Diameter	Code	Length x Diameter
ELUTAX-SV-OTW 10150	10.00 mmx1.50 mm	ELUTAX-SV-OTW 30150	30.00 mmx1.50 mm	ELUTAX-SV-OTW 200500	200.00 mmx5.00 mm
ELUTAX-SV-OTW 10200	10.00 mmx2.00 mm	ELUTAX-SV-OTW 30200	30.00 mmx2.00 mm	ELUTAX-SV-OTW 200600	200.00 mmx6.00 mm
ELUTAX-SV-OTW 10225	10.00 mmx2.25 mm	ELUTAX-SV-OTW 30225	30.00 mmx2.25 mm	ELUTAX-SV-OTW 250200	250.00 mmx2.00 mm
ELUTAX-SV-OTW 10250	10.00 mmx2.50 mm	ELUTAX-SV-OTW 30250	30.00 mmx2.50 mm	ELUTAX-SV-OTW 250250	250.00 mmx2.50 mm
ELUTAX-SV-OTW 10275	10.00 mmx2.75 mm	ELUTAX-SV-OTW 30275	30.00 mmx2.75 mm	ELUTAX-SV-OTW 250300	250.00 mmx3.00 mm
ELUTAX-SV-OTW 10300	10.00 mmx3.00 mm	ELUTAX-SV-OTW 30300	30.00 mmx3.00 mm	ELUTAX-SV-OTW 20700	20.00 mmx7.00 mm
ELUTAX-SV-OTW 10325	10.00 mmx3.25 mm	ELUTAX-SV-OTW 30325	30.00 mmx3.25 mm	ELUTAX-SV-OTW 20800	20.00 mmx8.00 mm
ELUTAX-SV-OTW 10350	10.00 mmx3.50 mm	ELUTAX-SV-OTW 30350	30.00 mmx3.50 mm	ELUTAX-SV-OTW 201000	20.00 mmx10.00 mm
ELUTAX-SV-OTW 10375	10.00 mmx3.75 mm	ELUTAX-SV-OTW 30375	30.00 mmx3.75 mm	ELUTAX-SV-OTW 201200	20.00 mmx12.00 mm
ELUTAX-SV-OTW 10400	10.00 mmx4.00 mm	ELUTAX-SV-OTW 30400	30.00 mmx4.00 mm	ELUTAX-SV-OTW 201400	20.00 mmx14.00 mm
ELUTAX-SV-OTW 13150	13.00 mmx1.50 mm	ELUTAX-SV-OTW 30500	30.00 mmx5.00 mm	ELUTAX-SV-OTW 40700	40.00 mmx7.00 mm
ELUTAX-SV-OTW 13200	13.00 mmx2.00 mm	ELUTAX-SV-OTW 30600	30.00 mmx6.00 mm	ELUTAX-SV-OTW 40800	40.00 mmx8.00 mm
ELUTAX-SV-OTW 13225	13.00 mmx2.25 mm	ELUTAX-SV-OTW 40200	40.00 mmx2.00 mm	ELUTAX-SV-OTW 401000	40.00 mmx10.00 mm
ELUTAX-SV-OTW 13250	13.00 mmx2.50 mm	ELUTAX-SV-OTW 40250	40.00 mmx2.50 mm	ELUTAX-SV-OTW 401200	40.00 mmx12.00 mm
ELUTAX-SV-OTW 13275	13.00 mmx2.75 mm	ELUTAX-SV-OTW 40300	40.00 mmx3.00 mm	ELUTAX-SV-OTW 401400	40.00 mmx14.00 mm
ELUTAX-SV-OTW 13300	13.00 mmx3.00 mm	ELUTAX-SV-OTW 40350	40.00 mmx3.50 mm	ELUTAX-SV-OTW 60700	60.00 mmx7.00 mm
ELUTAX-SV-OTW 13325	13.00 mmx3.25 mm	ELUTAX-SV-OTW 40400	40.00 mmx4.00 mm	ELUTAX-SV-OTW 60800	60.00 mmx8.00 mm
ELUTAX-SV-OTW 13350	13.00 mmx3.50 mm	ELUTAX-SV-OTW 40500	40.00 mmx5.00 mm	ELUTAX-SV-OTW 601000	60.00 mmx10.00 mm
ELUTAX-SV-OTW 13375	13.00 mmx3.75 mm	ELUTAX-SV-OTW 40600	40.00 mmx6.00 mm	ELUTAX-SV-OTW 601200	60.00 mmx12.00 mm
ELUTAX-SV-OTW 13400	13.00 mmx4.00 mm	ELUTAX-SV-OTW 60200	60.00 mmx2.00 mm	ELUTAX-SV-OTW 601400	60.00 mmx14.00 mm
ELUTAX-SV-OTW 15150	15.00 mmx1.50 mm	ELUTAX-SV-OTW 60250	60.00 mmx2.50 mm	ELUTAX-SV-OTW 80700	80.00 mmx7.00 mm
ELUTAX-SV-OTW 15200	15.00 mmx2.00 mm	ELUTAX-SV-OTW 60300	60.00 mmx3.00 mm	ELUTAX-SV-OTW 80800	80.00 mmx8.00 mm
ELUTAX-SV-OTW 15225	15.00 mmx2.25 mm	ELUTAX-SV-OTW 60350	60.00 mmx3.50 mm	ELUTAX-SV-OTW 801000	80.00 mmx10.00 mm
ELUTAX-SV-OTW 15250	15.00 mmx2.50 mm	ELUTAX-SV-OTW 60400	60.00 mmx4.00 mm	ELUTAX-SV-OTW 801200	80.00 mmx12.00 mm
ELUTAX-SV-OTW 15275	15.00 mmx2.75 mm	ELUTAX-SV-OTW 60500	60.00 mmx5.00 mm	ELUTAX-SV-OTW 801400	80.00 mmx14.00 mm
ELUTAX-SV-OTW 15300	15.00 mmx3.00 mm	ELUTAX-SV-OTW 60600	60.00 mmx6.00 mm		
ELUTAX-SV-OTW 15325	15.00 mmx3.25 mm	ELUTAX-SV-OTW 80200	80.00 mmx2.00 mm		
ELUTAX-SV-OTW 15350	15.00 mmx3.50 mm	ELUTAX-SV-OTW 80250	80.00 mmx2.50 mm		
ELUTAX-SV-OTW 15375	15.00 mmx3.75 mm	ELUTAX-SV-OTW 80300	80.00 mmx3.00 mm		
ELUTAX-SV-OTW 15400	15.00 mmx4.00 mm	ELUTAX-SV-OTW 80350	80.00 mmx3.50 mm		
ELUTAX-SV-OTW 20150	20.00 mmx1.50 mm	ELUTAX-SV-OTW 80400	80.00 mmx4.00 mm		
ELUTAX-SV-OTW 20200	20.00 mmx2.00 mm	ELUTAX-SV-OTW 80500	80.00 mmx5.00 mm		
ELUTAX-SV-OTW 20225	20.00 mmx2.25 mm	ELUTAX-SV-OTW 80600	80.00 mmx6.00 mm		
ELUTAX-SV-OTW 20250	20.00 mmx2.50 mm	ELUTAX-SV-OTW 100200	100.00 mmx2.00 mm		
ELUTAX-SV-OTW 20275	20.00 mmx2.75 mm	ELUTAX-SV-OTW 100250	100.00 mmx2.50 mm		
ELUTAX-SV-OTW 20300	20.00 mmx3.00 mm	ELUTAX-SV-OTW 100300	100.00 mmx3.00 mm		
ELUTAX-SV-OTW 20325	20.00 mmx3.25 mm	ELUTAX-SV-OTW 100350	100.00 mmx3.50 mm		
ELUTAX-SV-OTW 20350	20.00 mmx3.50 mm	ELUTAX-SV-OTW 100400	100.00 mmx4.00 mm		
ELUTAX-SV-OTW 20375	20.00 mmx3.75 mm	ELUTAX-SV-OTW 100500	100.00 mmx5.00 mm		
ELUTAX-SV-OTW 20400	20.00 mmx4.00 mm	ELUTAX-SV-OTW 100600	100.00 mmx6.00 mm		
ELUTAX-SV-OTW 20500	20.00 mmx5.00 mm	ELUTAX-SV-OTW 150200	150.00 mmx2.00 mm		
ELUTAX-SV-OTW 20600	20.00 mmx6.00 mm	ELUTAX-SV-OTW 150250	150.00 mmx2.50 mm		
ELUTAX-SV-OTW 25150	25.00 mmx1.50 mm	ELUTAX-SV-OTW 150300	150.00 mmx3.00 mm		
ELUTAX-SV-OTW 25200	25.00 mmx2.00 mm	ELUTAX-SV-OTW 150350	150.00 mmx3.50 mm		
ELUTAX-SV-OTW 25225	25.00 mmx2.25 mm	ELUTAX-SV-OTW 150400	150.00 mmx4.00 mm		
ELUTAX-SV-OTW 25250	25.00 mmx2.50 mm	ELUTAX-SV-OTW 150500	150.00 mmx5.00 mm		
ELUTAX-SV-OTW 25275	25.00 mmx2.75 mm	ELUTAX-SV-OTW 150600	150.00 mmx6.00 mm		
ELUTAX-SV-OTW 25300	25.00 mmx3.00 mm	ELUTAX-SV-OTW 200200	200.00 mmx2.00 mm		
ELUTAX-SV-OTW 25325	25.00 mmx3.25 mm	ELUTAX-SV-OTW 200250	200.00 mmx2.50 mm		
ELUTAX-SV-OTW 25350	25.00 mmx3.50 mm	ELUTAX-SV-OTW 200300	200.00 mmx3.00 mm		
ELUTAX-SV-OTW 25375	25.00 mmx3.75 mm	ELUTAX-SV-OTW 200350	200.00 mmx3.50 mm		
ELUTAX-SV-OTW 25400	25.00 mmx4.00 mm	ELUTAX-SV-OTW 200400	200.00 mmx4.00 mm		

Short shaft (50 cm) over the wire ELUTAX-SV-OTW-S

Code	Length x Diameter	Code	Length x Diameter	Code	Length x Diameter
ELUTAX-SV-OTW-S 20400	20.00 mmx4.00 mm	ELUTAX-SV-OTW-S 40400	40.00 mmx4.00 mm	ELUTAX-SV-OTW-S 60400	60.00 mmx4.00 mm
ELUTAX-SV-OTW-S 20500	20.00 mmx5.00 mm	ELUTAX-SV-OTW-S 40500	40.00 mmx5.00 mm	ELUTAX-SV-OTW-S 60500	60.00 mmx5.00 mm
ELUTAX-SV-OTW-S 20600	20.00 mmx6.00 mm	ELUTAX-SV-OTW-S 40600	40.00 mmx6.00 mm	ELUTAX-SV-OTW-S 60600	60.00 mmx6.00 mm
ELUTAX-SV-OTW-S 20700	20.00 mmx7.00 mm	ELUTAX-SV-OTW-S 40700	40.00 mmx7.00 mm	ELUTAX-SV-OTW-S 60700	60.00 mmx7.00 mm

OTDM CERTIFICATE

Lazăr Iordache



Ioana Țene

**President of the Committee for Safeguarding Impartiality
Eng. Lazăr IORDACHE**

**Director
Eng. Ioana ȚENE**