

1200 psi prailginimo linijos

Pintos

Naudojamos aukšto slėgio injektoriams


Lanksčios

Gali būti komplektuojamos su adapteriu

Be latekso

Product No.	Description	Qty.(Kits /CT)
832807	10" Female to Male Luer Lock	250
832801	10" Female Luer Lock to Male Rotator	250
832808	20" Female to Male Luer Lock	250
832802	20" Female Luer Lock to Male Rotator	250
832809	30" Female to Male Luer Lock	250
832803	30" Female Luer Lock to Male Rotator	250
832810	48" Female to Male Luer Lock	250
832804	48" Female Luer Lock to Male Rotator	250

Vertimas atliktas ir patvirtintas 2015 04 20.



Baliono pripūtiklis

Iki 30 atm

Tikslus


Stabiliai veikia

Paprasta naudoti

BALLOON INFLATION DEVICES


Max. Pressure : **30 bar**

- Accurate
- Stable performance
- Simple operation



Product No.	Volume	Contents	Qty. (Kits/CT)
833103	20 ml	Balloon Inflation Device, Stopcock (" RIGHT ON ")	20
833104	20 ml	Balloon Inflation Device, Stopcock (" RIGHT OFF ")	20
833105	30 ml	Balloon Inflation Device, Stopcock (" RIGHT ON ")	20
833106	30 ml	Balloon Inflation Device, Stopcock (" RIGHT OFF ")	20
833109	20 ml	833 103 + Hemostasis Valve Set (Twist, Red Torque Device)	20
833110	20 ml	833 104 + Hemostasis Valve Set (Twist, Red Torque Device)	20
833111	30 ml	833 105 + Hemostasis Valve Set (Twist, Red Torque Device)	20
833112	30 ml	833 106 + Hemostasis Valve Set (Twist, Red Torque Device)	20
833115	20 ml	833 103 + Hemostasis Valve Set (Push Pull, Red Torque Device)	20
833116	20 ml	833 104 + Hemostasis Valve Set (Push Pull, Red Torque Device)	20
833117	30 ml	833 105 + Hemostasis Valve Set (Push Pull, Red Torque Device)	20
833118	30 ml	833 106 + Hemostasis Valve Set (Push Pull, Red Torque Device)	20

Vertimas atliktas ir patvirtintas 2015 04 20.



Angiografinės vielos

Dengtos teflonu

Šerdis – nerūdijančio plieno

Išorinis spindis – 0,021-0,038 colio

Ilgiai nuo 50 iki 300 cm


J galiuko spindis 1,5 – 15 mm

ANGIOGRAPHIC GUIDE WIRES


- PTFE Coated
- Stainless Steel Core

Dimensions	
OD Range	0.021 " - 0.038 "
Length Range	50 cm - 300 cm
J Radius	1.5mm-15mm

Product No.					Length	Tip form	Qty.
0.021 "	0.025 "	0.032 "	0.035 "	0.038 "	cm		Kits/CT
831101	831201	831301	831401	831501	150	Straight	100
831102	832202	831302	831402	831502	150	J	100
831103	831203	831303	831403	831503	260	Straight	100
831104	831204	831304	831404	831504	260	J	100




Vertimas atliktas ir patvirtintas 2015 04 20.



A. Radialis uždariklis

Dūrio vieta permatoma ir lipni.
Neužspaudžiamas nervas.
Reguliuojamas suspaudimas.



Product No.	Size (mm)	Qty. (Kits/CT)
835701	60	160
835702	70	160
835703	80	160

Vertimas atliktas ir patvirtintas 2015 04 20.

